Data Representation Lab 06.02: API Keys

Lecturer: Andrew Beatty

In this lab we are going to use Python access APIs that need a key

We are using the APIs as described by:

- https://html2pdf.app/
- https://developer.github.com/v3/guides/

NOTE: You will have to get your own key from github

Create a pdf

1. Go to html2pdf.com and create an account for yourself and copy the api key.

(if you are really lazy use my key)

- 2. Look at their documentation
- 3. Write a script that will convert the Wikipedia website into a pdf

```
import requests
import urllib.parse

targetUrl = "https://en.wikipedia.org"

apiKey = "your key"
#api = "eAs3mWn7R59gxZ6kSYysYdpTUsivY7Am74aSN36pOHdMMyTu3XDpdSOtaAySz3qF"

apiurl = 'https://api.html2pdf.app/v1/generate'

params = {'url': targetUrl, 'apiKey': apiKey}
parsedparams = urllib.parse.urlencode(params)
requestUrl = apiurl +"?" + parsedparams

response = requests.get(requestUrl)
print (response.status_code)

result =response.content
with open("document.pdf", "wb") as handler:
    handler.write(result)
```

4. you should probably put the api into a config file

```
config = {
    "htmltopdfkey":"eAs3mWn7R59gxZ6kSYysYdpTUsivY7Am74aSN36p0HdMMyTu3XDpdS0taAySz3
qF"
}
```

5. And modify the code

```
from config import config as cfg
targetUrl = "https://en.wikipedia.org"
apiKey = cfg["htmltopdfkey"]
```

Get private data from GitHub:

- 6. Create a new repository on your GitHub account called 'aprivateone', make it a private repository
- 7. Get your own API key for your github account. (see lectures) it should look something like

7aa146eafee094d3a7b1e81aa1d8fcb0eec8b910

NOTE: you key will cease to work if you put it into a file that is uploaded to GitHub (this is for security reasons)

Replace this with your key

8. Use curl to check that it works

```
curl -i -H "Authorization: token 7aa146eafee094d3a7b1e81aa1d8fcb0eec8b910 https://api.github.com/user/repos
```

9. Write python script that will get the information from the private repository you created

```
url = 'https://api.github.com/repos/your-username/aprivateone'
And output the result to a file
```

```
response = requests.get(url, auth=('token',apiKey))
repoJSON = response.json()
#print (response.json())
with open(filename, 'w') as fp:
    json.dump(repoJSON, fp, indent=4)
You will need to make
a variable called apiKey
that contains the key
```

If the file had got "bad credentials" written in it. Then the key you are using is invalid.

Challenge

- 10. Write a script to get more information from your repository.
- 11. Write a script that will make a change to your repository.