

[Click here to access the guidelines/NICE algorithm](#)

N&WICS - TA103 - Efalizumab - Psoriasis

Before providing patient identifiable data on this form, please confirm that the patient (or in the case of a minor or vulnerable adult with the parent/legal guardian/carer) has given appropriate explicit consent for sensitive personal information on this form to be passed to the CCG and/or CSU for processing this funding request and validating subsequent invoices. Consent given: ☐

If there is more than one NICE-approved treatment available, a discussion between the responsible clinician and the patient has taken place about the advantages and disadvantages of the treatments available. This has taken into consideration therapeutic need and whether or not the patient is likely to adhere to treatment. The most appropriate, least expensive, will be chosen (taking into account administration costs, dosage and price per dose) unless an order of preference is stated in the TAs. ☐

Patient NHS No:	Trust:	Practice Name:
Patient Hospital No: <input type="text"/>	Consultant Making Request: <input type="text"/>	Practice Postcode:
Patient's Initials and DoB:		Practice Code:
Notification Email Address: <input type="text"/> (@NHS.net account ONLY)		Contact name & number: <input type="text"/>
Start date of requested treatment: <input type="text"/>	Provider: <input type="checkbox"/> Private <input type="checkbox"/> NHS Supplier: <input type="checkbox"/> Homecare <input type="checkbox"/> Hospital	Sub-Type: <input type="text"/> N/A <input type="button" value="v"/> (if applicable)

By completing this form, you confirm that you intend to use the requested medicinal product described below as agreed in the local commissioning statement. Any requests which fall outside of this use will require an individual funding request (IFR).

For support regarding IFRs, please contact: norfolkicd@nhs.net

For support regarding the criteria listed below, please contact: norfolknontariff@nhs.net

Please indicate whether patient meets the following NICE criteria:	Please tick
1. Etanercept, within its licensed indications, administered at a dose not exceeding 25 mg twice weekly is recommended for the treatment of adults with plaque psoriasis only when the following criteria are met. • The disease is severe as defined by a total Psoriasis Area Severity Index (PASI) of 10 or more and a Dermatology Life Quality Index (DLQI) of more than 10. • The psoriasis has failed to respond to standard systemic therapies including ciclosporin, methotrexate and PUVA (psoralen and long-wave ultraviolet radiation); or the person is intolerant to, or has a contraindication to, these treatments.	<input type="checkbox"/> Yes <input type="checkbox"/> No
2. Etanercept treatment should be discontinued in patients whose psoriasis has not responded adequately at 12 weeks. Further treatment cycles are not recommended in these patients. An adequate response is defined as either: • a 75% reduction in the PASI score from when treatment started (PASI 75) or • a 50% reduction in the PASI score (PASI 50) and a five-point reduction in DLQI from when treatment started.	<input type="checkbox"/> Yes <input type="checkbox"/> No
3. NICE has withdrawn its guidance on the use of efalizumab for the treatment of adults with psoriasis because the EMEA's Committee for Medicinal Products for Human Use has reviewed possible links between the drug and a rare but deadly brain infection and said the benefits of efalizumab no longer outweigh its risks, because of safety concerns, notably the occurrence of progressive multifocal leukoencephalopathy.	<input type="checkbox"/> Yes <input type="checkbox"/> No
4. NICE has withdrawn its guidance on the use of efalizumab for the treatment of adults with psoriasis because the EMEA's Committee for Medicinal Products for Human Use has reviewed possible links between the drug and a rare but deadly brain infection and said the benefits of efalizumab no longer outweigh its risks, because of safety concerns, notably the occurrence of progressive multifocal leukoencephalopathy.	<input type="checkbox"/> Yes <input type="checkbox"/> No
5. It is recommended that the use of etanercept for psoriasis should be initiated and supervised only by	

specialist physicians experienced in the diagnosis and treatment of psoriasis. If a person has both psoriasis and psoriatic arthritis their treatment should be managed by collaboration between a rheumatologist and a dermatologist.	<input type="checkbox"/> Yes <input type="checkbox"/> No
6. NICE has withdrawn its guidance on the use of efalizumab for the treatment of adults with psoriasis because the EMEA's Committee for Medicinal Products for Human Use has reviewed possible links between the drug and a rare but deadly brain infection and said the benefits of efalizumab no longer outweigh its risks, because of safety concerns, notably the occurrence of progressive multifocal leukoencephalopathy.	<input type="checkbox"/> Yes <input type="checkbox"/> No
I confirm that the patient meets the criteria for treatment	
Name of person completing: <input type="text"/>	Contact Details: <input type="text"/>
Designation of person completing: <input type="text"/>	Date: <input type="text"/>
Trust Authorising Pharmacist	
Name: <input type="text"/>	
Date: <input type="text"/>	