Click here to access the guidelines/NICE algorithm

N&WICS - TA685 - Anakinra - Still's disease						
Pefere providing petient identifiable				vulporoblo odult v	with the	
Before providing patient identifiable parent/legal guardian/carer) has give CSU for processing this funding req	en appropriate explicit consen	for sensitive personal in	formation on this form			
If there is more than one NICE-approabout the advantages and disadvantages			•			
patient is likely to adhere to treatme						
and price per dose) unless an order	of preference is stated in the	TAs.				
Patient NHS No:	Trust:		Practice Name:			
Patient	Consultant		Practice			
Hospital No:	Making Request:		Postcode:			
Patient's	Nequest.					
Initials and		Practice				
DoB:			Code:			
Notification			Contact			
Email	(@NHS.ne	t account ONLY)	name &			
Address:	Dungidan		number:			
Start date	Provider:	e □NHS				
of requested	Supplier: ☐ Home	care Hospital	Sub-Type:			
treatment:				/A 💟		
December this form	that we have done	and the state of t	(if applicable)		-1	
By completing this form, you confirr commissioning statement. Any requ					3 1	
			3 - 1 (,		
For support regarding IFRs, please	contact: norfolkicd@nhs.net					
For support regarding the criteria lis	ted below, please contact: no	folknontariff@nhs.net				
Please indicate whether paties	nt meets the following NICE	criteria:		Please tick		
•				1 louse tiek		
1. Anakinra is recommended as an option for treating Still's disease with moderate to high disease activity,						
or continued disease activity after non-steroidal anti-inflammatory drugs (NSAIDs) or glucocorticoids. It is only recommended for:						
 adult-onset Still's disease that h antirheumatic drugs (DMARDs) 	as responded inadequately to	2 or more conventional		l — — l		
animodinatio drugo (ENV 1125)			disease-modifying	☐Yes ☐No		
systemic juvenile idiopathic arth			disease-modifying	□Yes □No		
I has not responded to at least 1 c		older with a body weight o	, -	□Yes □No		
That flot responded to at least 1 o	ritis in people 8 months and conventional DMARD.	older with a body weight o	, -	□Yes □No		
2. As per NICE guidance, treatments	onventional DMARD. ent should normally be started	with the least expensive	of 10 kg or more that	□Yes □No		
·	onventional DMARD. ent should normally be started	with the least expensive	of 10 kg or more that	□Yes □No		
2. As per NICE guidance, treatments	onventional DMARD. ent should normally be started and any additional administration	with the least expensive ation costs).	of 10 kg or more that drug (considering	□Yes □No		
2. As per NICE guidance, treatment the dose required, price per dose Please confirm that the choice of patient, noting that alternative tre	ent should normally be started and any additional administration of the considered the most atment options recommended	with the least expensive ation costs).	of 10 kg or more that drug (considering or this individual	□Yes □No		
2. As per NICE guidance, treatment the dose required, price per dose Please confirm that the choice of	ent should normally be started and any additional administration of the considered the most atment options recommended	with the least expensive ation costs).	of 10 kg or more that drug (considering or this individual			
2. As per NICE guidance, treatment the dose required, price per dose Please confirm that the choice of patient, noting that alternative treuse of biosimilar medications if a Where an alternative lower cost to	ent should normally be started and any additional administrative and second administrative administrative administrative and second administrative a	with the least expensive ation costs). cost-effective treatment for by NICE may be lower in the patents of the	of 10 kg or more that drug (considering or this individual n cost, including the ient, please confirm			
2. As per NICE guidance, treatment the dose required, price per dose Please confirm that the choice of patient, noting that alternative treuse of biosimilar medications if a Where an alternative lower cost to that the clinical rationale for present.	ent should normally be started and any additional administrative and second administrative administrative administrative and second administrative a	with the least expensive ation costs). cost-effective treatment for by NICE may be lower in the patents of the	of 10 kg or more that drug (considering or this individual n cost, including the ient, please confirm			
2. As per NICE guidance, treatment the dose required, price per dose Please confirm that the choice of patient, noting that alternative treuse of biosimilar medications if a Where an alternative lower cost to	ent should normally be started and any additional administrative and second administrative administrative administrative and second administrative a	with the least expensive ation costs). cost-effective treatment for by NICE may be lower in the patents of the	of 10 kg or more that drug (considering or this individual n cost, including the ient, please confirm			
2. As per NICE guidance, treatment the dose required, price per dose Please confirm that the choice of patient, noting that alternative treuse of biosimilar medications if a Where an alternative lower cost to that the clinical rationale for present.	ent should normally be started and any additional administrative and second and second administrative administrative and second administrative and second administrative and second administrative and second administrative administrative and second administrative and second administrative administrati	with the least expensive ation costs). cost-effective treatment for by NICE may be lower in the patients' medical records.	of 10 kg or more that drug (considering or this individual n cost, including the ient, please confirm			
2. As per NICE guidance, treatment the dose required, price per dose Please confirm that the choice of patient, noting that alternative treuse of biosimilar medications if a Where an alternative lower cost to that the clinical rationale for presequiting.	ent should normally be started and any additional administration of drug is considered the most atment options recommended pplicable. Treatment is available and has cribing has been included in the described by local commission	with the least expensive ation costs). cost-effective treatment for by NICE may be lower in the patients' medical records.	of 10 kg or more that drug (considering or this individual n cost, including the ient, please confirm	□Yes □No		
2. As per NICE guidance, treatment the dose required, price per dose. Please confirm that the choice of patient, noting that alternative treuse of biosimilar medications if a Where an alternative lower cost that the clinical rationale for presequiditing. 3. The product is being used as a second content of the product	ent should normally be started and any additional administration of drug is considered the most atment options recommended pplicable. Treatment is available and has cribing has been included in the described by local commission	with the least expensive ation costs). cost-effective treatment for by NICE may be lower in the patients' medical records.	of 10 kg or more that drug (considering or this individual n cost, including the ient, please confirm	□Yes □No		
2. As per NICE guidance, treatment the dose required, price per dose. Please confirm that the choice of patient, noting that alternative treuse of biosimilar medications if a Where an alternative lower cost that the clinical rationale for presuluditing. 3. The product is being used as a light confirm that the patient meet.	ent should normally be started and any additional administration of drug is considered the most atment options recommended pplicable. Treatment is available and has cribing has been included in the described by local commissions the criteria for treatment	with the least expensive ation costs). cost-effective treatment for by NICE may be lower in the patients' medical recomming position.	of 10 kg or more that drug (considering or this individual n cost, including the ient, please confirm	□Yes □No		

Trust Authorising Pharmacist	
Name:	
Date:	