## Click here to access the guidelines/NICE algorithm

| One have to access the galacines. More algorithm   |   |  |  |                            |                |  |
|--|---|--|--|----------------------------|----------------|--|
| N&WICS - TA228 - Thalidomide - Multiple myeloma  |   |  |  |                            |                |  |
| Before providing patient identifiable parent/legal guardian/carer) has give CSU for processing this funding req  | en appropriate explicit consent   | for sensitive personal in  | nformation on this form  |                            |                |  |
| If there is more than one NICE-approach the advantages and disadvant patient is likely to adhere to treatment  | tages of the treatments availab   | ole. This has taken into   | consideration theraped   | itic need and wheth        | ner or not the |  |
| and price per dose) unless an order  | of preference is stated in the  | TAs.   |  |                            |                |  |
| Patient<br>NHS No:   | Trust:  |  | Practice<br>Name:  |                            |                |  |
| Patient<br>Hospital<br>No:   | Consultant Making Request:  |  | Practice<br>Postcode:  |                            |                |  |
| Patient's<br>Initials and<br>DoB:  |   |  | Practice<br>Code:  |                            |                |  |
| Notification Email Address:  | (@NHS.ne  | et account ONLY)   | Contact name & number:   |                            |                |  |
| Start date of requested treatment:   |   | e □NHS<br>care □Hospital   | Sub-Type:  | I/A 🔽                      |                |  |
| By completing this form, you confirm<br>commissioning statement. Any requ<br>For support regarding IFRs, please  | ests which fall outside of this   |  |  |                            | al             |  |
| For support regarding the criteria lis   |   | rfolknontariff@nhs.net   |  |                            |                |  |
|  | ted below, please contact: nor  |  |  | Please tick                |                |  |
| For support regarding the criteria lis   | nt meets the following NICE th an alkylating agent and a comyeloma in people for whom   | E criteria:<br>orticosteroid is recomme  |  | Please tick  ☐ Yes ☐ No    |                |  |
| For support regarding the criteria lis  Please indicate whether patien  1. Thalidomide in combination with the first-line treatment of multiple  | nt meets the following NICE th an alkylating agent and a compeloma in people for whom oppropriate.  h an alkylating agent and a co  | criteria: orticosteroid is recomme high-dose chemotherap   | y with stem cell   |                            |                |  |
| Please indicate whether patien  1. Thalidomide in combination with the first-line treatment of multiple transplantation is considered in an analysis.  2. Bortezomib in combination with the first-line treatment of multiple the first-line treatment of multiple.  • high-dose chemotherapy with significant in the signifi | the delow, please contact: nor not meets the following NICE than alkylating agent and a compeloma in people for whom oppropriate.  The analkylating agent and a compeloma if:  The cell transplantation is constituted.   | criteria:  orticosteroid is recomme high-dose chemotherapy orticosteroid is recommer sidered inappropriate an  | y with stem cell  nded as an option for  |                            |                |  |
| Please indicate whether patien  1. Thalidomide in combination with the first-line treatment of multiple transplantation is considered inappear of the first-line treatment of multiple transplantation is combination with the first-line treatment of multiple  | the delow, please contact: nor not meets the following NICE than alkylating agent and a compeloma in people for whom oppropriate.  The analkylating agent and a compeloma if:  The cell transplantation is constituted.   | criteria:  orticosteroid is recomme high-dose chemotherapy orticosteroid is recommer sidered inappropriate an  | y with stem cell  nded as an option for  | ☐Yes ☐No                   |                |  |
| Please indicate whether patien  1. Thalidomide in combination with the first-line treatment of multiple transplantation is considered in an analysis.  2. Bortezomib in combination with the first-line treatment of multiple the first-line treatment of multiple.  • high-dose chemotherapy with significant in the signifi | nt meets the following NICE th an alkylating agent and a compeloma in people for whom oppropriate.  The analkylating agent and a compeloma if:  The cell transplantation is consequent to the cell transplantations to the cent should normally be started.   | criteria:  orticosteroid is recomme high-dose chemotherapy orticosteroid is recommer sidered inappropriate an alidomide.   | y with stem cell nded as an option for   | ☐Yes ☐No                   |                |  |
| Please indicate whether patien  1. Thalidomide in combination with the first-line treatment of multiple transplantation is considered in an an analysis of the first-line treatment of multiple transplantation is considered in an analysis of the first-line treatment of multiple high-dose chemotherapy with some the person is unable to tolerate an As per NICE guidance, treatment.   | the below, please contact: nor not meets the following NICE than alkylating agent and a compelor many people for whom oppropriate.  In an alkylating agent and a compeloma if:  Item cell transplantation is constructed or has contraindications to the ent should normally be started and any additional administration of drug is considered the most catment options recommended  | criteria:  criticosteroid is recomme high-dose chemotherapy orticosteroid is recommer sidered inappropriate an alidomide.  with the least expensive ation costs).  | y with stem cell  Inded as an option for and  e drug (considering for this individual  | ☐Yes ☐No                   |                |  |
| Please indicate whether patien  1. Thalidomide in combination with the first-line treatment of multiple transplantation is considered in application.  2. Bortezomib in combination with the first-line treatment of multiple  • high-dose chemotherapy with sirely the person is unable to tolerate  3. As per NICE guidance, treatment the dose required, price per dose please confirm that the choice of patient, noting that alternative tre  | the delow, please contact: nor not meets the following NICE than alkylating agent and a compelor myeloma in people for whom oppropriate.  In an alkylating agent and a compeloma if:  It me cell transplantation is considered than a contraindications to the ent should normally be started and any additional administration of drug is considered the most of atment options recommended pplicable.   | criteria:  priticosteroid is recomme high-dose chemotherapy orticosteroid is recommensidered inappropriate an alidomide.  with the least expensive ation costs).  cost-effective treatment for by NICE may be lower and been tried by the paragraph.       | y with stem cell  Inded as an option for and  e drug (considering  for this individual in cost, including the attent, please confirm | ☐Yes ☐No                   |                |  |
| Please indicate whether patien  1. Thalidomide in combination with the first-line treatment of multiple transplantation is considered inapple.  2. Bortezomib in combination with the first-line treatment of multiple.  • high-dose chemotherapy with site the person is unable to tolerate.  3. As per NICE guidance, treatment the dose required, price per dose. Please confirm that the choice of patient, noting that alternative treuse of biosimilar medications if a where an alternative lower cost that the clinical rationale for presentation.  | the delow, please contact: nor the meets the following NICE than alkylating agent and a compelor myeloma in people for whom oppropriate.  In an alkylating agent and a compeloma if:  Item cell transplantation is considered than a contraindications to the ent should normally be started and any additional administration of the analysis considered the most of atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable.  | criteria:  priticosteroid is recomme high-dose chemotherapy orticosteroid is recommensidered inappropriate an alidomide.  I with the least expensive ation costs).  cost-effective treatment for by NICE may be lower and patients' medical recommensions. | y with stem cell  Inded as an option for and  e drug (considering  for this individual in cost, including the attent, please confirm | ☐Yes ☐No                   |                |  |
| Please indicate whether patien  1. Thalidomide in combination with the first-line treatment of multiple transplantation is considered inapple.  2. Bortezomib in combination with the first-line treatment of multiple.  • high-dose chemotherapy with site the person is unable to tolerate.  3. As per NICE guidance, treatment the dose required, price per dose. Please confirm that the choice of patient, noting that alternative treuse of biosimilar medications if a where an alternative lower cost that the clinical rationale for presentations.   | the delow, please contact: nor not meets the following NICE than alkylating agent and a compelor myeloma in people for whom oppropriate.  In an alkylating agent and a compeloma if:  Item cell transplantation is considered than a contraindications to the ent should normally be started and any additional administration of the atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable. | criteria:  priticosteroid is recomme high-dose chemotherapy orticosteroid is recommensidered inappropriate an alidomide.  I with the least expensive ation costs).  cost-effective treatment for by NICE may be lower and patients' medical recommensions. | y with stem cell  Inded as an option for and  e drug (considering  for this individual in cost, including the attent, please confirm | ☐Yes ☐No ☐Yes ☐No ☐Yes ☐No |                |  |
| Please indicate whether patien  1. Thalidomide in combination with the first-line treatment of multiple transplantation is considered inapple.  2. Bortezomib in combination with the first-line treatment of multiple.  • high-dose chemotherapy with site the person is unable to tolerate.  3. As per NICE guidance, treatment the dose required, price per dose. Please confirm that the choice of patient, noting that alternative trectuse of biosimilar medications if a where an alternative lower cost that the clinical rationale for presentating.  4. The product is being used as a contraction of the product is being used as a contraction.  | the delow, please contact: nor not meets the following NICE than alkylating agent and a compelor myeloma in people for whom oppropriate.  In an alkylating agent and a compeloma if:  Item cell transplantation is considered than a contraindications to the ent should normally be started and any additional administration of the atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable.  Item cell transplantation is considered the most of atment options recommended pplicable. | criteria:  priticosteroid is recomme high-dose chemotherapy orticosteroid is recommensidered inappropriate an alidomide.  I with the least expensive ation costs).  cost-effective treatment for by NICE may be lower and patients' medical recommensions. | y with stem cell  Inded as an option for and  e drug (considering  for this individual in cost, including the attent, please confirm | ☐Yes ☐No ☐Yes ☐No ☐Yes ☐No |                |  |

| Trust Authorising Pharmacist |  |  |  |  |
|------------------------------|--|--|--|--|
| Name:                        |  |  |  |  |
| Date:                        |  |  |  |  |