

Release report since the last publish

A stakeholder-readable, Git-audited summary of all merged code changes from the August 16 publish baseline through the September 4 release candidate.

Release candidate reviewed · Not yet published

15

INCLUDED COMMITS

155

CHANGED PATHS

+12,100

LINE ADDITIONS

−1,630

LINE DELETIONS

Report identity and scope

PUBLISH BASELINE

e205795ebd7ce60a474fb80806256076510bf652
2026-08-16T15:48:02Z · “Published your App”

GIT REVISION RANGE

e205795..e5cdd52 (baseline exclusive, candidate inclusive)

AGGREGATE DIFF

155 files changed, 12100 insertions(+), 1630 deletions(-); 1 binary file (a synthetic test workbook)

RELEASE CANDIDATE

e5cdd52f73006e272ec6958490a0c06d170b6bbc
2026-09-04T17:54:38Z · “Chunk oversized Alta import lookups safely”

GENERATED

2026-09-04 11:42:14 PDT · America/Los_Angeles

COMPLETENESS RULE

Only commits reachable from the current main revision and after the designated publish baseline are included.

Why e205795 is the baseline: it is the newest deployment-authored “Published your App” commit on the current main ancestry. A similarly timed publish commit, c340eff, is not an ancestor of e5cdd52 and is excluded. Proposed tasks, unmerged work, working-tree files, database activity, and deployment activity are outside this report.

Executive summary

This release candidate materially improves staff data operations and financial reconciliation while making everyday lists easier to navigate. The largest changes are the finalized Alta payment/remittance imports, the new allocation ledger for partial remittance matching, secure staff referral reassignment, participant/family remittance actions, and consistent sortable tables.

Faster day-to-day navigation

Staff-facing lists and reports now use accessible sorting, stable tie-breaks, and server-side sort parameters where pagination requires them. User-facing wording consistently says **Participant**, while internal API/database identifiers remain unchanged.

Trace: dc4bd2b, 5726c6c · portal table/page files; API sorting.ts and list routes

Confirmed Alta import workflows

Payments now use the Alta FMS Transaction Detail by Account Excel format; remittances use the Payment History Detail Report summary/detail CSV. Server validation, natural-key matching, source fingerprints, duplicate reporting, and audit behavior are preserved.

Trace: ccf70e3, 119e47f, 4b1c93e, e5cdd52 · Alta parsers, payment routes, import dialogs

Safer reconciliation

A remittance can be allocated across one or more eligible payments, and a payment can receive more than one remittance allocation. Transactional balance checks prevent either side from being over-applied. Existing one-to-one matches are backfilled into the allocation ledger.

Trace: 90805a0 · payments/remittances API, serializers, schema, migration 0007

Stronger staff workflows

Staff can create and update vendors, reassign referrals only to active service coordinators, and review or match participant-submitted remittances. Correction-only CSV downloads help resolve Alta errors without exporting successful rows or internal IDs.

Trace: 035a818, f6bacb0, 13d1613

Portal behavior changes

Tables, reports, and audit history

- Sortable headers were added across participants, authorizations, invoices, payments, referrals, users, vendors, remittances, the audit log, dashboard summaries, and operational reports. Server-backed tables reset pagination when sorting changes and apply deterministic secondary ordering.
- Report tables support local sorting where their data is already fully loaded. The audit-log export preserves the active sort order while fetching all filtered pages.
- Participant and vendor names are linked to their record pages for authorized roles; restricted-role views preserve plain text where navigation is not allowed.

Representative paths: `artifacts/ceps-portal/src/components/ui/table.tsx`, `src/lib/table-sorting.ts`, `src/pages/audit-log.tsx`, `src/pages/reports.tsx`; API list routes and `src/lib/sorting.ts`.

Participant terminology

User-visible labels, search prompts, empty states, and report metrics now use “Participant.” This is a presentation change, not a data-model migration: source code, API contracts, and database tables still use the existing client identifiers.

Vendor and referral administration

- Staff can create vendors and update business profiles. The API trims values, rejects blank business names, reports duplicate names as conflicts, and audits successful mutations.
- Referral editing supports staff reassignment to an active service coordinator. Coordinators cannot reassign referrals themselves, and existing ownership-based access checks remain in force.

Analytics instrumentation

Lightweight Umami events were added for meaningful portal interactions, including imports and correction-report downloads. Tracking is intentionally non-blocking and no-ops when Umami is unavailable. This range does not add an analytics dashboard, warehouse pipeline, or guaranteed external delivery.

Trace: 24fa755 · `artifacts/ceps-portal/src/lib/analytics.ts` and instrumented `pages/components`.

Alta payments and remittances

Alta FMS payment workbooks

- The Payments Log accepts the confirmed Alta FMS Transaction Detail by Account .xlsx workbook and extracts its first worksheet in the browser; authoritative interpretation remains on the API.
- Only **Check** rows are processed. Participants resolve by the trailing seven-digit UCI in Customer; authorization and service month resolve from Description.

- Historical imports use source `historical_import` and do not create CEPS fee records. Repeated check numbers are allowed because one check may represent multiple monthly lines.
- Identical source rows are skipped by SHA-256 source fingerprint. An existing participant/authorization/service-month payment is held as a business duplicate rather than silently inserted.
- Lookup queries are scoped to keys in the workbook and chunked to stay under database parameter limits for exceptionally large files.

Alta Payment History Detail Reports

- The parser requires the report summary Date, positive Amount, and Reference #, then applies the summary date/reference to each detail row.
- Each detail row requires UCI, Auth #, Service M/Y, and positive Amount. The complete detail total must exactly reconcile to the summary Amount before any rows import.
- Rows may auto-match, require manual matching, be skipped as exact duplicates, or be rejected with a correction reason. Batch identifiers and report references remain distinct.
- Correction downloads include only errored/held rows and safe row-level detail; they omit successfully imported rows and internal database IDs.

Operational meaning: these workflows record and reconcile financial records. They do not initiate bank transfers or settle payments. No April 1, 2026 cutoff is enforced by the import code.

API and business-workflow changes

- **List endpoints:** new `sortBy/sortDirection` options and deterministic secondary keys support stable server pagination across the main entities and reports.
- **Payments:** dedicated Alta FMS import contracts replace the legacy generic check-register path; duplicate locking and source-fingerprint idempotency protect concurrent imports.
- **Remittances:** responses expose allocation, allocated amount, and remaining amount; create/update/match operations validate participant ownership, authorization/service month, and remaining balances inside transactions.
- **Referrals:** the update contract supports nullable coordinator assignment with server-side role and active-account validation.
- **Vendors:** staff-only create/update routes add conflict handling and audit records while preserving existing contact and W-9 behavior.
- **Generated contracts:** OpenAPI remains the source of truth; React client and Zod outputs were regenerated for sorting, Alta import outcomes, remittance allocations, referrals, and vendors.

Database migrations and schema impact

0006 · Remittance report metadata

0006_odd_xavin.sql

Additive Nullable columns

Adds `report_reference`, `review_reason`, and `expected_amount numeric(12,2)` to remittances. No default or backfill is required.

Introduced by `ccf70e3`.

New table Data backfill Foreign keys

Creates remittance_allocations with amount, auto-match flag, indexed remittance/payment foreign keys, and one row per remittance/payment pair. It backfills existing non-deleted remittances that have matched_payment_id, using ON CONFLICT DO NOTHING. The legacy matched-payment column remains for compatibility.

Introduced by 90805a0.

Index replacement New nullable column

Drops the unique check-number index, adds nullable source_row_fingerprint, creates a normal check-number index, and creates a partial unique fingerprint index for non-null values. This permits repeated check numbers while making imported source rows idempotent.

Introduced by 119e47f.

Publish-time rule: do not add or run db:migrate as a production startup/deploy command. Development uses checked-in Drizzle migrations; Replit Publish compares development and production schemas and applies the production schema sync. Prior deploy-time migration replay caused duplicate-index failures after Publish had already synchronized schema objects.

Pre-publish data checks

1. Confirm development contains migrations 0006–0008 and the schema journal/snapshots are internally consistent.
2. Review production counts for existing matched, deleted, and partially matched remittances; confirm the 0007 backfill produces the expected allocation rows and cents totals.
3. Confirm the production schema sync can create the allocation foreign keys/indexes and the partial fingerprint index without conflicts.
4. After publishing, smoke-test one remittance read/match flow and one synthetic Alta validation flow without importing real participant data.

Dependencies, configuration, and operations

- read-excel-file@9.3.10 is a new portal runtime dependency for first-worksheet extraction. The API remains authoritative for Alta business parsing.
- @playwright/test@1.62.1 and portal test scripts support sorting, participant-language/link, and Alta upload browser regressions. /test-results is ignored for new files.
- **Packaging cleanup:** artifacts/ceps-portal/test-results/.last-run.json was already tracked and remains in this candidate; Git ignore rules do not untrack existing files. It contains test metadata, not participant data or production behavior, and should be removed before publish.
- The API test command is serialized with --maxWorkers=1 to reduce shared-database test collisions and resource pressure.
- .replit and deployment routing are unchanged in this range. No email provider, storage configuration, or production secret was added.

Regression coverage and verification status

The range adds or expands API coverage for Alta parsing/imports, payment duplicate behavior, payment list behavior, remittance allocation/reconciliation, referral reassignment, vendor mutations, and sorting. Portal Playwright coverage includes table sorting,

participant wording and record links, remittance/vendor workflows, and synthetic Alta file uploads with intercepted writes.

Evidence boundary: Git proves that these tests and fixtures are included; it does not, by itself, certify that the complete candidate passed in the production-like environment. Synthetic fixtures contain no real participant data and the Alta browser test intercepts writes.

Recommended release-candidate checks

1. Run the full API test suite serially and both API/portal typechecks from a clean install.
2. Run the portal production build and the sorting, participant, Alta upload, remittance, and vendor browser suites against the candidate.
3. Regenerate API clients from `lib/api-spec/openapi.yaml` and require a clean diff to catch contract/codegen drift.
4. Apply migrations to a clean development database and verify remittance backfill/allocation invariants.
5. Confirm no real Alta files, participant data, secrets, test-results, or unrelated working-tree content are included in the publish.

Known assumptions and decisions still open

This release report does not convert existing open decisions into approvals. Before go-live, CEPS should separately resolve or accept the documented interim behavior for:

- Transactional email provider and real email delivery (current signature/magic-link workflow still exposes development links where documented).
- Brand font licensing, exact UCI format/uniqueness rules, e-signature legal sufficiency, vendor W-9 collection, and Phase 2 1099 delivery.
- The interim 5% fee auto-generation rule for manually logged payments. Historical Alta imports intentionally do not generate fees.
- Role visibility/security acceptance for participants, invoices, payments, referral reassignment, vendor information, and analytics payloads.

Source: `docs/CEPS_OPEN_ITEMS.md` as changed in this range. Confirmed Alta source layouts are recorded there; the other listed decisions remain open.

Appendix A · Included commits (15)

Chronological list of every commit in e205795..e5cdd52. Per-commit stats are not additive because later commits can revise earlier files.

Commit	Date	Author	Subject and commit stat
dc4bd2be	2026-08-29	hayes-estates	Add accessible sorting to all CEPS portal tables 71 files changed, 1840 insertions(+), 174 deletions(-)
22c891bf	2026-09-04	Replit Agent	Update UI component imports and structure across portal pages 29 files changed, 123 insertions(+), 107 deletions(-)
ec922502	2026-09-04	hayes-estates	Git commit prior to merge 1 file changed, 1 insertion(+)
0ccb56a	2026-09-04	hayes-estates	Add portal table sorting browser regression suite 5 files changed, 196 insertions(+)
ccf70e32	2026-09-04	Replit Agent	Refactor payment route and update remittance import logic 33 files changed, 2832 insertions(+), 279 deletions(-)
5726c6c6	2026-09-04	hayes-estates	Add participant wording and record link regression coverage 2 files changed, 132 insertions(+), 1 deletion(-)
24fa7556	2026-09-04	Replit Agent	Add analytics tracking to portal components and pages 16 files changed, 99 insertions(+), 3 deletions(-)
035a818e	2026-09-04	Replit Agent	Implement new vendor creation functionality and update existing vendor routes 7 files changed, 384 insertions(+), 28 deletions(-)
90805a02	2026-09-04	hayes-estates	Support partial remittance allocations with transactional balance tracking 22 files changed, 2758 insertions(+), 60 deletions(-)
119e47f1	2026-09-04	Replit Agent	Refactor and prune legacy alta remittance parser logic 37 files changed, 3133 insertions(+), 1098 deletions(-)
f6bacb0e	2026-09-04	hayes-estates	Add secure referral reassignment and participant remittance actions 15 files changed, 431 insertions(+), 21 deletions(-)
4b1c93e2	2026-09-04	hayes-estates	Scope Alta payment import lookups to workbook rows 2 files changed, 57 insertions(+), 3 deletions(-)
c08a607e	2026-09-04	hayes-estates	Add synthetic Alta file upload browser regression 5 files changed, 137 insertions(+)
13d16138	2026-09-04	hayes-estates	Add correction-only CSV downloads for Alta imports 3 files changed, 96 insertions(+), 3 deletions(-)
e5cdd52f	2026-09-04	hayes-estates	Chunk oversized Alta import lookups safely 2 files changed, 64 insertions(+), 36 deletions(-)

Appendix B · Complete changed-path inventory (155)

Every path returned by `git diff --name-only e205795..e5cdd52`, grouped by product area. Each detected rename is one Git changed-file entry and is shown as old path → new path, matching Git's 155-entry name-status inventory.

CEPS Portal production UI 48 paths

Status	Path
Modified	artifacts/ceps-portal/src/App.tsx
Added	artifacts/ceps-portal/src/components/alta-fms-payment-import.tsx
Modified	artifacts/ceps-portal/src/components/alta-remittance-import.tsx
Deleted	artifacts/ceps-portal/src/components/check-register-import.tsx
Added	artifacts/ceps-portal/src/components/create-remittance-dialog.tsx
Modified	artifacts/ceps-portal/src/components/edit-client-dialog.tsx
Modified	artifacts/ceps-portal/src/components/edit-referral-dialog.tsx
Modified	artifacts/ceps-portal/src/components/edit-remittance-dialog.tsx
Modified	artifacts/ceps-portal/src/components/invite-portal-dialog.tsx
Modified	artifacts/ceps-portal/src/components/layout/app-shell.tsx
Modified	artifacts/ceps-portal/src/components/log-payment-dialog.tsx
Added	artifacts/ceps-portal/src/components/match-remittance-dialog.tsx
Modified	artifacts/ceps-portal/src/components/ui/table.tsx
Modified	artifacts/ceps-portal/src/components/vendor-business-profile.tsx
Added	artifacts/ceps-portal/src/lib/analytics.ts
Added	artifacts/ceps-portal/src/lib/table-sorting.ts
Modified	artifacts/ceps-portal/src/pages/account.tsx
Modified	artifacts/ceps-portal/src/pages/admin/import.tsx
Modified	artifacts/ceps-portal/src/pages/admin/users.tsx
Modified	artifacts/ceps-portal/src/pages/audit-log.tsx
Modified	artifacts/ceps-portal/src/pages/auth/magic.tsx
Modified	artifacts/ceps-portal/src/pages/authorizations.tsx
Modified	artifacts/ceps-portal/src/pages/authorizations/[id].tsx
Modified	artifacts/ceps-portal/src/pages/authorizations/new.tsx
Modified	artifacts/ceps-portal/src/pages/clients.tsx
Modified	artifacts/ceps-portal/src/pages/clients/[id].tsx
Modified	artifacts/ceps-portal/src/pages/dashboard.tsx
Modified	artifacts/ceps-portal/src/pages/help/content.ts

Status	Path
Modified	artifacts/ceps-portal/src/pages/invoices.tsx
Modified	artifacts/ceps-portal/src/pages/invoices/[id].tsx
Modified	artifacts/ceps-portal/src/pages/invoices/new.tsx
Modified	artifacts/ceps-portal/src/pages/login.tsx
Modified	artifacts/ceps-portal/src/pages/payments.tsx
Modified	artifacts/ceps-portal/src/pages/payments/[id].tsx
Modified	artifacts/ceps-portal/src/pages/referrals.tsx
Modified	artifacts/ceps-portal/src/pages/referrals/[id].tsx
Modified	artifacts/ceps-portal/src/pages/referrals/new.tsx
Modified	artifacts/ceps-portal/src/pages/remittances.tsx
Modified	artifacts/ceps-portal/src/pages/remittances/[id].tsx
Modified	artifacts/ceps-portal/src/pages/reports.tsx
Modified	artifacts/ceps-portal/src/pages/reports/case-status-report.tsx
Modified	artifacts/ceps-portal/src/pages/reports/expiring-auth-report.tsx
Modified	artifacts/ceps-portal/src/pages/reports/missing-documents-report.tsx
Modified	artifacts/ceps-portal/src/pages/reports/pending-auth-report.tsx
Modified	artifacts/ceps-portal/src/pages/sign.tsx
Modified	artifacts/ceps-portal/src/pages/vendors.tsx
Modified	artifacts/ceps-portal/src/pages/vendors/[id].tsx
Added	artifacts/ceps-portal/src/pages/vendors/new.tsx

API server production code 15 paths

Status	Path
Added	artifacts/api-server/src/lib/altaFmsPaymentParser.ts
Modified	artifacts/api-server/src/lib/altaRemittanceParser.ts
Modified	artifacts/api-server/src/lib/importRegistry.ts
Modified	artifacts/api-server/src/lib/paymentDuplicateCheck.ts
Modified	artifacts/api-server/src/lib/serializers.ts
Added	artifacts/api-server/src/lib/sorting.ts
Modified	artifacts/api-server/src/routes/authorizations.ts
Modified	artifacts/api-server/src/routes/clients.ts
Modified	artifacts/api-server/src/routes/dashboard.ts
Modified	artifacts/api-server/src/routes/imports.ts
Modified	artifacts/api-server/src/routes/invoices.ts

Status	Path
Modified	artifacts/api-server/src/routes/payments.ts
Modified	artifacts/api-server/src/routes/referrals.ts
Modified	artifacts/api-server/src/routes/users.ts
Modified	artifacts/api-server/src/routes/vendors.ts

Database schema, migrations, and snapshots 9 paths

Status	Path
Added	lib/db/migrations/0006_odd_xavin.sql
Added	lib/db/migrations/0007_omniscient_ken_ellis.sql
Added	lib/db/migrations/0008_superb_chimera.sql
Added	lib/db/migrations/meta/0006_snapshot.json
Added	lib/db/migrations/meta/0007_snapshot.json
Added	lib/db/migrations/meta/0008_snapshot.json
Modified	lib/db/migrations/meta/_journal.json
Modified	lib/db/src/schema/payments.ts
Modified	lib/db/src/schema/remittances.ts

Authoritative API specification 1 paths

Status	Path
Modified	lib/api-spec/openapi.yaml

Generated API clients and validation schemas 55 paths

Status	Path
Modified	lib/api-client-react/src/generated/api.schemas.ts
Modified	lib/api-client-react/src/generated/api.ts
Modified	lib/api-zod/src/generated/api.ts
Renamed	lib/api-zod/src/generated/types/checkRegisterImportInput.ts → lib/api-zod/src/generated/types/altaFmsPaymentImportInput.ts
Added	lib/api-zod/src/generated/types/altaFmsPaymentImportResult.ts
Renamed	lib/api-zod/src/generated/types/checkRegisterImportRowResult.ts → lib/api-zod/src/generated/types/altaFmsPaymentImportRowResult.ts
Renamed	lib/api-zod/src/generated/types/checkRegisterImportRowResultOutcome.ts → lib/api-zod/src/generated/types/altaFmsPaymentImportRowResultOutcome.ts
Modified	lib/api-zod/src/generated/types/altaRemittanceImportInput.ts
Deleted	lib/api-zod/src/generated/types/checkRegisterImportResult.ts
Modified	lib/api-zod/src/generated/types/getCaseStatusReportParams.ts
Added	lib/api-zod/src/generated/types/getCaseStatusReportSortBy.ts

Status	Path
Added	lib/api-zod/src/generated/types/getCaseStatusReportSortDirection.ts
Modified	lib/api-zod/src/generated/types/getExpiringAuthReportParams.ts
Added	lib/api-zod/src/generated/types/getExpiringAuthReportSortBy.ts
Added	lib/api-zod/src/generated/types/getExpiringAuthReportSortDirection.ts
Modified	lib/api-zod/src/generated/types/getMissingDocumentsReportParams.ts
Added	lib/api-zod/src/generated/types/getMissingDocumentsReportSortBy.ts
Added	lib/api-zod/src/generated/types/getMissingDocumentsReportSortDirection.ts
Modified	lib/api-zod/src/generated/types/getPendingAuthReportParams.ts
Added	lib/api-zod/src/generated/types/getPendingAuthReportSortBy.ts
Added	lib/api-zod/src/generated/types/getPendingAuthReportSortDirection.ts
Modified	lib/api-zod/src/generated/types/importCommitResultEntity.ts
Modified	lib/api-zod/src/generated/types/importValidateResultEntity.ts
Modified	lib/api-zod/src/generated/types/index.ts
Modified	lib/api-zod/src/generated/types/listAuditLogParams.ts
Added	lib/api-zod/src/generated/types/listAuditLogSortBy.ts
Renamed	lib/api-zod/src/generated/types/remittanceInputSource.ts → lib/api-zod/src/generated/types/listAuditLogSortDirection.ts
Modified	lib/api-zod/src/generated/types/listAuthorizationsParams.ts
Added	lib/api-zod/src/generated/types/listAuthorizationsSortBy.ts
Renamed	lib/api-zod/src/generated/types/remittanceUpdateStatus.ts → lib/api-zod/src/generated/types/listAuthorizationsSortDirection.ts
Modified	lib/api-zod/src/generated/types/listClientsParams.ts
Added	lib/api-zod/src/generated/types/listClientsSortBy.ts
Renamed	lib/api-zod/src/generated/types/remittanceUpdateSource.ts → lib/api-zod/src/generated/types/listClientsSortDirection.ts
Modified	lib/api-zod/src/generated/types/listInvoicesParams.ts
Added	lib/api-zod/src/generated/types/listInvoicesSortBy.ts
Added	lib/api-zod/src/generated/types/listInvoicesSortDirection.ts
Modified	lib/api-zod/src/generated/types/listPaymentsParams.ts
Added	lib/api-zod/src/generated/types/listPaymentsSortBy.ts
Added	lib/api-zod/src/generated/types/listPaymentsSortDirection.ts
Modified	lib/api-zod/src/generated/types/listReferralsParams.ts
Added	lib/api-zod/src/generated/types/listReferralsSortBy.ts
Added	lib/api-zod/src/generated/types/listReferralsSortDirection.ts
Modified	lib/api-zod/src/generated/types/listRemittancesParams.ts
Added	lib/api-zod/src/generated/types/listRemittancesSortBy.ts
Added	lib/api-zod/src/generated/types/listRemittancesSortDirection.ts

Status	Path
Modified	lib/api-zod/src/generated/types/listUsersParams.ts
Modified	lib/api-zod/src/generated/types/listVendorsParams.ts
Added	lib/api-zod/src/generated/types/listVendorsSortBy.ts
Added	lib/api-zod/src/generated/types/listVendorsSortDirection.ts
Modified	lib/api-zod/src/generated/types/payment.ts
Modified	lib/api-zod/src/generated/types/remittance.ts
Renamed	lib/api-zod/src/generated/types/checkRegisterRow.ts → lib/api-zod/src/generated/types/remittanceAllocation.ts
Modified	lib/api-zod/src/generated/types/remittanceInput.ts
Modified	lib/api-zod/src/generated/types/remittanceMatchInput.ts
Modified	lib/api-zod/src/generated/types/remittanceUpdate.ts

Regression tests and synthetic fixtures 19 paths

Status	Path
Added	artifacts/api-server/src/lib/altaFmsPaymentParser.test.ts
Modified	artifacts/api-server/src/routes/altaRemittanceParser.test.ts
Modified	artifacts/api-server/src/routes/imports.test.ts
Modified	artifacts/api-server/src/routes/paymentDuplicateCheck.test.ts
Modified	artifacts/api-server/src/routes/payments-list.test.ts
Added	artifacts/api-server/src/routes/referral-reassignment.test.ts
Modified	artifacts/api-server/src/routes/remittances-import.test.ts
Added	artifacts/api-server/src/routes/sorting.test.ts
Added	artifacts/api-server/src/routes/vendors-mutations.test.ts
Added	artifacts/ceps-portal/playwright.config.ts
Added	artifacts/ceps-portal/test-results/.last-run.json
Added	artifacts/ceps-portal/tests/alta-file-upload.spec.ts
Added	artifacts/ceps-portal/tests/fixtures/README.md
Added	artifacts/ceps-portal/tests/fixtures/synthetic-alta-fms-transaction-detail.xlsx
Added	artifacts/ceps-portal/tests/fixtures/synthetic-alta-payment-history-error.csv
Added	artifacts/ceps-portal/tests/participant-language-and-links.spec.ts
Added	artifacts/ceps-portal/tests/remittance-workflow.spec.ts
Added	artifacts/ceps-portal/tests/table-sorting.spec.ts
Added	artifacts/ceps-portal/tests/vendor-workflow.spec.ts

Dependencies and workspace configuration 4 paths

Status	Path
Modified	.gitignore
Modified	artifacts/api-server/package.json
Modified	artifacts/ceps-portal/package.json
Modified	pnpm-lock.yaml

Project documentation 1 paths

Status	Path
Modified	docs/CEPS_OPEN_ITEMS.md

Internal agent memory (non-runtime) 3 paths

Status	Path
Modified	.agents/memory/MEMORY.md
Modified	.agents/memory/db-migrations.md
Added	.agents/memory/remittance-reconciliation.md

Appendix C · Reproduction commands

```
git rev-list --count e205795ebd7ce60a474fb80806256076510bf652..e5cdd52f73006e272ec6958490a0c06d170b6bbc
git diff --shortstat e205795ebd7ce60a474fb80806256076510bf652..e5cdd52f73006e272ec6958490a0c06d170b6bbc
git log --reverse --date=short --format='%H %ad %an %s' e205795ebd7ce60a474fb80806256076510bf652..e5cdd52f73006e272ec6958490a0c06d170b6bbc
git diff --name-status --find-renames e205795ebd7ce60a474fb80806256076510bf652..e5cdd52f73006e272ec6958490a0c06d170b6bbc
git diff --name-only e205795ebd7ce60a474fb80806256076510bf652..e5cdd52f73006e272ec6958490a0c06d170b6bbc | sort -u
```

Report appendix checks: 15 commit rows; 155 changed-path rows; 155 unique Git paths.