

EXPLORER ...

Python PROGRAMMING ...

- employee_salary.py
- Test1.1.py
- Test1.py
- Test2.py

Test2.py > EmployeeRecordManager > create_employee_record

```
1 class EmployeeRecordManager:
2
3     # Create an employee dictionary
4     def create_employee_record(self, name, department, salary):
5         return {
6             "name": name,
7             "department": department,
8             "salary": salary
9         }
10
11     # Get employee department
12     def get_department(self, record):
13         return record.get("department")
14
15     # Update employee salary
16     def update_salary(self, record, new_salary):
17         record["salary"] = new_salary
18         return record
19
20     # Add a new key-value pair
21     def add_attribute(self, record, key, value):
22         record[key] = value
23         return record
```

EXPLORER ...

Python PROGRAMMING ...

- employee_salary.py
- Test1.1.py
- Test1.py
- Test2.py

Test2.py > EmployeeRecordManager > create_employee_record

```
25
26 manager = EmployeeRecordManager()
27
28 employee = manager.create_employee_record("Alice", "Marketing", 75000)
29 print("Employee Record:", employee)
30
31 print("Department:", manager.get_department(employee))
32
33 updated_record = manager.update_salary(employee, 80000)
34 print("After Salary Update:", updated_record)
35
36 final_record = manager.add_attribute(employee, "location", "New York")
37 print("After Adding New Attribute:", final_record)
```

EXPLORER

Python PROGRAMMING ...

employee_salary.py

Test1.1.py

Test1.py

Test2.py

Welcome

employee_salary.py

Test2.py

Test1.py

Test1.1.py

Test2.py > EmployeeRecordManager > create_employee_record

25

26 manager = EmployeeRecordManager()

27

28 employee = manager.create_employee_record("Alice", "Marketing", 75000)

29 print("Employee Record:", employee)

30

31 print("Department:", manager.get_department(employee))

32

33 updated_record = manager.update_salary(employee, 80000)

34 print("After Salary Update:", updated_record)

35

36 final_record = manager.add_attribute(employee, "location", "New York")

37 print("After Adding New Attribute:", final_record)

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

Python

After Salary Update: {'name': 'Alice', 'department': 'Marketing', 'salary': 80000}

After Adding New Attribute: {'name': 'Alice', 'department': 'Marketing', 'salary': 80000, 'location': 'New York'}

PS C:\Users\Docke\Python Programming COD>