


E - Pet



1st May 2020

Proposed by:

Group 37.

Student Name	ID	Email
Shahd Sherif(team leader)	205966	Shahd205966@bue.edu.eg
Deema Ayman Ahmed	193795	Deema193795@bue.edu.eg
Marco Ehab	193062	Marco193062@bue.edu.eg
Andrew Hany	192865	Andrew192865@bue.edu.eg

Purpose of the site:


The main purpose of our website can be addressed in one phrase “adopting a pet can always help”.

Website goals:

- educate people especially pet owners on animals
- open a new window of hope for less fortunate animals
- give a chance to whoever is interested in volunteering to care for animals
- improve pets' living standards
- help the community of pet owners in general


Site Map:

We were told to decrease the number of web pages and so, we did – as much as we could. We merged what we could, removed what we could and the ‘bookings’ and ‘forms’ tags below are just part of the navigation but are no longer pages in themselves.




Our Wireframes:

Our Products page is referencing in accordance to many of our other web pages (vets, grooming, pets, volunteers/shelters, dogs&cats, other pets, products, diet&meds, toys&accessories); the overall viewing of the pages is the same, with drop down navigation settings in the top bar.



Our Home Page:

Our Home page features our two tables. The first table is 'global' since we used it in the footer, it is displayed in all of our webpages (except of sign up form). This table is to unify all the footers in an organized and easy way where the four links are displayed in two rows. The second table is the one that displays our "available for adoption" pets in the home page. This table is to display the pets' images and names right under each other in the home screen rather than cause a hassle trying to adjust it using divs, for example. The align our data in columns perfectly and enable us to add more in the available for adoption table easier, for example.




The wireframe illustrates the layout of the E-Pets Home Page. At the top left is the E-Pets logo. A horizontal navigation bar contains links for Pets, Bookings, Products, Forms, Play Date, and Videos. Below this, the page is divided into three main sections. The left section, titled 'Lost Pets', contains three placeholder boxes. The center section, titled '"Our Success Story"', features a large 'Slide Show' placeholder with left and right navigation arrows. The right section contains a 'Sign In' form with fields for User Name (pre-filled with 'johndoe') and Password, a 'SIGN IN' button, a 'Forgot Password?' link, and a 'New User SIGN UP' button. Below these sections is the 'Available For Adoption' section, which displays three pet placeholders, each with a 'Pet Name' label and a bookmark icon. The footer area includes the E-Pet logo, a grid of four links (About E-Pet, Privacy Policy, Contact Us, Feedback) each with a dropdown arrow, and a row of social media icons for Pinterest, YouTube, Twitter, Instagram, and Facebook.

E-Pets

Pets Bookings Products Forms Play Date Videos

Lost Pets "Our Success Story" Search

Slide Show

Sign In 

User Name: johndoe




Password:

SIGN IN

[Forgot Password?](#)



New User **SIGN UP**



Available For Adoption






  

Pet Name Pet Name Pet Name

E-Pet

About E-Pet  Contact Us 

Privacy Policy  Feedback 

Our Common Form Layout:

Our form pages are:

- Contact us
- Find My Pet
- Play Dates
- Sign Up
- Sign In
- Adoption Form

All of which have the same general format, with slight changes. These changes include:

- The sign in form is within the home page as shown in the above wireframe.
- The Play Dates form is perceived in two columns not one – one section for the pet owner and the other for the pet itself (two forms).

The wireframe illustrates a common form layout for E-Pet. At the top, there is a header with the E-Pet logo and a navigation bar containing links for Pets, Bookings, Products, and Forms. A search bar is located on the right side of the navigation bar. Below the navigation bar, the form has a title section labeled 'Form Title' and a description section labeled 'form description here'. The main content area contains six attributes, each with a label and a corresponding input field: Attribute 1 (Text), Attribute 2 (Text), Attribute 3 (Text), Attribute 4 (Text/Date), Attribute 5 (Text), and Attribute 6 (Text). The footer section includes the E-Pet logo, a grid of links for About E-Pet, Contact Us, Privacy Policy, and Feedback, and a row of social media icons for Pinterest, YouTube, Twitter, Instagram, and Facebook.

E-Pet

Pets Bookings Products Forms

Search

Form Title

form description here

Attribute 1
Text

Attribute 2
Text

Attribute 3
Text






Attribute 4
Text/Date

Attribute 5
Text

Attribute 6
Text

E-Pet

About E-Pet Contact Us
Privacy Policy Feedback


    

Main Alterations:

We added external links and videos in the home page. The pets available for adoption (home page) are displayed more interactively with details also made available for display. A radial gradient in the background added some 'sense' to the pages. The slideshow JavaScript section was also moved to an external file and, despite minimal warnings, still works.

Our Validation:

CSS:



W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#)!

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:

```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```


(close the img tag with > instead of /> if using HTML <= 4.01)

Interested in "developing" your developer skills? In W3C's hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. [Find out more!](#)

[Donate](#) and help us build better tools for a better web.

HTML:

Our errors:



1. **Error** Element `details` is missing a required instance of child element `summary`.
From line 173, column 19 to line 173, column 22
`<dl>+</dl>`
Content model for element `details`:
One `summary` element followed by [flow content](#).

2. **Error** Element `dl` is missing a required instance of child element `dd`.
From line 177, column 19 to line 177, column 23
`</dl>+</dl>`
Content model for element `dl`:
Either: Zero or more groups each consisting of one or more `dt` elements followed by one or more `dd` elements, optionally intermixed with [script-supporting elements](#).
Or: One or more `div` elements, optionally intermixed with [script-supporting elements](#).

3. **Error** Element `summary` not allowed as child of element `details` in this context. (Suppressing further errors from this subtree.)
From line 178, column 19 to line 178, column 27
`<summary>+</summary>`
Contexts in which element `summary` may be used:
As the [first child](#) of a `details` element.
Content model for element `details`:
One `summary` element followed by [flow content](#).

4. **Error** Text not allowed in element `details` in this context.
From line 184, column 24 to line 184, column 38
`<details> Age: 4 months </details>`
Content model for element `details`:
One `summary` element followed by [flow content](#).

5. **Error** Element `details` is missing a required instance of child element `summary`.
From line 185, column 19 to line 185, column 22
`<div>+</div>`
Content model for element `details`:
One `summary` element followed by [flow content](#).

6. **Error** Element `summary` not allowed as child of element `details` in this context. (Suppressing further errors from this subtree.)
From line 188, column 19 to line 188, column 27
`<summary>+</summary>`
Contexts in which element `summary` may be used:
As the [first child](#) of a `details` element.
Content model for element `details`:
One `summary` element followed by [flow content](#).

- Error** Text not allowed in element `ul` in this context.

From line 66, column 1 to line 66, column 15

```
hopcart">+Your Cart<br>+</pre>

Content model for element ul:



Zero or more li and script-supporting elements.


```
- Error** Element `br` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 66, column 16 to line 66, column 19

```
Your Cart <br>+< </pre>

Contexts in which element br may be used:



Where phrasing content is expected.



Content model for element ul:



Zero or more li and script-supporting elements.


```
- Error** Element `br` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 67, column 5 to line 67, column 8

```
<br>+<br>Purchase</pre>

Contexts in which element br may be used:



Where phrasing content is expected.



Content model for element ul:



Zero or more li and script-supporting elements.


```
- Error** Text not allowed in element `ul` in this context.

From line 67, column 9 to line 67, column 28

```
>+<br>Purchased Products:<br></pre>

Content model for element ul:



Zero or more li and script-supporting elements.


```
- Error** Element `br` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 67, column 29 to line 67, column 32

```
Products:<br><br></pre>

Contexts in which element br may be used:



Where phrasing content is expected.



Content model for element ul:



Zero or more li and script-supporting elements.


```
- Error** Element `br` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 67, column 34 to line 67, column 37

```
<ts:<br><br>+</pre>

Contexts in which element br may be used:



Where phrasing content is expected.


```

We learned that we cannot use any of those things within an unordered list, so we changed it to div with the list items as embedded divs.

Our Pages Now:

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Check by: text input ▼ css

```
<!DOCTYPE HTML>
<html lang="en">
<head>
  <title> E-Pets, About Us </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="Epetsstyle.css">
</head>
<body>
  <div id="bg">
    <div id="content">
      <a href="E-Pets%20index.html">
        </a>
        <div class="logo">
          <a href="E-Pets%20index.html">E-Pets</a>
        <br>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Document checking completed. No errors or warnings to show.

Source

```
1 <!DOCTYPE HTML>+
2 <html lang="en">+
3 <head>+
4   <title> E-Pets, About Us </title> +
5   <meta name="viewport" content="width=device-width, initial-scale=1">+
6   <link rel="stylesheet" href="Epetsstyle.css">+
7 </head>+
8 <body>+
9
10  <div id="bg">+
11    <div id="content">+
12      <a href="E-Pets%20index.html">+
13        </a>+
14        <div class="logo">+
15          <a href="E-Pets%20index.html">E-Pets</a>+
16        <br>+
17        <div class="dropdown">+
18          <a href="Pets.html">Pets</a>+
19          <ul class="dropdownlist">+
20            <li> <a href="Dogs&Kats.html">Dogs & Kats</li>+
21            <li> <a href="Other Pets.html"> Other Pets</li>+
22          </ul>+
23        </div>+
24      <div class="dropdown">+
```


This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Checker Input

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Document checking completed. No errors or warnings to show.

```

1 <!DOCTYPE HTML>
2 <html lang="en">
3 <head>
4 <title> E-Pets, Diet&Meds</title>
5 <meta name="viewport" content="width=device-width, initial-scale=1">
6 <link rel="stylesheet" href="Epetstyle.css">
7 </head>
8 <body>
9 <div id="bg">
10 <div id="content">
11 <a href="E-PetsX20index.html">
12 </a>
13 <div class="logo">
14 <a href="E-PetsX20index.html">E-Pets</a>
15 </div>
16 <div id="nav">
17 <div class="dropdown">
18 <a href="#Pets.html">Pets</a>
19 <ul class="dropdown-menu">
20 <li><a href="Dogs&Cats.html">Dogs & Cats</li>
21 <li><a href="OtherPets.html"> Other Pets</li>
22 </ul>
23 </div>
24 <div class="dropdown">

```

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Checker Input

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Document checking completed. No errors or warnings to show.

```

1 <!DOCTYPE HTML>
2 <html lang="en">
3 <head>
4 <title>E-Pets, Home </title>
5 <meta name="viewport" content="width=device-width, initial-scale=1">
6 <link rel="stylesheet" href="Epetstyle.css">
7 </head>
8 <body>
9 <div id="bg">
10 <div id="content">
11 <a href="E-Pets$20index.html">
12 </a>
13 <div class="logo">
14 <a href="E-Pets$20index.html">E-Pets</a>
15 </div>
16 <div id="nav">
17 <div class="dropdown">
18 <a href="Pets.html">Pets</a>
19 <ul class="dropdown-list">
20 <li><a href="DogsCats.html">Dogs & Cats</li>
21 <li><a href="OtherPets.html">Other Pets</li>
22 </ul>
23 </div>
24 <div class="dropdown">

```

Showing results for contents of: x +

validator.w3.org/nu/#textarea

🔍 ⭐ 🟢 🟡 🟠 ⋮

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Check by

```
<!DOCTYPE HTML>
<html lang="en">
<head>
  <title> E-Pets, FAQs </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="Epetstyle.css">
</head>
<body>
  <div id="bg">
  <div id="content">
    <a href="E-Pets%20index.html">
    </a>
    <div class="logo">
      <a href="E-Pets%20index.html">E-Pets</a>
    <div id="nav">
      <div class="dropdown">
        <a href="Pets.html">Pets</a>
        <ul class="dropdownlist">
          <li> <a href="Dogs&Cats.html">Dogs & Cats</a> </li>
          <li> <a href="OtherPets.html"> Other Pets</a> </li>
        </ul>
      </div>
    <div class="dropdown">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1 <!DOCTYPE HTML>
2 <html lang="en">
3 <head>
4   <title> E-Pets, FAQs </title>
5   <meta name="viewport" content="width=device-width, initial-scale=1">
6   <link rel="stylesheet" href="Epetstyle.css">
7 </head>
8 <body>
9   <div id="bg">
10  <div id="content">
11    <a href="E-Pets%20index.html">
12    </a>
13    <div class="logo">
14      <a href="E-Pets%20index.html">E-Pets</a>
15    <div id="nav">
16      <div class="dropdown">
17        <a href="Pets.html">Pets</a>
18        <ul class="dropdownlist">
19          <li> <a href="Dogs&Cats.html">Dogs & Cats</a> </li>
20          <li> <a href="OtherPets.html"> Other Pets</a> </li>
21        </ul>
22      </div>
23    <div class="dropdown">
```

Showing results for contents of: x +

validator.w3.org/nu/#textarea

🔍 ⭐ 🟢 🟡 🟠 ⋮

Showing results for contents of: x +

validator.w3.org/nu/#textarea

🔍 ⭐ 🟢 🟡 🟠 ⋮

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Check by

```
<!DOCTYPE HTML>
<html lang="en">
<head>
  <title> E-Pets, FindMyPet </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="Epetstyle.css">
</head>
<body>
  <div id="bg">
  <div id="content">
    <a href="E-Pets%20index.html">
    </a>
    <div class="logo">
    <a href="E-Pets%20index.html">E-Pets</a>
    <hr>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.
From line 88, column 8 to line 88, column 50
> `<input type="date" name="PetLoss" id="PLD">`

2. **Warning** The `color` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.
From line 90, column 8 to line 90, column 53
> `<input type="color" name="PColor" id="PColor">`

Document checking completed.

Source

```
1 <!DOCTYPE HTML>
2 <html lang="en">
3 <head>
4   <title> E-Pets, FindMyPet </title>
5   <meta name="viewport" content="width=device-width, initial-scale=1">
6   <link rel="stylesheet" href="Epetstyle.css">
7 </head>
```

Showing results for contents of 1: X +

validator.w3.org/nu/#textarea

Search ☆ 🟢 🟡 🟠 ⋮

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ CSS

```
<!DOCTYPE HTML>
<html lang="en">
<head>
  <title> E-Pets, Play Dates </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="Epetstyle.css">
</head>
<body>
  <div id="bg">
  <div id="content">
    <a href="E-Pets%20index.html">
      </a>
      <div class="logo">
        <a href="E-Pets%20index.html">E-Pets</a>
      <hr>

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.
From line 62, column 16 to line 62, column 57
`<input type="date" name="UserBD" id="UBD">`

2. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.
From line 76, column 15 to line 76, column 55
`<input type="date" name="PetBD" id="PBD">`

Document checking completed.

Source

```
1 <!DOCTYPE HTML>
2 <html lang="en">
3 <head>
4   <title> E-Pets, Play Dates </title>
5   <meta name="viewport" content="width=device-width, initial-scale=1">

```

Waiting for www.w3.org...

Showing results for contents of 1: X +

validator.w3.org/nu/#textarea

Search ☆ 🟢 🟡 🟠 ⋮

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ CSS

```
<!DOCTYPE HTML>
<html lang="en">
<head>
  <title> E-Pets, Privacy Policy</title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="Epetstyle.css">
</head>
<body>
  <div id="bg">
  <div id="content">
    <a href="E-Pets%20index.html">
      </a>
      <div class="logo">
        <a href="E-Pets%20index.html">E-Pets</a>
      <hr>
    <div id="nav">
      <div class="dropdown">
        <a href="Pets.html">Pets</a>
        <ul class="dropdownlist">
          <li> <a href="Dogs&Cats.html">Dogs & Cats</a> </li>
          <li> <a href="OtherPets.html">Other Pets</a> </li>
        </ul>
      </div>
    <div class="dropdown">

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1 <!DOCTYPE HTML>
2 <html lang="en">
3 <head>
4   <title> E-Pets, Privacy Policy</title>
5   <meta name="viewport" content="width=device-width, initial-scale=1">
6   <link rel="stylesheet" href="Epetstyle.css">
7 </head>
8 <body>
9   <div id="bg">
10  <div id="content">
11    <a href="E-Pets%20index.html">
12      </a>
13      <div class="logo">
14        <a href="E-Pets%20index.html">E-Pets</a>
15      <hr>
16    <div id="nav">
17      <div class="dropdown">
18        <a href="Pets.html">Pets</a>
19        <ul class="dropdownlist">
20          <li> <a href="Dogs&Cats.html">Dogs & Cats</a> </li>
21          <li> <a href="OtherPets.html">Other Pets</a> </li>
22        </ul>
23      </div>
24    <div class="dropdown">

```

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Check by **text input** ☐ CSS

```
<!DOCTYPE HTML>
<html lang="en">
<head>
  <title> E-Pets, Sign-Up </title>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="Epetstyle.css">
</head>
<body>
  <div id="content">
    <form method="get" id="signup">
      <h2> Become A Member of Our Community.</h2>
      <label>Full Name:</label>
      <input name="FName" id="FName" type="text" placeholder="Ex. Spencer Reid..." required>
      <label>Country:</label>
      <select name="Country">
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

From line 45, column 8 to line 45, column 58

> <input type="date" name="BDate" id="Bday" required>

Document checking completed.

Source

```
1 <!DOCTYPE HTML>
2 <html lang="en">
3 <head>
4   <title> E-Pets, Sign-Up </title>
5   <meta name="viewport" content="width=device-width, initial-scale=1">
6   <link rel="stylesheet" href="Epetstyle.css">
7 </head>
8 <body>
9   <div id="content">
10    <form method="get" id="signup">
11      <h2> Become A Member of Our Community.</h2>
12      <label>Full Name:</label>
13      <input name="FName" id="FName" type="text" placeholder="Ex. Spencer Reid..." required>
14      <label>Country:</label>
15      <select name="Country">
```