Dataset API

Version 1.0

Paths

/api/dataset/get/:datasetID

GET /api/dataset/get/:datasetID

Description

Get `Dataset` object as json.

Parameters

Name	Located in	Description	Required	Schema
datasetID	query	It's unique id for dataset.	Yes	⇄ string (uuid)

Responses

Code	Description	Schema
200	Dataset json	⇄ ▾**Dataset JSON** string

Try this operation

POST /api/dataset/get/:datasetID

Description

Get `Dataset` object as json.

Parameters

Name	Located in	Description	Required	Schema
datasetID	query	It's unique id for dataset.	Yes	⇄ string (uuid)

Responses

Code	Description	Schema
200	Dataset json	⇄ ▾**Dataset JSON** string

Try this operation

/api/metadata/items

GET /api/metadata/items

Description

Get metadata list by tag(path) and value.

Parameters

Name	Located in	Description	Required	Schema
tag	query	tag(path) in metadata json.	Yes	⇄ string
value	query	tag value in metadata json.	Yes	⇄ string

Responses

Code	Description	Schema
200	Array of metadata with contains tag(path) and value match(sql like "%value%")	⇄ ▾Dataset JSON string

Try this operation

POST /api/metadata/items

Description

Get metadata list by tag(path) and value.

Parameters

Name	Located in	Description	Required	Schema
tag	query	tag(path) in metadata json.	Yes	⇄ string
value	query	tag value in metadata json.	Yes	⇄ string

Responses

Code	Description	Schema
200	Array of metadata with contains tag(path) and value match(sql like "%value%")	⇄ ▾Dataset JSON string

Try this operation