



OBSTETRA birthing bed has been carefully designed to provide the best solutions for maternity and postpartum services as well as gynecological examination. With various accessories included, **OBSTETRA** ensures a comfortable and safe delivery for the mother and a smooth and easy use for caregivers.





Full set of accessories



Convertible to bed position



Adjustable Pelvic Section



Column motors enhancing bed stability



Accessory Trolley storing the non-use accessories



Various accessory combinations

- Electronic adjustments of backrest, legrest, height-up & down positions
- Electrical operated Trendelenburg and Reverse Trendelenburg positions.
- Metal parts coated with zinc phosphate and varnished with an electrostatic epoxy-polyester powder
- Easily cleanable, 3-section (HPL) compact laminate mattress surface.
- X-Ray permeable lying surface
- Converting to Bed
- Removable headboard and footboard made of hygienic PP materials.
- Tuck-away side rails made of hygienic PP materials
- IV pole receptacles and on the two corners of the headboard
- Rotating protective bumpers at all (four) corners of the bed
- Height adjustable IV pole
- Pair drainage hooks at both sides of the bed.
- Stainless steel accessory rails
- 125 mm diameter swivel castors with central locking system and directional lock
- Hand control unit
- Nurse control panel
- Electronically CPR (Reset)
- Equipped with powerful column motors Linak brand
- Two-piece ABS plastic covered lower chassis
- Stainless steel accessories corrosion resistant
- Easily removable stainless steel waste bowl
- Adjustable patient hand grips
- Sliding foot section mechanism
- Angle indicators on the side rails for the backrest, Trendelenburg and Reverse Trendelenburg positions.
- Back up battery for non-stop operation in case of power failure.
- Foam mattress of 12 cm thickness and 28 kg/m³ suitable for lying surface with antibacterial & flame retardant cover
- Adjustable Leg supports
- Squatting Bar
- Upholstered heel Supports (foot support)
- Manual CPR for the backrest
- Accessory Trolley
- Control panels embedded on side rails (optional)
- Twin castors of 150 mm diameter (optional)
- Foot switch (optional)

TECHNICAL DETAILS

Backrest angle:	0°-67°	Bed surface (extended):	85x191cm
Pelvic angle:	0°-27°	Bed surface (retracted):	85x144cm
Trendelenburg angle:	0°-20°	Height (without mattress):	60-100cm
Reverse trendelenburg angle:	0°-20°	Mattress thickness (backrest and pelvic sections)	12cm
External dimensions:	109x209 cm	Castor Diameter	125 mm
Product Weight (Empty):	140kg	Safe working load capacity:	250kg

ELECTRICAL DATA

Power in:	max. 3,15A, 100V – 240V ~ 50/60 Hz
Electrical Shock Protection:	Class I, Type B
Liquid ingress protection:	IPX6
Battery:	2x 12V Series Connected, sealed, rechargeable, Lead / Acid gel, 1.2 amp hrs

Accessories



Nurse Control Panel



Accessory Trolley



Stainless Steel
Waste Bowl



Central & Directional
Lock Castors, 125 mm



Manual CPR



IV Pole



Hand Grips



Adjustable Leg supports



Squatting Bar



Upholstered heel Supports



Rechargeable Battery
Backup



X-Ray Translucent HPL
Backrest



Control Panels
Embedded on Side Rails



Twin Castors
150 mm



Foot Switch