



Sidestream EtCO₂ Capnography Module Capno-S

A side stream EtCO₂ sensor, accurate and durable, suitable for various complex environments. Compatible with multiple protocols. Plug and play, no zero calibration required. Stable and durable.



Features of Side stream EtCO₂ Capnography Module Capno-S

01. Plug And Play

There is no circuit inside the host, just a serial port.

02. High Precision

Temperature pressure compensation, timing and self-calibration functions, full-range calibration, to ensure accurate measurement within the range of 0-20%

03. Long Service Life And Extremely Low Noise

The gas circuit, hardware and software are carefully designed to ensure the long-term stability of the module

04. Low Power Consumption

Suitable for battery-powered use, automatic pressure compensation. Maintain measurement accuracy in an extremely wide air pressure range of 400-960mmHg.

05. Patented Water Filters

The Filters can work continuously for a long time, and can be reused, reducing the user's cost.

06. Dedicated Fi-lock Air Inlet Interface

Intelligent identification and light indication of filter insertion and breathing status.

07. Complete EtCO₂ OEM Solutions

Multiple communication protocols, and more than 20 years of accumulated technology and experience, easily help you achieve technical and practical improvements

APPLICATION SCENARIOS OF SIDESTREAM ETCO₂ CAPNOGRAPHY MODULE CAPNO-S

- High signal-to-noise ratio

Capno-S is a side stream CO₂ module.

It is equipped with high-quality Multi-Channel Narrowband Filters, IR Light Source, Well-designed Hardware Circuit and Software Algorithms to achieve gas concentration measurement with high signal-to-noise ratio;

- Long continuous working time

For side stream modules, there are built-in long-life sampling pumps, ensuring a one-way flow of exhaled air; and high-quality filter that can work for a long time even in high temperature environment.

- Plug-and-play

It can be used in conjunction with a multi-parameter monitor. The monitor only needs one interface, which can be connected to the module for use.

- Atmospheric pressure compensation

There is an internal atmospheric pressure sensor, which can automatically adjust the atmospheric pressure and suitable for various altitude ranges and harsh environments;

- OEM solutions

We provide the reliable carbon dioxide OEM solutions, with multiple protocols, so that products can be quickly upgraded and assembled.