



Backrest



Legrest



Auto Contour



Knee Break



- Electrical operated backrest and legrest adjustment
- Fowler and Vascular positions
- Hand remote control
- Detachable PP head and foot boards
- Auto-contour
- Easily cleanable, lockable and fold-away PP side rails
- Auto-regression system for backrest
- Easy removable ABS mattress platform
- Angle indicator for backrest
- Electrostatic powder coated metal frame
- Footrest adjustment by ratchet
- Height adjustable IV pole
- 125 mm diagonal lockable castors
- Protective plastic corner bumpers
- Dual side manual CPR levers at backrest (optional)
- Trendelenburg position (optional)
- IPX6 standard electronic system

TECHNICAL DETAILS	
Overall Length:	216 cm
Overall Width:	102 cm
Height:	46 cm
Backrest Angle:	0°-70°
Legrest Angle:	0°-35°
Castor Diameter:	12,5 cm
Under bed Clearance:	12,5 cm
Safe Working Load:	250 kg

ELECTRICAL DATA	
Power In:	1.5A max. At 230V AC 50-60 Hz
Electrical Shock Protection:	Class I, Type B
Liquid Ingress Protection:	IPX6

Accessories



X-Ray Translucent Backrest
with Cassette Holder



Rechargeable Battery
Backup



Trendelenburg by gas
spring




Dual Sided Manual
CPR at Backrest



Bed Extension



Lifting Pole



Orthopedic Traction
System

Color Options



P01



P02



P03



P04



P05



P06



P07



P08