CSC2626: Assignment 1 Due Oct 3 at 6pm ET 25 points

September 21, 2022

1 Introduction

The goal of this assignment is to help you get familiar with imitation learning and DAgger applied to the driving domain, and to also ensure that you are able to solve supervised learning tasks with neural networks. In order to automate the process of expert demonstrations, without relying on human input, we have modified a car racing environment in OpenAI Gym to also provide expert demonstrations from a feedback controller that allows the car to do road following. Unlike the feedback controller that has access to the true state and coordinates of the track, your driving policy will only have access to an image and will output a steering command.

2 Setting Up

This assignment assumes that you are running some version of Ubuntu between 16.04 to 20.04. Newer versions of Ubuntu may work too, but have not been tested. If you are a Windows or Mac user and you are experiencing issues, please email the TAs early on to try to resolve them.

Starter code Run git clone https://github.com/florianshkurti/csc2626w22.git in order to get the starter code for this assignment. This should create the directory csc2626w22.

Virtualenv Set up a python virtualenv environment in the directory csc2626w22/assignments/, so that you can install python packages without requiring administrative rights in the computer you are using. Specifically, run virtualenv -p python3 myenv, which will setup a Python3 environment under the directory myenv. Run source ./myenv/bin/activate in order to activate that virtual environment. Now you can begin installing python dependencies. Start with pip3 install scikit-image

Pytorch Follow the instructions at https://pytorch.org/get-started/locally/ to install Pytorch for CPU or GPU, depending on whether your system has access to a GPU. If you have a GPU you will also need to know which version of CUDA is your system running. You can do this by executing nvcc --version. If you don't have a GPU select None when choosing the CUDA version.

OpenAI Gym Run pip3 install gym==0.10.9 and then pip3 install box2d-py. This assignment has been tested only with Gym version 0.10.9.

Initial training set The assignment repository includes an initial dataset of images annotated with expert actions, which you can use for the first round of training a steering network. Run cd assignments/A1 and then unzip dataset.zip.

Run the expert Try to run python3 racer.py --expert_drives=True. If you see a car driving in the middle of the track your installation works. The expert in this case is a feedback controller with only 4 parameters that have been tuned. However, the expert has access to extra information, such as the distance of the car from the middle of the road, while your learner will only have access to the image.

3 Supervised Learning (10 pts)

Fill in the code for the training procedure in train_policy.py. If you have a GPU make sure that in utils.py the device is set to cuda. Otherwise, set it to cpu. To start the training procedure run python3 train_policy.py

--n_epochs=50 --batch_size=256 --weights_out_file=./weights/learner_0_supervised_learning.weights --train_dir=./dataset/train/ --weighted_loss=False

Also fill the network architecture in driving_policy.py. Start with an architecture that is similar, but not identical, to the NVIDIA end-to-end driving paper, even though it likely has too many parameters for fitting the dataset used in this assignment. For the features of the convolutional network start with this sequential model: 24 conv, relu, 36 conv, relu, 48 conv, relu, 64 conv, relu, flatten, where each convolutional layer (called Conv2d in Pytorch) uses a kernel/window of size 4, stride of size 2, and 1 pixel padding. For the classifier start with this fully connected model: fc 64, relu, fc n_classes, relu where fc stands for a fully-connected layer (called Linear layer in Pytorch). The output of the network will be the probability of n_classes possible steering directions, just like in the ALVINN paper. You are not however required to implement the gaussian-shaped discrete predictions that Pomerleau used to make consecutive classes nearby in terms of the angle they represent. You should optimize the categorical cross-entropy loss to learn a mapping from images to actions.

Now, try to execute the learner's policy on the simulator. You should see that the initial policy eventually gets outside the race track before completing one full round of driving. You should also observe that the steering policy is wobbly on straight lines. You are not required to fix that for the purposes of this assignment.

4 Weighted Classification Loss (5 pts)

The majority of the expert demonstrations you will have in your dataset will be for driving straight ahead. Your training set will have a significant class imbalance, where the labels corresponding to driving straight ahead (e.g. classes 9,10,11 if n_classes=20) will occur much more frequently than sharp turns. One reasonable question to ask is whether taking this class imbalance into account when training the learner could help. To answer that question use a weighted loss that weighs errors in each class according to the inverse frequency of occurrence. In Pytorch the cross_entropy loss function allows you to specify such weights. Implement this minor change in train_policy.py and rerun supervised learning with the weighted loss: python3 train_policy.py --n_epochs=50 --batch_size=256 --weights_out_file=./weights/learner_0_weighted_loss.weights --train_dir=./dataset/train/ --weighted_loss=True

You will see that the vehicle still veers off track. Experiment by making sure that each mini-batch contains representation from both straight-line data and turning data. You can implement this change as an extra option in dataset_loader.py, which checks the steering command associated with each image

5 DAgger (10 pts)

Implement DAgger in dagger.py and run python3 dagger.py, and run 10 DAgger iterations, which should be sufficient to make the car complete the track without interventions. This process should generate weights learner_0.weights, ..., learner_10.weights at the end of each DAgger iteration. Also, keep in mind that when you run this procedure the training set in dataset/train will be augmented with expert-labeled images from the execution of the learner's policy. Images from the *i*th DAgger run will be saved under dataset/train/expert_i_t_cmd.jpg, where t is the timestep of the image recorded during the *i*th run, and cmd is the corresponding steering command that the expert issued for that image in [-1,1]. You should observe that as the training set increases the resulting policy will eventually be able to remain within the track and fully traverse it. To show your work for this question, create a plot showing the number of DAgger iterations on the x axis vs. the cumulative cross-track error on the y-axis. There is a function that computes the instantaneous cross-track error in the starter code in the environment class in full_state_car_racing_env.py. Save this plot in a file called dagger_iterations.png|pdf|jpg.

6 What/How to submit

Submit a file called assignment_firstname_lastname_studentid.zip that contains the starter code and your extensions to the provided starter code, under the directory assignments/A1. This zip file will include your changes to the files train_policy.py, driving_policy.py, dagger.py and optionally dataset_loader.py. It should also include the file dataset_iterations.png|pdf|jpg. It should not include the checkpointed weights of the policy. Submissions should be done on Quercus. You do not need to include a writeup of your solutions.