

## Перший рівень — відпрацюй навички на базовому рівні.

1. Використовуючи опис вебсервісу за адресою [DataFlex Web Service for Country information](#) (WSDL можна скачати за посиланням [CountryInformation.wsdl](#)), створи тестовий набір:

1.1. Два степи з різними даними для позитивної перевірки операцій:

- CapitalCity

The screenshot shows the SoapUI interface with the 'CapitalCity' test step selected in the left sidebar under 'Test Steps (1)'. The 'Raw' tab on the right displays the SOAP request XML:

```
<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap Header>
<soap Body>
<web CapitalCity>
<web CountryISOCode>UA</web CountryISOCode>
</web CapitalCity>
</soap Body>
</soap Envelope>
```

The 'Raw' tab also shows the corresponding SOAP response XML:

```
<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap Body>
<m:CapitalCityResponse xmlns:m="http://www.oorsprong.org/websamples.countryinfo">
<m:CapitalCityResult>Kiev</m:CapitalCityResult>
<m:CapitalCityResponse>
</m:CapitalCityResponse>
</soap Body>
</soap Envelope>
```

Below the tabs, the status bar shows 'response time: 56ms (329 bytes)' and '1:1'.

The screenshot shows the SoapUI interface with the 'Copy of CapitalCityBE' test step selected in the left sidebar under 'Test Steps (7)'. The 'Raw' tab on the right displays the SOAP request XML:

```
<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap Header>
<soap Body>
<web CapitalCity>
<web CountryISOCode>BE</web CountryISOCode>
</web CapitalCity>
</soap Body>
</soap Envelope>
```

The 'Raw' tab also shows the corresponding SOAP response XML:

```
<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap Body>
<m:CapitalCityResponse xmlns:m="http://www.oorsprong.org/websamples.countryinfo">
<m:CapitalCityResult>Brussels</m:CapitalCityResult>
<m:CapitalCityResponse>
</m:CapitalCityResponse>
</soap Body>
</soap Envelope>
```

Below the tabs, the status bar shows 'response time: 90ms (333 bytes)' and '1:1'.

Savanna 5.0.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online Help

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:s="http://www.orsprong.org/websamples.countryinfo">
<soap:Header/>
<soap:Body>
<?xml version="1.0" encoding="UTF-8"?>
<m:CapitalCityResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
<m:CapitalCityResult>Minsk</m:CapitalCityResult>
</m:CapitalCityResponse>
</soap:Body>
</soap Envelope>

```

Raw XML Headers (...) Attachments (...) WS... WS-R... JMS Head... JMS Property ... Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)  
response time: 94ms (330 bytes)

SoapUI log http log jetty log error log wsm log memory log

CapitalCityProperty1

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online Help

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:s="http://www.orsprong.org/websamples.countryinfo">
<soap:Header/>
<soap:Body>
<?xml version="1.0" encoding="UTF-8"?>
<m:CapitalCityResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
<m:CapitalCityResult>New Delhi</m:CapitalCityResult>
</m:CapitalCityResponse>
</soap:Body>
</soap Envelope>

```

Raw XML Headers (...) Attachments (...) WS... WS-R... JMS Head... JMS Property ... Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)  
response time: 94ms (334 bytes)

Screenshot of SoapUI 5.7.0 showing a successful SOAP request to the CountryInfoService.wsdl.

**Request (Raw XML):**

```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:web="http://www.orsprong.org/websamples.countryinfo">
    <soap:Header>
        <web:CapitalCity>
            <web:sCountryISOCode>${#Project#CountryName}</web:sCountryISOCode>
        </web:CapitalCity>
    </soap:Header>
    <soap:Body>
        <web:CapitalCity>
            <web:sCountryISOCode>${#Project#CountryName}</web:sCountryISOCode>
        </web:CapitalCity>
    </soap:Body>
</soap:Envelope>
```

**Response (Raw XML):**

```
HTTP/1.1 200 OK
Cache-Control: private, max-age=0
Content-Type: application/soap+xml; charset=utf-8
Server: Microsoft-IIS/8.5
Web-Service: DataFlex 19.1
Date: Tue, 08 Nov 2022 09:59:20 GMT
Content-Length: 335

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
    <soap:Body>
        <m:CapitalCityResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
            <m:CapitalCityResult>Washington</m:CapitalCityResult>
        </m:CapitalCityResponse>
    </soap:Body>
</soap:Envelope>
```

**Toolbars:** Auth Headers (0) Attachments (0) WS-A WS-RM JMS Headers JMS Property (0)

**Status Bar:** response time: 98ms (335 bytes) 1:1

- **CountryISOCode**

Screenshot of SoapUI 5.7.0 showing a successful SOAP request to the CountryInfoService.wsdl.

**Test Suite Structure:**

- Empty
- SOAP REST Import Save All
- Forum Trial Preferences Proxy
- Endpoint Explorer
- Search Forum Online Help

**Test Case Structure:**

- CapitalCity
  - CountriesUsingCurrency
  - CountryCurrency
  - CountryFlag
  - CountryPhoneCode
  - CountryISOCode
  - CountryName
  - CurrencyName
  - FullCountryInfo
  - FullCountryInfoAllCountries
  - LanguagesISOCode
  - LanguageName
  - ListOfContinentsByCode
  - ListOfContinentsByName
  - ListOfCountryNamesByCode
  - ListOfCountryNamesByName
  - ListOfCountryNamesGrouped
  - ListOfCurrenciesByName
  - ListOfLanguagesByCode
  - ListOfLanguagesByName
  - Test Steps (2)
    - CapitalCity
    - CountryISOCode
  - Load Tests (0)

**Custom Properties:**

TestRequest Properties	
Property	Value
Name	CountryISOCode
Description	
Message Size	310
Connection	HTTP

**Request (Raw XML):**



```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:web="http://www.orsprong.org/websamples.countryinfo">
    <soap:Header>
        <web:CountryISOCode>
            <web:sCountryName>Ukraine</web:sCountryName>
        </web:CountryISOCode>
    </soap:Header>
    <soap:Body>
        <web:CountryISOCode>
            <web:sCountryName>Ukraine</web:sCountryName>
        </web:CountryISOCode>
    </soap:Body>
</soap:Envelope>
```

**Response (Raw XML):**

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
    <soap:Body>
        <m:CountryISOCodeResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
            <m:CountryISOCodeResult>UA</m:CountryISOCodeResult>
        </m:CountryISOCodeResponse>
    </soap:Body>
</soap:Envelope>
```

**Toolbars:** Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

**Status Bar:** response time: 99ms (339 bytes) 1:1



CountryISOCodeProperty1

http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.ws

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
  <soap Header/>
  <soap Body>
    <web:CountryISOCode>
      <web:sCountryName>${#Project#CountryISOCode}</web:sCountryName>
    </web:CountryISOCode>
  </soap Body>
</soap Envelope>
```

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
  <soap Body>
    <m:CountryISOCodeResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
      <m:CountryISOCodeResult>JP</m:CountryISOCodeResult>
    </m:CountryISOCodeResponse>
  </soap Body>
</soap Envelope>
```

Au... Headers... Attachment... WS... WS... JMS Hea... JMS Propert...

Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)

CountryISOCodeProperty2

http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.ws

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
  <soap Header/>
  <soap Body>
    <web:CountryISOCode>
      <web:sCountryName>${#Project#CountryISOCode}</web:sCountryName>
    </web:CountryISOCode>
  </soap Body>
</soap Envelope>
```

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
  <soap Body>
    <m:CountryISOCodeResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
      <m:CountryISOCodeResult>RU</m:CountryISOCodeResult>
    </m:CountryISOCodeResponse>
  </soap Body>
</soap Envelope>
```

Au... Headers... Attachment... WS... WS... JMS Hea... JMS Propert...

Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)

response time: 95ms (339 bytes) | 1 : 1

- CountryCurrency

SoapUI 5.7.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online H

**Navigator**

- CapitalCity
  - CountryCurrency
  - ListOfLanguagesByName
  - CountryInfoServiceSoapBinding
  - CapitalCity
    - CountriesUsingCurrency
    - CountryCurrency
    - CountryFlag
    - CountryPhoneCode
    - CountryISOCode
    - CountryName
    - CurrencyName
    - FullCountryInfo
    - FullCountryInfoAllCountries
    - LanguageISOCode
    - LanguageName
    - ListOfContinentsByCode
    - ListOfContinentsByName
    - ListOfCountryNamesByCode
    - ListOfCountryNamesByName
    - ListOfCountryNamesGrouped
    - ListOfCurrenciesByCode
    - ListOfCurrenciesByName
    - ListOfLanguagesByCode
    - ListOfLanguagesByName
  - TestSuite 1
    - CapitalCity
      - Test Steps (3)
        - CapitalCity
        - CountryISOCode
        - CountryCurrency

Custom Properties

TestRequest Properties	
Property	Value
Name	CountryCurrency
Description	
Message Size	313

**CountryCurrency**

http://webservices.oorsprong.org/websamples.countryinfo/CountryInfoService.ws

**Raw XML**

```
<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:m="http://www.oorsprong.org/websamples.countryinfo">
<soap Header/>
<soap Body>
<web CountryCurrency>
<web s:CountryISOCode>UA</web s:CountryISOCode>
</web CountryCurrency>
</soap Body>
</soap Envelope>
```

**Raw XML**

```
<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap Body>
<m:CountryCurrencyResponse xmlns:m="http://www.oorsprong.org/websamples.countryinfo">
<m:sISOCode>UAH</m:sISOCode>
<m:sName>Hryvnia</m:sName>
</m:CountryCurrencyResponse>
</m:CountryCurrencyResult>
</m:CountryCurrencyResponse>
</soap Body>
</soap Envelope>
```

Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)

response time: 94ms (423 bytes)

1:1

SoapUI 5.7.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online H

**Navigator**

- Copy of CountryCurrencyBE
  - CountryISOCode
  - CountryName
  - CurrencyName
  - FullCountryInfo
  - FullCountryInfoAllCountries
  - LanguageISOCode
  - LanguageName
  - ListOfContinentsByCode
  - ListOfContinentsByName
  - ListOfCountryNamesByCode
  - ListOfCountryNamesByName
  - ListOfCountryNamesGroupedByContiner
  - ListOfCurrenciesByCode
  - ListOfCurrenciesByName
  - ListOfLanguagesByCode
  - ListOfLanguagesByName
- TestSuite 1
  - CapitalCity
    - Test Steps (11)
      - CountryISOCode
      - CountryISOCodeBE
      - CountryISOCodeBY
      - CapitalCity
      - CapitalCityBE
      - CapitalCityBY
      - CountriesUsingCurrency
      - CountriesUsingCurrencyEUR
      - CountriesUsingCurrencyBYR
      - CountryCurrency
      - Copy of CountryCurrencyBE

Custom Properties

TestRequest Properties	
Property	Value
Name	Copy of CountryCur...
Description	
Message Size	313

**Copy of CountryCurrencyBE**

http://webservices.oorsprong.org/websamples.countryinfo/CountryInfoService.ws

**Raw XML**

```
<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:m="http://www.oorsprong.org/websamples.countryinfo">
<soap Header/>
<soap Body>
<web CountryCurrency>
<web s:CountryISOCode>BE</web s:CountryISOCode>
</web CountryCurrency>
</soap Body>
</soap Envelope>
```

**Raw XML**

```
<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap Body>
<m:CountryCurrencyResponse xmlns:m="http://www.oorsprong.org/websamples.countryinfo">
<m:sISOCode>EUR</m:sISOCode>
<m:sName>Euro</m:sName>
</m:CountryCurrencyResponse>
</m:CountryCurrencyResult>
</m:CountryCurrencyResponse>
</soap Body>
</soap Envelope>
```

Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)

response time: 98ms (420 bytes)

1:1

SoapUI 5.7.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer

Search Forum Online Help

**Navigator**

- CountryName
- CurrencyName
- FullCountryInfo
- FullCountryInfoAllCountries
- LanguageISOCode
- LanguageName
- ListOfContinentByName
- ListOfContinentByCode
- ListOfCountryNamesByCode
- ListOfCountryNamesByName
- ListOfCountryNamesGroupedByContainer
- ListOfCurrenciesByName
- ListOfLanguagesByName
- ListOfLanguagesByCode
- ListOfLanguagesByNames
- TestSuite 1
- CapitalCity
- Test Steps (12)
  - CountryISOCode
  - CountryISOCodeBE
  - CountryISOCodeBY
  - CapitalCity
  - CapitalCityBE
  - CapitalCityBY
  - CountriesUsingCurrency
  - CountriesUsingCurrencyEUR
  - CountriesUsingCurrencyBYR
  - CountryCurrency
  - CountryCurrencyBE
  - Copy of CountryCurrencyBY

**Custom Properties**

Property	Value
Name	Copy of CountryCur...
Description	313
Message Size	313
Properties	Properties

**Copy of CountryCurrencyBY**

http://webservices.oorsprong.org/websamples.countryinfo/CountryInfoService.wsdl

**Raw XML**

```
<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:ws="http://webservices.oorsprong.org/websamples.countryinfo/CountryInfoService.wsdl">
  <soap Header>
    <ws:CountryCurrency>
      <ws:CountryISOCode>BY</ws:CountryISOCode>
    </ws:CountryCurrency>
  </soap Body>
</soap Envelope>
```

**Raw**

```
<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
  <soap Body>
    <m:CountryCurrencyResponse xmlns:m="http://www.oorsprong.org/websamples.countryinfo">
      <m:CountryCurrencyResult>
        <m:sISOCode>BYR</m:sISOCode>
        <m:mName>Rubles</m:mName>
      </m:CountryCurrencyResult>
    </m:CountryCurrencyResponse>
  </soap Body>
</soap Envelope>
```

**Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)**

**Assertions (1) Request Log (1)**

response time: 96ms (422 bytes)

SoapUI log http log ietv log error log wsmr log memory log

CountryCurrencyProperty1

http://webservices.oorsprong.org/websamples.countryinfo/CountryInfoService.wsdl

**Raw XML**

```
<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:ws="http://webservices.oorsprong.org/websamples.countryinfo/CountryInfoService.wsdl">
  <soap Header/>
  <soap Body>
    <ws:CountryCurrency>
      <ws:CountryISOCode>${#Project#CountryISOCode}</ws:CountryISOCode>
    </ws:CountryCurrency>
  </soap Body>
</soap Envelope>
```

**Raw**

```
<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
  <soap Body>
    <m:CountryCurrencyResponse xmlns:m="http://www.oorsprong.org/websamples.countryinfo">
      <m:CountryCurrencyResult>
        <m:sISOCode>SEK</m:sISOCode>
        <m:mName>Kronor</m:mName>
      </m:CountryCurrencyResult>
    </m:CountryCurrencyResponse>
  </soap Body>
</soap Envelope>
```

**Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)**

**Assertions (1) Request Log (2)**

response time: 106ms (422 bytes)

9:15

CountryCurrencyProperty2

<http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.wsdl>

Raw XML

```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap:Header>
<web:CountryCurrency>
<web:sCountryISOCode>${#Project#CountryISOCode}</web:sCountryISOCode>
</web:CountryCurrency>
</soap:Body>
</soap:Envelope>
```

Raw XML

```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap:Body>
<m:CountryCurrencyResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
<m:CountryCurrencyResult>
<m:sISOCode>JPY</m:sISOCode>
<m:sName>Yen</m:sName>
</m:CountryCurrencyResult>
</m:CountryCurrencyResponse>
</soap:Body>
</soap:Envelope>
```

Au... Headers... Attachment... WS... WS... JMS He... JMS Prop... Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)

response time: 114ms (419 bytes)

1 : 1

## CountriesUsingCurrency

SoapUI 5.7.0

File Project Suite Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online

Navigator

- CapitalCity
  - CountriesUsingCurrency
  - CountryFlag
  - CountryISOCode
  - CountryName
  - CurrencyName
  - FullCountryInfo
  - LanguageISOCode
  - LanguageName
  - ListOfContinentByCode
  - ListOfContinentByName
  - ListOfCountryNamesByCode
  - ListOfCountryNamesByName
  - ListOfCountryNamesGroupedBy
  - ListOfCurrenciesByCode
  - ListOfCurrenciesByName
  - ListOfLanguagesByCode
  - ListOfLanguagesByName
  - TestSuite 1
    - CapitalCity
      - Test Steps (4)
        - CapitalCity
        - CountryISOCode
        - CountryCurrency
        - CountriesUsingCurrency

Custom Properties

TestRequest Properties	
Property	Value
Name	CountriesUsingCur
Description	
Message Size	330
Encoding	UTF-8

Raw XML

```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap:Header>
<web:CountryCurrency>
<web:sCountryISOCode>UAH</web:sCountryISOCode>
</web:CountryCurrency>
</soap:Body>
</soap:Envelope>
```

Raw XML

```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap:Body>
<m:CountryUsingCurrencyResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
<m:CountryUsingCurrencyResult>
<m:tCountryCodeAndName>
<m:sISOCode>UA</m:sISOCode>
<m:sName>Ukraine</m:sName>
</m:tCountryCodeAndName>
</m:CountryUsingCurrencyResult>
</m:CountryUsingCurrencyResponse>
</soap:Body>
</soap:Envelope>
```

Au... Headers... Attachments... WS... WS-R... JMS Head... JMS Property... Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (2)

response time: 88ms (521 bytes)

1 : 1

SoapUI 5.7.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online Help

**Navigator**

- CountryInfoService.wsdl
  - CountryISOCode
  - CountryName
  - CurrencyName
  - FullCountryInfo
  - FullCountryInfoAllCountries
  - LanguageISOCode
  - LanguageName
  - ListOfContinentByCode
  - ListOfContinentByName
  - ListOfCountryNamesByCode
  - ListOfCountryNamesByName
  - ListOfCountryNamesGroupedByContinent
  - ListOfCurrenciesByCode
  - ListOfCurrenciesByName
  - ListOfLanguagesByCode
  - ListOfLanguagesByName
  - TestSuite 1
    - CapitalCity
      - Test Steps (10)
        - CountryISOCode
        - CountryISOCodeBE
        - CountryISOCodeBY
        - CapitalCity
        - CapitalCityBE
        - CapitalCityBY
        - CountriesUsingCurrency
        - CountriesUsingCurrencyEUR
        - CountriesUsingCurrencyBYR
        - CountryCurrency

**Custom Properties**

Property	Value
Name	CountriesUsingCurre...
Description	
Message Size	330
Encoding	UTF-8

**Properties**

**Endpoint Explorer**

**CapitalCity**

**CountriesUsingCurrencyEUR**

**Raw XML**

```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:m="http://www.oorsprong.org/websamples.countryinfo/CountryInfoService.wsdl">
<soap:Header>
<soap:Body>
<web:CountriesUsingCurrency>
<web:sISOCurrencyCode>EUR</web:sISOCurrencyCode>
</web:CountriesUsingCurrency>
</soap:Body>
</soap:Envelope>
```

**Raw XML**

```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap:Body>
<m:CountriesUsingCurrencyResponse xmlns:m="http://www.oorsprong.org/websamples.countryinfo">
<m:CountryUsingCurrencyResult>
<m:sISOCode>AD</m:sISOCode>
<m:sName>Andorra</m:sName>
<m:CountryCodeAndName>
<m:sISOCode>AT</m:sISOCode>
<m:sName>Austria</m:sName>
<m:CountryCodeAndName>
<m:sISOCode>AX</m:sISOCode>
<m:sName>Aland Islands</m:sName>
<m:CountryCodeAndName>
<m:sISOCode>BE</m:sISOCode>
<m:sName>Belgium</m:sName>
<m:CountryCodeAndName>
<m:sISOCode>BL</m:sISOCode>
<m:sName>Saint Barthlemy</m:sName>
<m:CountryCodeAndName>
<m:sISOCode>DE</m:sISOCode>
<m:sName>Germany</m:sName>
<m:CountryCodeAndName>
<m:sISOCode>ES</m:sISOCode>
<m:sName>Spain</m:sName>
</m:CountryUsingCurrencyResponse>
</soap:Body>
</soap:Envelope>
```

**Headers (7)** **Attachments (0)** **SSL Info** **WSS (0)** **JMS (0)**

**Assertions (1)** **Request Log (0)**

SoapUI log http log jetty log error log wsrm log memory log

SoapUI 5.7.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online Help

**Navigator**

- CountryInfoService.wsdl
  - CountryISOCode
  - CountryName
  - CurrencyName
  - FullCountryInfo
  - FullCountryInfoAllCountries
  - LanguageISOCode
  - LanguageName
  - ListOfContinentByCode
  - ListOfContinentByName
  - ListOfCountryNamesByCode
  - ListOfCountryNamesByName
  - ListOfCountryNamesGroupedByContinent
  - ListOfCurrenciesByCode
  - ListOfCurrenciesByName
  - ListOfLanguagesByCode
  - ListOfLanguagesByName
  - TestSuite 1
    - CapitalCity
      - Test Steps (10)
        - CountryISOCode
        - CountryISOCodeBE
        - CountryISOCodeBY
        - CapitalCity
        - CapitalCityBE
        - CapitalCityBY
        - CountriesUsingCurrency
        - CountriesUsingCurrencyEUR
        - CountriesUsingCurrencyBYR
        - CountryCurrency

**Custom Properties**

Property	Value
Name	CountriesUsingCurre...
Description	
Message Size	330
Encoding	UTF-8

**Properties**

**Endpoint Explorer**

**CapitalCity**

**CountriesUsingCurrencyBYR**

**Raw XML**

```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:m="http://www.oorsprong.org/websamples.countryinfo/CountryInfoService.wsdl">
<soap:Header>
<soap:Body>
<web:CountriesUsingCurrency>
<web:sISOCurrencyCode>BYR</web:sISOCurrencyCode>
</web:CountriesUsingCurrency>
</soap:Body>
</soap:Envelope>
```

**Raw XML**

```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap:Body>
<m:CountriesUsingCurrencyResponse xmlns:m="http://www.oorsprong.org/websamples.countryinfo">
<m:CountryUsingCurrencyResult>
<m:sISOCode>BY</m:sISOCode>
<m:sName>Belarus</m:sName>
<m:CountryCodeAndName>
<m:sISOCode>RU</m:sISOCode>
<m:sName>Russia</m:sName>
<m:CountryCodeAndName>
<m:sISOCode>UA</m:sISOCode>
<m:sName>Ukraine</m:sName>
</m:CountryUsingCurrencyResponse>
</soap:Body>
</soap:Envelope>
```

**Headers (7)** **Attachments (0)** **SSL Info** **WSS (0)** **JMS (0)**

**Assertions (1)** **Request Log (0)**

SoapUI log http log jetty log error log wsrm log memory log

Screenshot of SoapUI showing two SOAP messages. The left message is a request to 'CountryInfoService.wsdl' with the URL <http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.wsdl>. The right message is a response from the same service.

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:web="http://www.orsprong.org/websamples.countryinfo">
  <soap:Header/>
  <soap:Body>
    <web:CountriesUsingCurrency>
      <web:sISOCurrencyCode>$[#Project#ISOCurrencyCode]</web:sISOCurrencyCode>
    </web:CountriesUsingCurrency>
  </soap:Body>
</soap:Envelope>

```

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
  <soap:Body>
    <m:CountriesUsingCurrencyResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
      <m:CountriesUsingCurrencyResult>
        <m:tCountryCodeAndName>
          <m:sISOCode>RU</m:sISOCode>
          <m:sName>Russian Federation</m:sName>
        </m:tCountryCodeAndName>
        <m:tCountryCodeAndName>
          <m:sISOCode>TJ</m:sISOCode>
          <m:sName>Tajikistan</m:sName>
        </m:tCountryCodeAndName>
      </m:CountriesUsingCurrencyResult>
    </m:CountriesUsingCurrencyResponse>
  </soap:Body>
</soap:Envelope>

```

Assertions (1) Request Log (1)  
response time: 133ms (679 bytes) 1:1

Screenshot of SoapUI showing two SOAP messages. The left message is a request to 'CountryInfoService.wsdl' with the URL <http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.wsdl>. The right message is a response from the same service.

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:web="http://www.orsprong.org/websamples.countryinfo">
  <soap:Header/>
  <soap:Body>
    <web:CountriesUsingCurrency>
      <web:sISOCurrencyCode>$[#Project#ISOCurrencyCode]</web:sISOCurrencyCode>
    </web:CountriesUsingCurrency>
  </soap:Body>
</soap:Envelope>

```

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
  <soap:Body>
    <m:CountriesUsingCurrencyResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
      <m:CountriesUsingCurrencyResult>
        <m:tCountryCodeAndName>
          <m:sISOCode>PL</m:sISOCode>
          <m:sName>Poland</m:sName>
        </m:tCountryCodeAndName>
      </m:CountriesUsingCurrencyResult>
    </m:CountriesUsingCurrencyResponse>
  </soap:Body>
</soap:Envelope>

```

Assertions (1) Request Log (1)  
response time: 96ms (520 bytes) 1:1

1.2. До кожної перевірки застосуй мінімум 3 асерти.

1.3. Для кожної перевірки застосуй мінімум 2 змінні.

**Другий та третій рівні разом** — детальніше заглибся в практику.

1. Для кожної з операцій попереднього рівня додай по 2 степи з НЕГАТИВНИМИ перевірками і наступними умовами:

- доожної перевірки застосувати мінімум 3 асерти
- доожної перевірки застосувати мінімум 2 змінні.

## Негативні CountryISOCode

Ukraine12</web:sCountryName>. The response shows an OK status with a message: 'No country found by that name'."/>

SoapUI 5.7.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum

Beetroot  
CountryISOCodeNegative1  
http://webservices.oorsprong.org/websamples.countryinfo/CountryInfoService.ws

Raw XML Test Steps Assertions Headers Attachments WS-RM JMS Headers JMS Property SSL Info WSS (0)

Custom Properties TestRequest Properties

Property	Value
Name	CountryISOCodeNe...
Description	
Message Size	312
Condition	true

Assertions (1) Request Log (3)  
response time: 58ms (366 bytes)

TestCase Log

Canada</web:sCountryName>. The response shows an error message: 'Country not found'."/>

SoapUI 5.7.0

File Project Suite Case Step Tools Desktop Help

Empty SOAP REST Import Save All Forum Trial Preferences Proxy Endpoint Explorer Search Forum Online Help

Beetroot  
CountryISOCodeNegative2  
http://webservices.oorsprong.org/websamples.countryinfo/CountryInfoService.ws

Raw XML Test Steps Assertions Headers Attachments WS-RM JMS Headers JMS Property SSL Info WSS (0)

Custom Properties TestRequest Properties

Property	Value
Name	CountryISOCodeNe...
Description	
Message Size	308
Condition	true

Assertions (1) Request Log (1)  
response time: 97ms (339 bytes)

TestCase Log

## Негативні зі змінними

**CountryISOCodeProperty1(Negative)**

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
    <soap:Header>
        <web:CountryISOCode>
            <web:sCountryName>${#Project#CountryISOCode}</web:sCountryName>
        </web:CountryISOCode>
    </soap:Header>
    <soap:Body>
        <web:CountryISOCode>
            <web:sCountryName>${#Project#CountryISOCode}</web:sCountryName>
        </web:CountryISOCode>
    </soap:Body>
</soap Envelope>

```

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
    <soap:Body>
        <m:CountryISOCodeResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
            <m:CountryISOCodeResult>No country found by that name</m:CountryISOCodeResult>
        </m:CountryISOCodeResponse>
    </soap:Body>
</soap Envelope>

```

Au... Headers... Attachment... WS... WS-R... JMS Head... JMS Property... Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)  
response time: 101ms (366 bytes)

**CountryISOCodeProperty2(Negative)**

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
    <soap:Header>
        <web:CountryISOCode>
            <web:sCountryName>${#Project#CountryISOCode}</web:sCountryName>
        </web:CountryISOCode>
    </soap:Header>
    <soap:Body>
        <web:CountryISOCode>
            <web:sCountryName>${#Project#CountryISOCode}</web:sCountryName>
        </web:CountryISOCode>
    </soap:Body>
</soap Envelope>

```

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
    <soap:Body>
        <m:CountryISOCodeResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
            <m:CountryISOCodeResult>No country found by that name</m:CountryISOCodeResult>
        </m:CountryISOCodeResponse>
    </soap:Body>
</soap Envelope>

```

Au... Headers ... Attachments ... WS... WS-R... JMS Head... JMS Property ... Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)  
response time: 104ms (366 bytes)

Негативні CapitalCity

Beetroot

CapitalCityNegative1

http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.ws

Raw XML

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:ws="http://www.orsprong.org/websamples.countryinfo/CountryInfoService.ws">  
  <soap Header/>  
  <soap Body>  
    <web CapitalCity>  
      <web:sCountryISOCode>UO</web:sCountryISOCode>  
      <web:CapitalCity>  
      </web:CapitalCity>  
    </soap Body>  
</soap Envelope>

Raw XML

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">  
  <soap Body>  
    <m:CapitalCityResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">  
      <m:CapitalCityResult>Country not found in the database</m:CapitalCityResult>  
    </m:CapitalCityResponse>  
  </soap Body>  
</soap Envelope>

Au... Headers (...) Attachments ... WS... WS-R... JMS Head... JMS Property ... Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (2)

response time: 54ms (358 bytes)

TestCase Log

Beetroot

CapitalCityNegative2

http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.ws

Raw XML

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:ws="http://www.orsprong.org/websamples.countryinfo/CountryInfoService.ws">  
  <soap Header/>  
  <soap Body>  
    <web CapitalCity>  
      <web:sCountryISOCode>ZZP</web:sCountryISOCode>  
      <web:CapitalCity>  
      </web:CapitalCity>  
    </soap Body>  
</soap Envelope>

Raw XML

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">  
  <soap Body>  
    <m:CapitalCityResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">  
      <m:CapitalCityResult>Country not found in the database</m:CapitalCityResult>  
    </m:CapitalCityResponse>  
  </soap Body>  
</soap Envelope>

Au... Headers (...) Attachments ... WS... WS-R... JMS Head... JMS Property ... Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)

response time: 1241ms (358 bytes)

TestCase Log

Негативні зі змінними

**CapitalCityProperty1(Negative)**

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:ws="http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.ws">
    <soap:Header>
        <ws:CapitalCity>
            <ws:sCountryISOCode>${#Project#CountryISOCode}</ws:sCountryISOCode>
        </ws:CapitalCity>
    </soap:Header>
    <soap:Body>
        <ws:CapitalCity>
            <ws:sCountryISOCode>${#Project#CountryISOCode}</ws:sCountryISOCode>
        </ws:CapitalCity>
    </soap:Body>
</soap:Envelope>

```

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
    <soap:Body>
        <m:CapitalCityResponse xmlns:m="http://webservices.orsprong.org/websamples.countryinfo">
            <m:CapitalCityResult>Country not found in the database</m:CapitalCityResult>
        </m:CapitalCityResponse>
    </soap:Body>
</soap:Envelope>

```

Au... Headers (...) Attachments ... WS... WS-R... JMS Head... JMS Property ... Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (3)  
response time: 64ms (358 bytes) 6 : 6

**Beetroot**

**CapitalCityProperty2(Negative)**

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:ws="http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.ws">
    <soap:Header>
        <ws:CapitalCity>
            <ws:sCountryISOCode>${#Project#CountryName}</ws:sCountryISOCode>
        </ws:CapitalCity>
    </soap:Header>
    <soap:Body>
        <ws:CapitalCity>
            <ws:sCountryISOCode>${#Project#CountryName}</ws:sCountryISOCode>
        </ws:CapitalCity>
    </soap:Body>
</soap:Envelope>

```

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
    <soap:Body>
        <m:CapitalCityResponse xmlns:m="http://webservices.orsprong.org/websamples.countryinfo">
            <m:CapitalCityResult>Country not found in the database</m:CapitalCityResult>
        </m:CapitalCityResponse>
    </soap:Body>
</soap:Envelope>

```

Au... Headers (...) Attachments ... WS... WS-R... JMS Head... JMS Property ... Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)  
response time: 94ms (358 bytes) 1 : 1

CountriesUsingCurrency негативні

**CountriesUsingCurrencyNegative1**

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:ws="http://webservices.orsprong.org/websamples.countryinfo/">
<soap Header/>
<soap Body>
<web:CountriesUsingCurrency>
<web:b:sISOCurrencyCode>UA</web:b:sISOCurrencyCode>
</web:CountriesUsingCurrency>
</soap Body>
</soap Envelope>
```

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap Body>
<m:CountriesUsingCurrencyResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
<m:CountriesUsingCurrencyResult><m:Country>
</m:Country>
</m:CountriesUsingCurrencyResult>
</m:CountriesUsingCurrencyResponse>
</soap Body>
</soap Envelope>
```

Au... Headers (...) Attachments ... WS... WS-R... JMS Head... JMS Property ...

Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)

response time: 55ms (377 bytes)

stCase Log

**CountriesUsingCurrencyNegative2**

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:ws="http://webservices.orsprong.org/websamples.countryinfo/">
<soap Header/>
<soap Body>
<web:CountriesUsingCurrency>
<web:b:sISOCurrencyCode>ZA</web:b:sISOCurrencyCode>
</web:CountriesUsingCurrency>
</soap Body>
</soap Envelope>
```

```

<soap Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap Body>
<m:CountriesUsingCurrencyResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
<m:CountriesUsingCurrencyResult><m:Country>
</m:Country>
</m:CountriesUsingCurrencyResult>
</m:CountriesUsingCurrencyResponse>
</soap Body>
</soap Envelope>
```

Au... Headers (...) Attachments ... WS... WS-R... JMS Head... JMS Property ...

Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (2)

response time: 50ms (377 bytes)

Негативні зі змінними

**CountriesUsingCurrencyProperty1(Negative)**

http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.ws

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:ws="http://www.orsprong.org/websamples.countryinfo/CountryInfoService.ws">
  <soap:Header/>
  <soap:Body>
    <web:CountriesUsingCurrency>
      <web:sISOCurrencyCode>$#Project#ISOCurrencyCode}</web:sISOCurrency
    </web:CountriesUsingCurrency>
  </soap:Body>
</soap:Envelope>

```

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
  <soap:Body>
    <m:CountriesUsingCurrencyResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
      <m:CountiesUsingCurrencyResult></m:CountiesUsingCurrencyResult>
    </m:CountriesUsingCurrencyResponse>
  </soap:Body>
</soap:Envelope>

```

Au... Headers (...) Attachments ... WS... WS-R... JMS Head... JMS Property ...

Assertions (1) Request Log (2)

response time: 55ms (377 bytes)

Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

1 : 1

**CountriesUsingCurrencyProperty2(Negative)**

http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.ws

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:ws="http://www.orsprong.org/websamples.countryinfo/CountryInfoService.ws">
  <soap:Header/>
  <soap:Body>
    <web:CountriesUsingCurrency>
      <web:sISOCurrencyCode>$#Project#ISOCurrencyCode}</web:sISOCurrency
    </web:CountriesUsingCurrency>
  </soap:Body>
</soap:Envelope>

```

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
  <soap:Body>
    <m:CountriesUsingCurrencyResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
      <m:CountiesUsingCurrencyResult></m:CountiesUsingCurrencyResult>
    </m:CountriesUsingCurrencyResponse>
  </soap:Body>
</soap:Envelope>

```

Au... Headers (...) Attachments ... WS... WS-R... JMS Head... JMS Property ...

Assertions (1) Request Log (1)

response time: 57ms (377 bytes)

Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

1 : 1

CountryCurrency негативні

CountryCurrencyNegative1

http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.wsdl

Raw XML

Request:

```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:web="http://www.orsprong.org/websamples.countryinfo">
<soap:Header/>
<soap:Body>
<web:CountryCurrency>
<web:sCountryISOCode>UU</web:sCountryISOCode>
</web:CountryCurrency>
</soap:Body>
</soap:Envelope>
```

Response:

```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap:Body>
<m:CountryCurrencyResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
<m:CountryCurrencyResult>
<m:sISOCode/>
<m:sName>Country not found in the database</m:sName>
</m:CountryCurrencyResult>
</m:CountryCurrencyResponse>
</soap:Body>
</soap:Envelope>
```

Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (2)

response time: 56ms (446 bytes) 1:1

CountryCurrencyNegative2

http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.wsdl

Raw XML

Request:

```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:web="http://www.orsprong.org/websamples.countryinfo">
<soap:Header/>
<soap:Body>
<web:CountryCurrency>
<web:sCountryISOCode>Ukraine</web:sCountryISOCode>
</web:CountryCurrency>
</soap:Body>
</soap:Envelope>
```

Response:

```
<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
<soap:Body>
<m:CountryCurrencyResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
<m:CountryCurrencyResult>
<m:sISOCode/>
<m:sName>Country not found in the database</m:sName>
</m:CountryCurrencyResult>
</m:CountryCurrencyResponse>
</soap:Body>
</soap:Envelope>
```

Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)

response time: 96ms (446 bytes) 1:1

Негативні зі змінними

**CountryCurrencyProperty1(Negative)**

http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.ws

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:web="http://www.orsprong.org/websamples.countryinfo">
  <soap:Header/>
  <soap:Body>
    <web:CountryCurrency>
      <web:sCountryISOCode>#{Project#CountryISOCode}</web:sCountryISOCode>
    </web:CountryCurrency>
  </soap:Body>
</soap:Envelope>

```

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
  <soap:Body>
    <m:CountryCurrencyResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
      <m:CountryCurrencyResult>
        <m:sISOCode/>
        <m:sName>Country not found in the database</m:sName>
      </m:CountryCurrencyResult>
    </m:CountryCurrencyResponse>
  </soap:Body>
</soap:Envelope>

```

Au... Headers (...) Attachments (...) WS... WS-R... JMS Head... JMS Property ...

Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)

response time: 93ms (446 bytes)

1 : 1

**CountryCurrencyProperty2(Negative)**

http://webservices.orsprong.org/websamples.countryinfo/CountryInfoService.ws

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" xmlns:web="http://www.orsprong.org/websamples.countryinfo">
  <soap:Header/>
  <soap:Body>
    <web:CountryCurrency>
      <web:sCountryISOCode>#{Project#CountryISOCode}</web:sCountryISOCode>
    </web:CountryCurrency>
  </soap:Body>
</soap:Envelope>

```

```

<soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
  <soap:Body>
    <m:CountryCurrencyResponse xmlns:m="http://www.orsprong.org/websamples.countryinfo">
      <m:CountryCurrencyResult>
        <m:sISOCode/>
        <m:sName>Country not found in the database</m:sName>
      </m:CountryCurrencyResult>
    </m:CountryCurrencyResponse>
  </soap:Body>
</soap:Envelope>

```

Au... Headers (...) Attachments (...) WS... WS-R... JMS Head... JMS Property ...

Headers (7) Attachments (0) SSL Info WSS (0) JMS (0)

Assertions (1) Request Log (1)

response time: 129ms (446 bytes)

1 : 1

ALL

**Beetroot**

**FINISHED**

TestSteps Test On Demand

CountryISOCode  
CountryISOCodeBE  
CountryISOCodeBY  
CountryISOCodeNegative1  
CountryISOCodeNegative2  
CountryISOCodeProperty1  
CountryISOCodeProperty2  
CountryISOCodeProperty1(Negative)  
CountryISOCodeProperty2(Negative)  
CapitalCity  
CapitalCityBE  
CapitalCityBY  
CapitalCityNegative1  
CapitalCityNegative2  
CapitalCityProperty1  
CapitalCityProperty2

Description Properties Setup Script TearDown Script

Step 34 [CountryCurrencyProperty2] OK: took 60 ms  
Step 35 [CountryCurrencyProperty1(Negative)] OK: took 69 ms  
TestCase finished with status [FINISHED], time taken = 2300  
Step 36 [CountryCurrencyProperty2(Negative)] OK: took 60 ms

TestCase Log

SoapUI log http log jetty log error log wsrm log memory log

This screenshot shows the Beetroot test runner interface after a successful execution. The title bar says 'Beetroot' and the status bar at the top right says 'FINISHED'. The main window displays a tree view of test steps under 'TestSteps' and a 'Test On Demand' tab. The tree includes steps like 'CountryISOCode', 'CountryISOCodeBE', and various 'CapitalCity' and 'CountryCurrency' steps with both positive and negative variants. Below the tree is a toolbar with icons for description, properties, setup script, and teardown script. A detailed log pane at the bottom shows the execution results for each step, indicating they were all successful ('OK') and took between 60 and 69 milliseconds. The log also notes the overall finish status as 'FINISHED' with a duration of 2300ms. At the very bottom, there are links for 'SoapUI log', 'http log', 'jetty log', 'error log', 'wsrm log', and 'memory log'.

**Beetroot**

**FINISHED**

TestSteps Test On Demand

CapitalCityProperty1(Negative)  
CapitalCityProperty2(Negative)  
CountriesUsingCurrency  
CountriesUsingCurrencyEUR  
CountriesUsingCurrencyBYR  
CountriesUsingCurrencyNegative1  
CountriesUsingCurrencyNegative2  
CountriesUsingCurrencyProperty1  
CountriesUsingCurrencyProperty2  
CountriesUsingCurrencyProperty1(Negative)  
CountriesUsingCurrencyProperty2(Negative)  
CountryCurrency  
CountryCurrencyBE  
Copy of CountryCurrencyBY  
CountryCurrencyNegative1  
CountryCurrencyNegative2

Description Properties Setup Script TearDown Script

Step 34 [CountryCurrencyProperty2] OK: took 60 ms  
Step 35 [CountryCurrencyProperty1(Negative)] OK: took 69 ms  
TestCase finished with status [FINISHED], time taken = 2300  
Step 36 [CountryCurrencyProperty2(Negative)] OK: took 60 ms

TestCase Log

SoapUI log http log jetty log error log wsrm log memory log

This screenshot is nearly identical to the first one, showing another successful execution of the same test suite. The title bar 'Beetroot' and status bar 'FINISHED' are present. The tree view and log pane show the same 36 steps and their execution details. The only difference is the timestamp in the log: 'TestCase finished with status [FINISHED], time taken = 2300'.

Beetroot FINISHED

TestSteps Test On Demand

CountriesUsingCurrencyBYR  
CountriesUsingCurrencyNegative1  
CountriesUsingCurrencyNegative2  
CountriesUsingCurrencyProperty1  
CountriesUsingCurrencyProperty2  
CountriesUsingCurrencyProperty1(Negative)  
CountriesUsingCurrencyProperty2(Negative)  
CountryCurrency  
CountryCurrencyBE  
Copy of CountryCurrencyBY  
CountryCurrencyNegative1  
CountryCurrencyNegative2  
CountryCurrencyProperty1  
CountryCurrencyProperty2  
CountryCurrencyProperty1(Negative)  
CountryCurrencyProperty2(Negative)

Description Properties Setup Script TearDown Script

Step 34 [CountryCurrencyProperty2] OK: took 60 ms  
Step 35 [CountryCurrencyProperty1(Negative)] OK: took 69 ms  
TestCase finished with status [FINISHED], time taken = 2300  
Step 36 [CountryCurrencyProperty2(Negative)] OK: took 60 ms

TestCase Log