Created via PDFShift
PDFShift

NeuroScience Survey ID #1605646717

Requested for:
Name: **Elisabeth Brandt**
Sex: **male**
Age: **23**
State: **Wisconsin**

Sleep Evaluation
Sleep Score: 0

Self-Rated Sleep Quality

This how you rate your sleep quality

★★★★

Ability to Fall Asleep

This is your body's ability to fall asleep

★★★★

Ability to Stay Asleep

This is your body's ability to stay asleep through the night

★★★★

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease. References provided are not specific to an individual and do not change based on the product information request. Products selected are based on specific requests or information presented indicating the goal is to select ingredients with mechanisms that scientifically promote biochemical pathway(s) or clinical indication(s) to theoretically shift toward the statistical median or have research indicating a symptom could be correlated to an element in a pathway.

Created via PDFShift

Temperature Regulation

This is your body's ability to regulate temperature at night

★★★★

Nighttime Discomfort

This is how you rate your nighttime discomfort

★★★★

Daytime Fatigue

This is how you rate your sleepiness during the day

★★★★

Daytime Motivation

This is how you rate your motivation and energy to accomplish tasks during the day

★★★★

Sleep Product Recommendations

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease. References provided are not specific to an individual and do not change based on the product information request. Products selected are based on specific requests or information presented indicating the goal is to select ingredients with mechanisms that scientifically promote biochemical pathway(s) or clinical indication(s) to theoretically shift toward the statistical median or have research indicating a symptom could be correlated to an element in a pathway.

Created via PDFShift

Calm G

Contains a blend of ingredients important for regulating glutamate activity, stress-reduction, metabolic health, and mitochondrial function*

- ✓ Contains a blend of ingredients important for regulating glutamate activity, stress-reduction, metabolic health, and mitochondrial health* (this will change if the topline is changed with the reformulation)
- ✓ Calm G was recommended to provide you with essential amino acids, vitamins, and minerals important for GABA and glutamate, two neurotransmitters that play large roles regulating sleep6-8

Suggested use:
Take 1-2 capsules three to four times daily or as directed by your healthcare provider.
If you are pregnant or nursing, consult your healthcare provider before use.

Foundational Evalution

★

Fruits & Vegetables

You report consuming 0 to 2 servings per day

★

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease. References provided are not specific to an individual and do not change based on the product information request. Products selected are based on specific requests or information presented indicating the goal is to select ingredients with mechanisms that scientifically promote biochemical pathway(s) or clinical indication(s) to theoretically shift toward the statistical median or have research indicating a symptom could be correlated to an element in a pathway.

Essential Fatty Acids

You report consuming 0 to 1 servings per week

Created via PDFShift

Fiber

You report consuming 0 to 1 servings per day

Protein

You report consuming 2 to 3 servings per day

Calcium

You report consuming 0 to 2 servings per day

Exercise

You reported that you are not very active and/or do not workout

Foundational Recommendation

Multivitamin

- Lorem ipsum dolor sit amet, consectetur adipisicing elit

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease. References provided are not specific to an individual and do not change based on the product information request. Products selected are based on specific requests or information presented indicating the goal is to select ingredients with mechanisms that scientifically promote biochemical pathway(s) or clinical indication(s) to theoretically shift toward the statistical median or have research indicating a symptom could be correlated to an element in a pathway.

+ Ut enim ad minim veniam, quis nostrud exercitation ullamc
* Quis nostrud exercitation ullamco laboris nisi.
⊘ Laboris nisi ut aliquip ex ea commodo consequat.

Created via PDFShift

Fish Oil

✓ Lorem ipsum dolor sit amet, consectetur adipisicing elit
+ Ut enim ad minim veniam, quis nostrud exercitation ullamc
* Quis nostrud exercitation ullamco laboris nisi.
⊘ Laboris nisi ut aliquip ex ea commodo consequat.

Fiber

✓ Lorem ipsum dolor sit amet, consectetur adipisicing elit
+ Ut enim ad minim veniam, quis nostrud exercitation ullamc
* Quis nostrud exercitation ullamco laboris nisi.
⊘ Laboris nisi ut aliquip ex ea commodo consequat.

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease. References provided are not specific to an individual and do not change based on the product information request. Products selected are based on specific requests or information presented indicating the goal is to select ingredients with mechanisms that scientifically promote biochemical pathway(s) or clinical indication(s) to theoretically shift toward the statistical median or have research indicating a symptom could be correlated to an element in a pathway.

Calcium

- ✓ Lorem ipsum dolor sit amet, consectetur adipisicing elit
- + Ut enim ad minim veniam, quis nostrud exercitation ullamc
- * Quis nostrud exercitation ullamco laboris nisi.
- ⊘ Laboris nisi ut aliquip ex ea commodo consequat.

Created via PDFShift

Exercise

- ✓ Lorem ipsum dolor sit amet, consectetur adipisicing elit
- + Ut enim ad minim veniam, quis nostrud exercitation ullamc
- * Quis nostrud exercitation ullamco laboris nisi.
- ⊘ Laboris nisi ut aliquip ex ea commodo consequat.

Lifestyle Suggestions

Sleep Hygiene

- **Blue Light**: Reducing blue light exposure 2 hours before bed has been shown to improve sleep quality and total sleep time[19]
- **Exercise**: Regular exercise may improve sleep and is best completed several hours before bed time[20]
- **Caffeine**: Limit caffeine intake several hours before bedtime as it can be disruptive on sleep[20]
- **Nicotine**: Nicotine is associated with sleep issues, contact your healthcare provider for further guidance on the use of nicotine products[20]

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease. References provided are not specific to an individual and do not change based on the product information request. Products selected are based on specific requests or information presented indicating the goal is to select ingredients with mechanisms that scientifically promote biochemical pathway(s) or clinical indication(s) to theoretically shift toward the statistical median or have research indicating a symptom could be correlated to an element in a pathway.

- **Alcohol**: While alcohol has been shown to help individuals fall asleep, it may prevent deep sleep and increase awakenings in the middle of the night[20]
- **Manage Stress**: Practice calming and relaxing techniques before bed as stress may contri sleeping[20]
- **Regular Sleep Times**: Practice going to bed at regular times to promote stable sleep and w

Created via PDFShift
PDFShift

Stress Hygiene

- **Cognitive-Behavioral Management**: Cognitive-behavioral stress management techniques such as relaxation techniques, cognitive restructuring, psychoeducation, and coping skills have been shown to be very effective at reducing stress[38]
- **Yoga:** Yoga has been shown to greatly reduce short-term anxiousness, perceived stress, and psychological distress[38]
- **Mindfulness**: Mindfulness as defined as nonjudgmental present-moment awareness that has been shown to significantly reduce stress when practiced daily[38]
- **Music Therapy**: Guided music therapy while listening to music meaningful to oneself has been shown to significantly reduce feelings of anxiousness[38]

Fatigue Hygiene

- **Physical Activity:** Physical activity has been shown to help improve feelings of general fatigue[26]
- **Hydration**: Adequate hydration has been found to reduce feelings of fatigue[27]
- **Sleep**: Go to bed at regular times and get 7-8.5 hours of sleep per night[28]
- **Balanced Diet:** A balanced diet with whole grains high in fiber, polyphenol-rich vegetables, and omega-3 fatty acids may improve fatigue symptoms[29]
- **Positive Outlook**: A positive outlook has been correlated with better stress management and reduced fatigue[30]

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease. References provided are not specific to an individual and do not change based on the product information request. Products selected are based on specific requests or information presented indicating the goal is to select ingredients with mechanisms that scientifically promote biochemical pathway(s) or clinical indication(s) to theoretically shift toward the statistical median or have research indicating a symptom could be correlated to an element in a pathway.

Created via PDFShift

References

1. Data on file, Kavinace OS study. 2019. NeuroScience, Osceola, WI 54020.

2. Data on file, Alpha GABA PM study. 2019. NeuroScience, Osceola, WI 54020.

3. Langade D, et al. Cureus. 2019;11(9):e5797.

4. Shaw K, et al. Cochrane Database Syst Rev. 2002;1:CD003198.

5. Cespuglio R. Sleep Med. 2018;49:31-39.

6. Dakshinamurti K, et al. Ann N Y Acad Sci. 1990;585:128-44.

7. Kakuda T, et al. Biosci Biotechnol Biochem. 2002;66(12):2683-86.

8. Cuciureanu M, et al. Magnesium in the Central Nervous System. University of Adelaide Press. 2011.

9. Data on file, Calm CP study. 2012. NeuroScience, Inc., Osceola, WI 54020.

10. Wang C, et al. J Psychiatr Res. 2019;117:62-67.

11. Wuttke W, et al. J Steroid Biochem Mol Biol. 2014;138:302-10.

12. Jarry H, et al. Maturitas. 2003;44 Suppl 1:S31-8.

13. Jiang K, et al. Climacteric. 2015;18(4):559-67.

14. VanDolah H, et al. Mayo Clin Proc. 2019;94(9):1840-51.

15. Dietary Guidelines for Americans 2015-2020. Eighth Edition. United States Department of Agriculture. https://health.gov/sites/default/files/2019-09/2015-2020_Dietary_Guidelines.pdf

16. Fish and Omega-3 Fatty Acids. American Heart Association. 2017. https://www.heart.org/en/healthy-living/healthy-eating/eat-smart/fats/fish-and-omega-3-fatty-acids.

17. Whole Grains, Refined Grains, and Dietary Fiber. American Heart Association. 2016. https://www.heart.org/en/healthy-living/healthy-eating/eat-smart/nutrition-basics/whole-grains-refined-grains-and-dietary-fiber.

18. Suggested Servings from each Food Group. American Heart Association. 2017. https://www.heart.org/en/healthy-living/healthy-eating/eat-smart/nutrition-basics/suggested-servings-from-each-food-group.

19. Shechter A, et al. J Psychiatr Res. 2018;96:196-202.

20. Irish A, et al. Sleep Med Rev. 2015;22:23-36.

21. Lin J, et al. Popul Health Metr. 2009:7:18.

22. Pardridge W. NeuroRx. 2005;2(1):3-14.

23. Spasov A, et al. Phytomedicine. 2000;7(2):85-9.

24. Cools R, et al. Handb Clin Neurol. 2019;163:123-43.

25. Christie A, et al. Exp Gerontol. 2016;77:7-11.

26. Strahler J, et al. Stress. 2016;19(5):535-41.

27. Pross N, et al. PLoS One. 2014;9(4):e94754.

28. Spaeth A, et al. Nutr Rev. 2014;72(0 1):34-47.

29. Hab U, et al. Nutrients. 2019;11(10):2315.

30. Hirsch J and Sirois F. J Health Psychol. 2016;21(4):451-6.

31. Cohen S, et al. J Health Soc Behav. 1983;24(4):385-96.

32. Duke A, et al. Pyschol Bull. 2013;139(5):1148-72.

33. Herman J, et al. Prog Brain Res. 2008;170:353-64.

34. Auddy B, et al. JANA. 2008;11(1):50-6.

35. Elder G, et al. Sleep Med Rev. 2014;18(3):215-24.

36. Kakuda T, et al. Biosci Biotechnol Biochem. 2002;66(12):2683-86.

37. Meldrum B. J Nutr. 2000;130(4S Suppl):1007S-15S.

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease. References provided are not specific to an individual and do not change based on the product information request. Products selected are based on specific requests or information presented indicating the goal is to select ingredients with mechanisms that scientifically promote biochemical pathway(s) or clinical indication(s) to theoretically shift toward the statistical median or have research indicating a symptom could be correlated to an element in a pathway.

38. Carlson L, et al. Cancr J. 2019;25(5):329-336.

Created via PDFShift

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease. References provided are not specific to an individual and do not change based on the product information request. Products selected are based on specific requests or information presented indicating the goal is to select ingredients with mechanisms that scientifically promote biochemical pathway(s) or clinical indication(s) to theoretically shift toward the statistical median or have research indicating a symptom could be correlated to an element in a pathway.