NeuroScience Survey ID #1626905309

Requested for:
Name: **Becca Roses**
Sex: **female**
Age: **33**
State: **Texas**

Stress Evalution

Your Score

33

Your overall stress level is **33**, which indicates your stress level is **high**.

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease.

Stress Product Recommendations

TravaCor

Contains a blend of ingredients shown to improve mood and reduce stress*

- Contains a blend of ingredients shown to improve mood and reduce stress*
- TravaCor was recommended beause you indicated you are perceiving elevated levels of stress and reported feelings of upset or anger
- Low levels of serotonin have been correlated with feelings of upset or anger. TravaCor contains 5-HTP and B-vitamins important for the synthesis of serotonin in the body4,32

Suggested use:
Take 1-3 capsules one to two times daily or as directed by your healthcare provider.
If you are pregnant or nursing, consult your healthcare provider before use.

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease.

ExcitaPlus

Contains non-glandular ingredients important for adrenal health and reducing stress-induced fatigue.* Provides over three times the L-tyrosine and six times the Rhodiola per capsule compared to AdreCor.

- ✓ Contains non-glandular ingredients important for adrenal health and reducing stress-induced fatigue*
- ✓ ExcitaPlus was recommended because you indicated you may experience cognitive issues and difficulty handling personal problems, coping with things you have to do, keeping on top of things
- ✓ Contains ingredients to support the synthesis of dopamine, a neurotransmitter implicated in motivation and Rhodiola, a botanical shown to reduce mental fatigue23,24

Suggested use:
Take 1-2 capsules one to two times daily or as directed by your healthcare provider. Do not exceed suggested use.
If you are pregnant or nursing, consult your healthcare provider before use.



Calm CP

Decreases cortisol levels and provides ingredients important for calm, sleep, and management of blood sugar*

- ✓ Decreases cortisol levels and provides ingredients important for calm, sleep, and management of blood sugar*
- ✓ Calm CP was recommended because you indicated you are perceiving elevated levels of stress
- ✓ Cortisol secretion follows a marked circadian rhythm and increases in response to stress through activation of the HPA axis35

Suggested use:
Take 2 capsules one to two times daily or as directed by your healthcare provider. Do not exceed suggested use.
If you are pregnant or nursing, consult your healthcare provider before use.

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease.

TravaCor

Contains a blend of ingredients shown to improve mood and reduce stress*

- Contains a blend of ingredients shown to improve mood and reduce stress*
- TravaCor was recommended beause you indicated you are perceiving elevated levels of stress and reported feelings of upset or anger
- Low levels of serotonin have been correlated with feelings of upset or anger. TravaCor contains 5-HTP and B-vitamins important for the synthesis of serotonin in the body4,32

Suggested use:
Take 1-3 capsules one to two times daily or as directed by your healthcare provider.
If you are pregnant or nursing, consult your healthcare provider before use.

ExcitaPlus

Contains non-glandular ingredients important for adrenal health and reducing stress-induced fatigue.* Provides over three times the L-tyrosine and six times the Rhodiola per capsule compared to AdreCor.

- Contains non-glandular ingredients important for adrenal health and reducing stress-induced fatigue*
- ExcitaPlus was recommended because you indicated you may experience cognitive issues and difficulty handling personal problems, coping with things you have to do, keeping on top of things
- Contains ingredients to support the synthesis of dopamine, a neurotransmitter implicated in motivation and Rhodiola, a botanical shown to reduce mental fatigue23,24

Suggested use:
Take 1-2 capsules one to two times daily or as directed by your healthcare provider. Do not exceed suggested use.
If you are pregnant or nursing, consult your healthcare provider before use.

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease.



Calm CP

Decreases cortisol levels and provides ingredients important for calm, sleep, and management of blood sugar*

- ✓ Decreases cortisol levels and provides ingredients important for calm, sleep, and management of blood sugar*
- ✓ Calm CP was recommended because you indicated you are perceiving elevated levels of stress
- ✓ Cortisol secretion follows a marked circadian rhythm and increases in response to stress through activation of the HPA axis35

Suggested use:
Take 2 capsules one to two times daily or as directed by your healthcare provider. Do not exceed suggested use.
If you are pregnant or nursing, consult your healthcare provider before use.

TravaCor

Contains a blend of ingredients shown to improve mood and reduce stress*

- ✓ Contains a blend of ingredients shown to improve mood and reduce stress*
- ✓ TravaCor was recommended beause you indicated you are perceiving elevated levels of stress and reported feelings of upset or anger
- ✓ Low levels of serotonin have been correlated with feelings of upset or anger. TravaCor contains 5-HTP and B-vitamins important for the synthesis of serotonin in the body4,32

Suggested use:
Take 1-3 capsules one to two times daily or as directed by your healthcare provider.
If you are pregnant or nursing, consult your healthcare provider before use.

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease.

ExcitaPlus

Contains non-glandular ingredients important for adrenal health and reducing stress-induced fatigue.* Provides over three times the L-tyrosine and six times the Rhodiola per capsule compared to AdreCor.

- ✓ Contains non-glandular ingredients important for adrenal health and reducing stress-induced fatigue*
- ✓ ExcitaPlus was recommended because you indicated you may experience cognitive issues and difficulty handling personal problems, coping with things you have to do, keeping on top of things
- ✓ Contains ingredients to support the synthesis of dopamine, a neurotransmitter implicated in motivation and Rhodiola, a botanical shown to reduce mental fatigue23,24

Suggested use:
Take 1-2 capsules one to two times daily or as directed by your healthcare provider. Do not exceed suggested use.
If you are pregnant or nursing, consult your healthcare provider before use.



Calm CP

Decreases cortisol levels and provides ingredients important for calm, sleep, and management of blood sugar*

- ✓ Decreases cortisol levels and provides ingredients important for calm, sleep, and management of blood sugar*
- ✓ Calm CP was recommended because you indicated you are perceiving elevated levels of stress
- ✓ Cortisol secretion follows a marked circadian rhythm and increases in response to stress through activation of the HPA axis35

Suggested use:
Take 2 capsules one to two times daily or as directed by your healthcare provider. Do not exceed suggested use.
If you are pregnant or nursing, consult your healthcare provider before use.

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease.

TravaCor

Contains a blend of ingredients shown to improve mood and reduce stress*

- Contains a blend of ingredients shown to improve mood and reduce stress*
- TravaCor was recommended beause you indicated you are perceiving elevated levels of stress and reported feelings of upset or anger
- Low levels of serotonin have been correlated with feelings of upset or anger. TravaCor contains 5-HTP and B-vitamins important for the synthesis of serotonin in the body4,32

Suggested use:
Take 1-3 capsules one to two times daily or as directed by your healthcare provider.
If you are pregnant or nursing, consult your healthcare provider before use.

ExcitaPlus

Contains non-glandular ingredients important for adrenal health and reducing stress-induced fatigue.* Provides over three times the L-tyrosine and six times the Rhodiola per capsule compared to AdreCor.

- Contains non-glandular ingredients important for adrenal health and reducing stress-induced fatigue*
- ExcitaPlus was recommended because you indicated you may experience cognitive issues and difficulty handling personal problems, coping with things you have to do, keeping on top of things
- Contains ingredients to support the synthesis of dopamine, a neurotransmitter implicated in motivation and Rhodiola, a botanical shown to reduce mental fatigue23,24

Suggested use:
Take 1-2 capsules one to two times daily or as directed by your healthcare provider. Do not exceed suggested use.
If you are pregnant or nursing, consult your healthcare provider before use.

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease.



Calm CP

Decreases cortisol levels and provides ingredients important for calm, sleep, and management of blood sugar*

- Decreases cortisol levels and provides ingredients important for calm, sleep, and management of blood sugar*
- Calm CP was recommended because you indicated you are perceiving elevated levels of stress
- Cortisol secretion follows a marked circadian rhythm and increases in response to stress through activation of the HPA axis35

Suggested use:
Take 2 capsules one to two times daily or as directed by your healthcare provider. Do not exceed suggested use.
If you are pregnant or nursing, consult your healthcare provider before use.

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease.

References

1. Data on file, Kavinace OS study. 2019. NeuroScience, Osceola, WI 54020.

2. Data on file, Alpha GABA PM study. 2019. NeuroScience, Osceola, WI 54020.

3. Langade D, et al. Cureus. 2019;11(9):e5797.

4. Shaw K, et al. Cochrane Database Syst Rev. 2002;1:CD003198.

5. Cespuglio R. Sleep Med. 2018;49:31-39.

6. Dakshinamurti K, et al. Ann N Y Acad Sci. 1990;585:128-44.

7. Kakuda T, et al. Biosci Biotechnol Biochem. 2002;66(12):2683-86.

8. Cuciureanu M, et al. Magnesium in the Central Nervous System. University of Adelaide Press. 2011.

9. Data on file, Calm CP study. 2012. NeuroScience, Inc., Osceola, WI 54020.

10. Wang C, et al. J Psychiatr Res. 2019;117:62-67.

11. Wuttke W, et al. J Steroid Biochem Mol Biol. 2014;138:302-10.

12. Jarry H, et al. Maturitas. 2003;44 Suppl 1:S31-8.

13. Jiang K, et al. Climacteric. 2015;18(4):559-67.

14. VanDolah H, et al. Mayo Clin Proc. 2019;94(9):1840-51.

15. Dietary Guidelines for Americans 2015-2020. Eighth Edition. United States Department of Agriculture. https://health.gov/sites/default/files/2019-09/2015-2020_Dietary_Guidelines.pdf

16. Fish and Omega-3 Fatty Acids. American Heart Association. 2017. https://www.heart.org/en/healthy-living/healthy-eating/eat-smart/fats/fish-and-omega-3-fatty-acids.

17. Whole Grains, Refined Grains, and Dietary Fiber. American Heart Association. 2016. https://www.heart.org/en/healthy-living/healthy-eating/eat-smart/nutrition-basics/whole-grains-refined-grains-and-dietary-fiber.

18. Suggested Servings from each Food Group. American Heart Association. 2017. https://www.heart.org/en/healthy-living/healthy-eating/eat-smart/nutrition-basics/suggested-servings-from-each-food-group.

19. Shechter A, et al. J Psychiatr Res. 2018;96:196-202.

20. Irish A, et al. Sleep Med Rev. 2015;22:23-36.

21. Lin J, et al. Popul Health Metr. 2009:7:18.

22. Pardridge W. NeuroRx. 2005;2(1):3-14.

23. Spasov A, et al. Phytomedicine. 2000;7(2):85-9.

24. Cools R, et al. Handb Clin Neurol. 2019;163:123-43.

25. Christie A, et al. Exp Gerontol. 2016;77:7-11.

26. Strahler J, et al. Stress. 2016;19(5):535-41.

27. Pross N, et al. PLoS One. 2014;9(4):e94754.

28. Spaeth A, et al. Nutr Rev. 2014;72(0 1):34-47.

29. Hab U, et al. Nutrients. 2019;11(10):2315.

30. Hirsch J and Sirois F. J Health Psychol. 2016;21(4):451-6.

31. Cohen S, et al. J Health Soc Behav. 1983;24(4):385-96.

32. Duke A, et al. Pyschol Bull. 2013;139(5):1148-72.

33. Herman J, et al. Prog Brain Res. 2008;170:353-64.

34. Auddy B, et al. JANA. 2008;11(1):50-6.

35. Elder G, et al. Sleep Med Rev. 2014;18(3):215-24.

36. Kakuda T, et al. Biosci Biotechnol Biochem. 2002;66(12):2683-86.

37. Meldrum B. J Nutr. 2000;130(4S Suppl):1007S-15S.

38. Carlson L, et al. Cancr J. 2019;25(5):329-336.

***These statements have not been evaluated by the Food and Drug Administration.**

Recommendations and product information provided was requested by the user and is not intended to diagnose, treat, cure or prevent any disease.