

ReconForge Web Module — Build Summary

Author: Andrews Ferreira

Date: 2026-03-17

Commit: 360d8ac — feat: Add Web Module - Web application reconnaissance

Overview

The Web Module adds full web application reconnaissance to ReconForge with a four-phase, OPSEC-aware workflow. All 26 Python files pass syntax validation, all imports resolve cleanly, and dry-run tests complete successfully.

File Inventory

Category	Count	Files
Phases	4	surface_discovery.py , content_enumeration.py , vulnerability_scanning.py , exploit_candidates.py
Tool Wrappers	9	whatweb.py , wafw00f.py , nikto.py , gobuster.py , ffuf.py , wpscan.py , nuclei.py , sqlmap.py , curl_tool.py
Parsers	7	whatweb_parser.py , wafw00f_parser.py , nikto_parser.py , gobuster_parser.py , ffuf_parser.py , wpscan_parser.py , nuclei_parser.py
Orchestrator	1	web_module.py
Base Class	1	base.py (WebPhaseBase)
Init / Config	4	__init__.py (×4 — module, phases, tools, parsers)
Total Python	26	
Total Lines	3,499	

Phase Architecture

#	Phase	Description	Default Mode	Tools
1	Surface Discovery	Technology fingerprinting, WAF detection, HTTP header analysis	✓ normal	whatweb, wafw00f, curl
2	Content Enumeration	Directory/file brute-forcing and web fuzzing	✓ normal	ffuf, gobuster
3	Vulnerability Scanning	CVE detection, misconfigurations, template scanning	✓ normal	nikto, nuclei
4	Exploit Candidates	CMS analysis, injection testing, SSL assessment	✗ opt-in	wpscan, sqlmap, testssl

OPSEC Profiles

Profile	Phases Enabled	Noise Ceiling
stealth_web	surface only	low
normal_web	surface, content, vuln	medium
aggressive_web	all four phases	very_high

Bugs Found & Fixed

#	File	Issue	Fix
1	<code>web_module.py</code>	<code>NoneType</code> error — <code>sur-face_results.get("waf", {}).get("detected")</code> fails when WAF result is <code>None</code>	Changed to <code>(surface_results.get("waf") or {}).get("detected", False)</code>
2	<code>web_module.py</code>	Missing success key in results dict — CLI always reported "failed"	Added <code>results["success"] = "error"</code> not in results before return
3	<code>detection_map.py</code>	6 OPSEC technique keys used by web phases were missing from <code>DETECTION_LEVELS</code>	Added <code>ffuf_dir_scan</code> , <code>gobuster_dir_scan</code> , <code>wpscan_enum</code> , <code>wafw00f_detect</code> , <code>nuclei_scan</code> , <code>sqlmap_scan</code>

Test Results

Test	Result
Core services syntax check (13 files)	✓ All pass
Web module syntax check (26 files)	✓ All pass
<code>WebModule</code> import	✓ Success
All 4 phase classes import	✓ Success
Dry-run — default phases (surface, content, vuln)	✓ Completed, 2 findings
Dry-run — selective phases (surface, content)	✓ Completed, 1 finding
Author attribution check	✓ All 26 files attributed
OPSEC detection level coverage	✓ All 8 web technique keys present

Integration Points

- **CLI:** `reconforge.py web --target <URL> [--phases ...] [--dry-run] [-v]`
 - **Config:** `config/tools.yaml` (web tool definitions), `config/profiles.yaml` (OPSEC profiles)
 - **Core:** `core/detection_map.py` (noise levels), `core/opsec_checks.py` (gating)
 - **Output:** `outputs/<target>/web/` (raw data, parsed results, reports)
-

Git Log

```
360d8ac feat: Add Web Module - Web application reconnaissance
36 files changed, 4254 insertions(+), 1 deletion(-)
```