
Install Drupal 8.1.10 on Windows 7 64 bit OS


Andy Tang

Systems and Electronic Resources Librarian


1. Prepare to download Drupal 8.1.10




2. Download Zip version




3. Drupal-8.1.10.zip is downloaded




4. Extract Drupal installation package




5. Copy extracted Drupal folder into htdocs folder in Apache




6. Setup MySQL database type and networking




7. Setup root password




8. Add a new user name admin and issue the role




9. Configure windows service for MySQL server




10. Enable X protocal for MySQL




11. Set up logging options and server ID




12. Create exception for MySQL database in firewall




13. All selected packages in MySQL are installed




14. Prepare to go into configuration steps




15. Before going to configuration, login server by using root identity




17. Apply server configuration successfully




17. Launch MySQL workbench




18. Start MySQL service




19. Log in by using root identity




20. After logging in workbench, prepare to create schema




21. Create a schema named drupal8




22. Review the SQL script to create schema drupal8




23. In "Users and Priviledges" module, select admin user, and click add entry button




24. Select the schema for which the user admin will have and hold priviledges.




25. Give the user "admin" all privileges on schema drupal8




26. Click apply button




27. Create a file named settings.php in site/default folder




28. Prepare to download php 5.6 vc11 x64 Thread safe version



29. Customize httpd.conf and make it accept php code




30. PHP fails to run. In order to find what is wrong, I run http in dos command and find directory name mistake.




31. After modidying the php paragraph in httpd.conf, the directory error is corrected.




32. After adding php paragraph, the Apache failes to start. One of reasons is that I should have Microsoft visual c++ 2012 redistribable x64 version, instead of x86 version




33. I uninstalled Microsoft Visual c++ 2012 redistribale x86 and replace it with x64 version




34. Apache 2.4 starts without problem this time




35. In order for Apache explain php code correctly, httpd.conf is modified as below.




36. Drupal installation interface is called up




37. Select standard installation mode



38. Two errors and two warning come out! I will solve them one by one.



39. In order to using clear URLs, mod_rewrite.so is uncommented



40. By adding paragraph below, clean URLs are enabled successfully

C:\Apache24\conf\httpd.conf - Notepad++

File Edit Search View Encoding Language Settings Macro Run Plugins Window ?

httpd.conf | new 1

```
373 </IfModule>
374
375 #
376 # "${SRVROOT}/cgi-bin" should be changed to whatever your ScriptAliased
377 # CGI directory exists, if you have that configured.
378 #
379 <Directory "${SRVROOT}/cgi-bin">
380     AllowOverride None
381     Options None
382     Require all granted
383 </Directory>
384
385
386
387 <Directory "${SRVROOT}/htdocs/drupal">
388    AllowOverride All
389    RewriteEngine on
390    RewriteBase /drupal
391    RewriteCond %{REQUEST_FILENAME} !-f
392    RewriteCond %{REQUEST_FILENAME} !-d
393    RewriteRule ^(.*)$ index.php?q=$1 [L,QSA]
394
395 </Directory>
396
397 <IfModule mime_module>
398     #
399     # TypesConfig points to the file containing the list of mappings from
400     # filename extension to MIME-type.
```

Enable clean URLs successfully


localhost/drupal/core/install.php?rewrite=ok&langcode=en&profile=standard

- Choose language
- Choose profile
- Verify requirements
- Set up database
- Install site
- Configure site


Requirements problem

Web server	Apache/2.4.23 (Win64) OpenSSL/1.0.2h PHP/5.6.26
PHP	5.6.26
PHP extensions	Disabled Drupal requires you to enable the PHP extensions in the following list (see the system requirements page for more information): • gd
PHP OPcode caching	Not enabled PHP OPcode caching can improve your site's performance considerably. It is **highly recommended** to have OPcache installed on your server.
Database support	Disabled Your web server does not appear to support any common PDO database extensions. Check with your hosting provider to see if they support PDO (PHP Data Objects) and offer any databases that Drupal supports.


41. The 2nd problem is how to enable GD extensions




42. Php_gd2.dll module is found in the folder c:\php56\ext




43. Php.ini-production is used to create a configuration file named php.ini




44. Several extensions are turned on




45. However, after I turned on these extensions, they are not enabled in php actually




46. The reason, why these extensions are not on, is as below




47. In windows environment, it is not enough to just put 'extension_dir="ext" '




48. The correct configuration syntax for entension dir in windows is as below.




49. Phpinfor() is runned and get the results that gd is enabled in php.




50. After php extensions are enabled, every problem is solve except the "php opcode caching" one.




51. Php_opcache.dll is found in the folder c:\php56\ext, but why doesn't it run?




52. At least five opchace configuration lines are uncommented



53. Attention: php_opcache.dll is not php_extension. It is zend_extension. So zend_extension folder has to be configured as below.




54. After restarting Apache, zend opcache is turned on.




Opcode Caching	Disabled
Optimization	Disabled

Directive	Local Value	Master Value
opcache.blacklist_filename	*no value*	*no value*
opcache.consistency_checks	0	0
opcache.dups_fix	Off	Off
opcache.enable	Off	Off
opcache.enable_cli	Off	Off
opcache.enable_file_override	Off	Off
opcache.error_log	*no value*	*no value*
opcache.fast_shutdown	0	0
opcache.file_update_protection	2	2
opcache.force_restart_timeout	180	180
opcache.inherited_hack	On	On
opcache.interned_strings_buffer	4	4
opcache.load_comments	1	1
opcache.log_verbosity_level	1	1
opcache.max_accelerated_files	2000	2000
opcache.max_file_size	0	0
opcache.max_wasted_percentage	5	5
opcache.memory_consumption	64	64
opcache.mmap_base	*no value*	*no value*
opcache.optimization_level	0x7FFFBFFF	0x7FFFBFFF
opcache.preferred_memory_model	*no value*	*no value*


55. The first step of enabling opcache is as below.




56. The 2nd step to enable php_opcache




57. By running phpinfor(), it is clear to find whether Zend opcache is running or not.




58. After all warnings are cleared, database configuration is begun.




59. Set up the database name, password, and prefix




60. Installation of Drupal began




61. DateTime error means the timezone is not setup



62. date.timezone is setup to Aemrica/Chicago



63. After restart the server and reinstall everything, timezone problem is solved. Then Configure site is begun.



64. Drupal is successfully installed in Windows 7 64 bit platform

