



Configuring CKEditor



localhost/drupal/node/1
Manage
Shortcuts
admin
Content
Structure
Appearance
Extend
Configuration
People
Reports
Help
User account menu
Andy Drupal Lab
Great lab for Drupal learning
Main navigation
About Drupal lab
Home
About us
Library and Hours
Course Reserves
Research
Services
Ask a Librarian
Help



localhost/drupal/admin/config
Back to site
Manage
Shortcuts
admin
Content
Structure
Appearance
Extend
Configuration
People
Reports
Help
Configuration
Home » Administration
One or more problems were detected with your Drupal installation. Check the status report for more information.
Hide descriptions
PEOPLE
Account settings
Configure default user account settings, including fields, registration requirements, and email messages.
CONTENT AUTHORING
Text formats and editors
Select and configure text editors, and how content is filtered when displayed.
SYSTEM
Basic site settings
Change site name, email address, sl
Cron
Manage automatic site maintenance
USER INTERFACE
Shortcuts
Add and modify shortcut sets.



localhost/drupal/admin/config/content/formats
Back to site
Manage
Shortcuts
admin
Content
Structure
Appearance
Extend
Configuration
People
Reports
Help
Text formats and editors
Home » Administration » Configuration » Content authoring
Text formats define how text is filtered for output and how HTML tags and other text is displayed, replaced, or removed. Improper text format configuration is a security risk. Learn more
module help page.
Text formats are presented on content editing pages in the order defined on this page. The first format available to a user will be selected by default.
+ Add text format
NAME
TEXT EDITOR
ROLES
WEIGHT
OPERATIONS
Basic HTML
CKEditor
Authenticated user,Administrator
0
Configure
Restricted HTML
—
Anonymous user,Administrator
0
Configure
Full HTML
CKEditor
Administrator
1
Configure
Plain text
—
This format is shown when no other formats are available
10
Configure
Save changes





Users are assigned to roles which have permissions



Back to site
Manage
Shortcuts
admin
Content
Structure
Appearance
Extend
Configuration
People
Reports
Help
Basic HTML
Home » Administration » Configuration » Content authoring » Text formats and editors
A text format contains filters that change the display of user input; for example, stripping out malicious HTML or making URLs clickable. Filters are executed from top to bottom and the order is important, since one filter may prevent another filter from doing its job. For example, when URLs are converted into links before disallowed HTML tags are removed, all links may be removed. When this happens, the order of filters may need to be rearranged.
Name *
Basic HTML
Machine name: basic_html
Roles
Anonymous user
Authenticated user
Administrator
Text editor
CKEditor
TOOLBAR CONFIGURATION
Move a button into the Active toolbar to enable it, or into the list of Available buttons to disable it. Buttons may be moved with the mouse or keyboard arrow keys. Toolbar group names are provided to support screen reader users. Empty toolbar groups will be removed upon save.
Available buttons
Button divider
Styles
Active toolbar
Show group names
Format
CKEditor plugin settings
Image
Uploads enabled, max size: 2 MB
Enable image uploads
Upload directory
inline-images
A directory relative to Drupal's files directory where uploaded images will be stored.
Maximum file size
2 MB
If this is left empty, then the file size will be limited by the PHP maximum upload size of 2 MB.
Maximum dimensions
width
x
height
pixels
Images larger than these dimensions will be scaled down.
Enabled filters
Limit allowed HTML tags and correct faulty HTML
Display any HTML as plain text
Convert line breaks into HTML (i.e.
 and <p>)
Convert URLs into links
Align images
Uses a data-align attribute on <img> tags to align images.
Caption images
Uses a data-caption attribute on <img> tags to caption images.
Restrict images to this site
Disallows usage of <img> tag sources that are not hosted on this site by replacing them with a placeholder image.
Correct faulty and chopped off HTML
Track images uploaded via a Text Editor
Ensures that the latest versions of images uploaded via a Text Editor are displayed.
Filter processing order
Hide row weights
Limit allowed HTML tags and correct faulty HTML
-10
Align images
7
Caption images
8
Restrict images to this site
9
Track images uploaded via a Text Editor
11
Filter settings
Limit allowed HTML tags and correct faulty HTML
Enabled
Allowed HTML tags
<a href hreflang>   <cite> <blockquote cite> <code> <ul type> <ol start type> <dl> <dt> <dd> <h2 id> <h3 id> <h4 id> <h5 i
A list of HTML tags that can be used. By default only the lang and dir attributes are allowed for all HTML tags. Each HTML tag may have attributes which are treated as allowed attribute names for that HTML tag. Each attribute may allow all values, or only allow specific values. Attribute names or values may be written as a prefix and wildcard like jump-*. JavaScript event attributes, JavaScript URLs, and CSS are always stripped.
Display basic HTML help in long filter tips
Add rel="nofollow" to all links
Save configuration



localhost/drupal/admin/config/content/formats/manage/basic_html
Back to site
Manage
Shortcuts
admin
Content
Structure
Appearance
Extend
Configuration
People
Reports
Help
TOOLBAR CONFIGURATION
Move a button into the Active toolbar to enable it, or into the list of Available buttons to disable it. Buttons may be moved with the mouse or keyboard provided to support screen reader users. Empty toolbar grcups will be removed upon save.
Available buttons
Styles
Active toolbar
Formatting
Linking
Lists
Media
Block Formatting
Tools
Add group
Format
Add group
CKEditor plugin settings


Button group name
Copy and Paste
Apply
Cancel



localhost/drupal/admin/config/content/formats/manage/basic_html
Back to site
Manage
Shortcuts
admin
Content
Structure
Appearance
Extend
Configuration
People
Reports
Help
TOOLBAR CONFIGURATION
Move a button into the Active toolbar to enable it, or into the list of Available buttons to disable it. Buttons may be moved with the mouse or keyboard a
provided to support screen reader users. Empty toolbar groups will be removed upon save.
Available buttons
Styles
Active toolbar
Formatting
Linking
Lists
Media
Block Formatting
Format
Tools
Copy and Paste
Add group
Add group
CKEditor plugin settings
Image
Uploads enabled, max size: 2 MB
Enable image uploads
Upload directory
inline-images
A directory relative to Drupal's files directory where uploaded images will be stored.
Maximum file size
2 MB



Back to site
Manage
Shortcuts
admin
Content
Structure
Appearance
Extend
Configuration
People
Reports
Help
Basic HTML
Home » Administration » Configuration » Content authoring » Text formats and editors
A text format contains filters that change the display of user input; for example, stripping out malicious HTML or making URLs clickable. Filters are executed from top to bottom and the order is important, since one filter may prevent another filter from doing its job. For example, when URLs are converted into links before disallowed HTML tags are removed, all links may be removed. When this happens, the order of filters may need to be rearranged.
Name *
Basic HTML
Machine name: basic_html
Roles
Anonymous user
Authenticated user
Administrator
Text editor
CKEditor
TOOLBAR CONFIGURATION
Move a button into the Active toolbar to enable it, or into the list of Available buttons to disable it. Buttons may be moved with the mouse or keyboard arrow keys. Toolbar group names are provided to support screen reader users. Empty toolbar groups will be removed upon save.
Available buttons
Button divider
Styles
Active toolbar
Hide group names
Formatting
Linking
Lists
Media
Block Formatting
Tools
Copy and Paste
Add group
Format
Add group
CKEditor plugin settings
Image
Uploads enabled, max size: 2 MB
Enable image uploads
Upload directory
inline-images
A directory relative to Drupal's files directory where uploaded images will be stored.
Maximum file size
2 MB
If this is left empty, then the file size will be limited by the PHP maximum upload size of 2 MB.
Maximum dimensions
width
x
height
pixels
Images larger than these dimensions will be scaled down.
Enabled filters
Limit allowed HTML tags and correct faulty HTML
Display any HTML as plain text
Convert line breaks into HTML (i.e.
 and <p>)
Convert URLs into links
Align images
Uses a data-align attribute on <img> tags to align images.
Caption images
Uses a data-caption attribute on <img> tags to caption images.
Restrict images to this site
Disallows usage of <img> tag sources that are not hosted on this site by replacing them with a placeholder image.
Correct faulty and chopped off HTML
Track images uploaded via a Text Editor
Ensures that the latest versions of images uploaded via a Text Editor are displayed.
Filter processing order
Hide row weights
Limit allowed HTML tags and correct faulty HTML
-10
Align images
7
Caption images
8
Restrict images to this site
9
Track images uploaded via a Text Editor
11
Filter settings
Limit allowed HTML tags and correct faulty HTML
Enabled
Allowed HTML tags
<a href hreflang>   <cite> <blockquote cite> <code> <ul type> <ol start type> <dl> <dt> <dd> <h2 id> <h3 id> <h4 id> <h5 i
A list of HTML tags that can be used. By default only the lang and dir attributes are allowed for all HTML tags. Each HTML tag may have attributes which are treated as allowed attributes names for that HTML tag. Each attribute may allow all values, or only allow specific values. Attribute names or values may be written as a prefix and wildcard like jump-*. JavaScript event attributes, JavaScript URLs, and CSS are always stripped.
Display basic HTML help in long filter tips
Add rel="nofollow" to all links
Save configuration



Edit Article Welcome to DrupalLab
View
Edit
Delete
Home » Welcome to DrupalLab
Title *
Welcome to DrupalLab
Body (Edit summary)
Format
Source
This is my site! You are welcome!
This is a good one!
Text format
Basic HTML
About text formats



Text formats and editors
Home » Administration » Configuration » Content authoring
Text formats define how text is filtered for output and how HTML tags and other text is displayed, replaced, or removed. Improper text format configuration is a security risk. Learn more module help page.
Text formats are presented on content editing pages in the order defined on this page. The first format available to a user will be selected by default.
+ Add text format
NAME
TEXT EDITOR
ROLES
WEIGHT
OPERATIONS
Basic HTML
CKEditor
Authenticated user,Administrator
Restricted HTML
—
Anonymous user,Administrator
Full HTML
CKEditor
Administrator
Plain text
—
This format is shown when no other formats are available
Configure
Save changes
localhost/drupal/admin/config/content/formats/manage/full_html
Back to site
Manage
Shortcuts
admin
Content
Structure
Appearance
Extend
Configuration
People
Reports
Help
TOOLBAR CONFIGURATION
Move a button into the Active toolbar to enable it, or into the list of Available buttons to disable it. Buttons may be moved with the mouse or keyboard arrow keys. Toolbar group names are provided to support screen reader users. Empty toolbar groups will be removed upon save.
Available buttons
Button divider
Styles
Active toolbar
Hide group names
Formatting
Linking
Lists
Media
Block Formatting
Tools
Add group
Format
Add group
CKEditor plugin settings
Image
Uploads enabled, max size: 2 MB
Enable image uploads
Upload directory
inline-images
A directory relative to Drupal's files directory where uploaded images will be stored.

Button group name
Ccpy and Paste
Apply
Cancel


localhost/drupal/admin/config/content/formats/manage/full_html
Back to site
Manage
Shortcuts
admin
Content
Structure
Appearance
Extend
Configuration
People
Reports
Help
TOOLBAR CONFIGURATION
Move a button into the Active toolbar to enable it, or into the list of Available buttons to disable it. Buttons may be moved with the mouse or keyboard arrow keys. Toolbar group names are provided to support screen reader users. Empty toolbar groups will be removed upon save.
Available buttons
Button divider
Styles
Active toolbar
Hide group names
Formatting
Linking
Lists
Media
Block Formatting
Format
Tools
Add group
Copy and Paste
Add group
CKEditor plugin settings


Full HTML | Andy Drupal
localhost/drupal/admin/config/content/formats/manage/full_html
Back to site
Manage
Shortcuts
admin
Content
Structure
Appearance
Extend
Configuration
People
Reports
Help
TOOLBAR CONFIGURATION
Move a button into the Active toolbar to enable it, or into the list of Available buttons to disable it. Buttons may be moved with the m
provided to support screen reader users. Empty toolbar groups will be removed upon save.
Available buttons
Styles
Active toolbar
Formatting
Linking
Lists
Media
Block Formatting
Format
Tools
Add group
Copy and Paste
Add group
CKEditor plugin settings


localhost/drupal/node/1/edit
Back to site
Manage
Shortcuts
admin
Content
Structure
Appearance
Extend
Configuration
People
Reports
Help
View
Edit
Delete
Home » Welcome to DrupalLab
Title *
Welcome to DrupalLab
Body (Edit summary)
Format
Source
This is my site! You are welcome!
This is a good one!
Text format
Basic HTML
About text formats
Tags


Back to site
Manage
Shortcuts
admin
Content
Structure
Appearance
Extend
Configuration
People
Reports
Help
View
Edit
Delete
Home » Welcome to DrupalLab
Title *
Welcome to DrupalLab
Body (Edit summary)
Format
Source
This is my site! You are welcome!
This is a good one!
Text format
Full HTML
About text formats
Tags