



People management


1 Plan
2 Install
3 Content
4 Extend
5 Layout
6 People
7 Manage


localhost/drupal/admin/appearance
Back to site
Manage
Shortcuts
admin
Content
Structure
Appearance
Extend
Configuration
People
Reports
Help
Settings
Set as default
Zircon 8.x-0.2
A flexible, recolorable theme with many regions and a responsive, mobile-first layout.
Settings
Uninstall
Set as default
Switch back to Zircon theme.



People are assigned to **Roles** that have **Permissions**



Permissions ☆

List | Permissions | Roles

Home » Administration » People

Permissions let you control what users can do and see on your site. You can define a specific set of permissions for each role. (See the Roles page to create a role.) Any permissions granted to the Authenticated user role will be given to any user who is logged in to your site. From the Account settings page, you can make any role into an Administrator role for the site, meaning that role will be granted all new permissions automatically. You should be careful to ensure that only trusted users are given this access and level of control of your site.


Hide descriptions

PERMISSION	ANONYMOUS USER	AUTHENTICATED USER	ADMINISTRATOR
Block			
Administer blocks	☐	☐	☑
Book			
Add content and child pages to books	☐	☐	☑
Administer book outlines	☐	☐	☑
Create new books	☐	☐	☑
View printer-friendly books View a book page and all of its sub-pages as a single document for ease of printing. Can be performance heavy.	☐	☐	☑
Comment			
Administer comment types and settings *Warning: Give to trusted roles only; this permission has security implications.*	☐	☐	☑
Administer comments and comment settings	☐	☐	☑
Edit own comments	☐	☐	☑
Post comments	☐	☑	☑
Skip comment approval	☐	☑	☑
View comments	☑	☑	☑
Configuration Manager			
Export configuration *Warning: Give to trusted roles only; this permission has security implications.*	☐	☐	☑
Import configuration *Warning: Give to trusted roles only; this permission has security implications.*	☐	☐	☑
Synchronize configuration *Warning: Give to trusted roles only; this permission has security implications.*	☐	☐	☑
Contact			
Administer contact forms and contact form settings	☐	☐	☑
Use the site-wide contact form	☑	☑	☑
Use users' personal contact forms	☐	☐	☑
Contextual Links			
Use contextual links Use contextual links to perform actions related to elements on a page.	☐	☐	☑
Devel			
Access developer information *Warning: Give to trusted roles only; this permission has security implications.* View developer output like variable printouts, query log, etc.	☐	☐	☑
Execute PHP code *Warning: Give to trusted roles only; this permission has security implications.* Run arbitrary PHP from a block.	☐	☐	☑
Switch users *Warning: Give to trusted roles only; this permission has security implications.* Become any user on the site with just a click.	☐	☐	☑
Devel generate			
Administer devel_generate	☐	☐	☑
Field UI			
Add, edit, and delete custom display modes.	☐	☐	☑
Comment: Administer display	☐	☐	☑
Comment: Administer fields *Warning: Give to trusted roles only; this permission has security implications.*	☐	☐	☑
Comment: Administer form display	☐	☐	☑
Contact message: Administer display	☐	☐	☑
Contact message: Administer fields *Warning: Give to trusted roles only; this permission has security implications.*	☐	☐	☑
Contact message: Administer form display	☐	☐	☑
Content: Administer display	☐	☐	☑
Content: Administer fields *Warning: Give to trusted roles only; this permission has security implications.*	☐	☐	☑
Content: Administer form display	☐	☐	☑
Custom block: Administer display	☐	☐	☑
Custom block: Administer fields *Warning: Give to trusted roles only; this permission has security implications.*	☐	☐	☑
Custom block: Administer form display	☐	☐	☑
Taxonomy term: Administer display	☐	☐	☑
Taxonomy term: Administer fields *Warning: Give to trusted roles only; this permission has security implications.*	☐	☐	☑
Taxonomy term: Administer form display	☐	☐	☑
User: Administer display	☐	☐	☑
User: Administer fields *Warning: Give to trusted roles only; this permission has security implications.*	☐	☐	☑
User: Administer form display	☐	☐	☑
File			
Access the Files overview page Get an overview of all files.	☐	☐	☑
Filter			
Administer text formats and filters *Warning: Give to trusted roles only; this permission has security implications.* Define how text is handled by combining filters into text formats.	☐	☐	☑
Use the Basic HTML text format *Warning: This permission may have security implications depending on how the text format is configured.*	☐	☑	☑
Use the Full HTML text format *Warning: This permission may have security implications depending on how the text format is configured.*	☐	☐	☑
Use the Restricted HTML text format *Warning: This permission may have security implications depending on how the text format is configured.*	☑	☐	☑
Forum			
Administer forums	☐	☐	☑
Image			
Administer image styles Create and modify styles for generating image modifications such as thumbnails.	☐	☐	☑

Node			
Access the Content overview page Get an overview of all content.	☐	☐	☑
Administer content *Warning: Give to trusted roles only; this permission has security implications.* Promote, change ownership, edit revisions, and perform other tasks across all content types.	☐	☐	☑
Administer content types *Warning: Give to trusted roles only; this permission has security implications.* Maintain the types of content available and the fields that are associated with those types.	☐	☐	☑
Bypass content access control *Warning: Give to trusted roles only; this permission has security implications.* View, edit and delete all content regardless of permission restrictions.	☐	☐	☑
Delete all revisions Role requires permission to *view revisions* and *delete rights* for nodes in question or *administer nodes*.	☐	☐	☑
Revert all revisions Role requires permission *view revisions* and *edit rights* for nodes in question or *administer nodes*.	☐	☐	☑
View all revisions	☐	☐	☑
View own unpublished content	☐	☐	☑
View published content	☑	☑	☑
Article: Create new content	☐	☐	☑
Article: Delete any content	☐	☐	☑
Article: Delete own content	☐	☐	☑
Article: Delete revisions Role requires permission to *view revisions* and *delete rights* for nodes in question, or *administer nodes*.	☐	☐	☑
Article: Edit any content	☐	☐	☑
Article: Edit own content	☐	☐	☑
Article: Revert revisions Role requires permission *view revisions* and *edit rights* for nodes in question, or *administer nodes*.	☐	☐	☑
Article: View revisions	☐	☐	☑
Basic page: Create new content	☐	☐	☑
Basic page: Delete any content	☐	☐	☑
Basic page: Delete own content	☐	☐	☑
Basic page: Delete revisions Role requires permission to *view revisions* and *delete rights* for nodes in question, or *administer nodes*.	☐	☐	☑
Basic page: Edit any content	☐	☐	☑
Basic page: Edit own content	☐	☐	☑
Basic page: Revert revisions Role requires permission *view revisions* and *edit rights* for nodes in question, or *administer nodes*.	☐	☐	☑
Basic page: View revisions	☐	☐	☑
Book page: Create new content	☐	☐	☑
Book page: Delete any content	☐	☐	☑
Book page: Delete own content	☐	☐	☑
Book page: Delete revisions Role requires permission to *view revisions* and *delete rights* for nodes in question, or *administer nodes*.	☐	☐	☑
Book page: Edit any content	☐	☐	☑
Book page: Edit own content	☐	☐	☑
Book page: Revert revisions Role requires permission *view revisions* and *edit rights* for nodes in question, or *administer nodes*.	☐	☐	☑
Book page: View revisions	☐	☐	☑
Events: Create new content	☐	☐	☑
Events: Delete any content	☐	☐	☑
Events: Delete own content	☐	☐	☑
Events: Delete revisions Role requires permission to *view revisions* and *delete rights* for nodes in question, or *administer nodes*.	☐	☐	☑
Events: Edit any content	☐	☐	☑
Events: Edit own content	☐	☐	☑
Events: Revert revisions Role requires permission *view revisions* and *edit rights* for nodes in question, or *administer nodes*.	☐	☐	☑
Events: View revisions	☐	☐	☑
Forum topic: Create new content	☐	☐	☑
Forum topic: Delete any content	☐	☐	☑
Forum topic: Delete own content	☐	☐	☑
Forum topic: Delete revisions Role requires permission to *view revisions* and *delete rights* for nodes in question, or *administer nodes*.	☐	☐	☑
Forum topic: Edit any content	☐	☐	☑
Forum topic: Edit own content	☐	☐	☑
Forum topic: Revert revisions Role requires permission *view revisions* and *edit rights* for nodes in question, or *administer nodes*.	☐	☐	☑
Forum topic: View revisions	☐	☐	☑
User Groups: Create new content	☐	☐	☑
User Groups: Delete any content	☐	☐	☑
User Groups: Delete own content	☐	☐	☑
User Groups: Delete revisions Role requires permission to *view revisions* and *delete rights* for nodes in question, or *administer nodes*.	☐	☐	☑
User Groups: Edit any content	☐	☐	☑
User Groups: Edit own content	☐	☐	☑
User Groups: Revert revisions Role requires permission *view revisions* and *edit rights* for nodes in question, or *administer nodes*.	☐	☐	☑
User Groups: View revisions	☐	☐	☑

Path			
Administer URL aliases	☐	☐	☑
Create and edit URL aliases	☐	☐	☑
Pathauto			
Administer pathauto Allows a user to configure patterns for automated aliases and bulk delete URL-aliases.	☐	☐	☑
Notify of Path Changes Determines whether or not users are notified.	☐	☐	☑
Quick Edit			
Access in-place editing	☐	☐	☑
Search			
Administer search	☐	☐	☑
Use advanced search	☐	☐	☑
Use search	☑	☑	☑
Shortcut			
Administer shortcuts	☐	☐	☑
Edit current shortcut set Editing the current shortcut set will affect other users if that set has been assigned to or selected by other users. Granting "Select any shortcut set" permission along with this permission will grant permission to edit any shortcut set.	☐	☐	☑
Select any shortcut set			

Determines what people can see and what they can do



We would like to setup the roles which are specific to our site.

For instance, if you have interns and want them to only access events, not pages, not user groups, not articles, this summer intern needs to have its own role.