Updating A-to-Z Marc Records

Andy Tang


5/5/2011

Index


1. Updating A-to-Z Marc RecordsProcedure ····· 1
   a) Add and Change files only ····· 1
   b) Delete Records ····· 4
2. Pbulkimport Profile configuration (Bulk Import Rules) ····· 6
   a) ATOZ ····· 6
   b) ATOZupdt ····· 7
   c) ATOZdel ····· 8
   d) DELDUPE ····· 9
   e) ATOZupd2 ····· 10
   f) ATOZupd3 ····· 11
   g) ATOZupd5 ····· 12
3. Pbulkimport Profile configuration (Bibliographic Duplicate Detection Profiles) ····· 13
   a) ATOZREPL ····· 13
   b) ATOZREP2 ····· 14
   c) ATOZREP3 ····· 15
   d) DELDUPE ····· 16
   e) OCLCCON ····· 17
   f) OCLCMERG ····· 18
   g) OCLCREP ····· 19
   h) OCLCUNCO ····· 20
4. Pbulkimport Profile configuration (Authority Duplicate Detection Profiles) ····· 21
   a) AUTHCOND ····· 21
   b) AUTHREPL ····· 22
   c) AUTHUNCO ····· 23

Receive ftp marc record files from EBSCO.
Document receipt in the Database Updates Log Sheet.xls file.
Process “add” files according to “Add” guidelines.
Process “chg” files according to “Change” guidelines.
Process “del” files according to “Delete” guidelines.
Document results of jobs in the Database Updates Log Sheet.xls file.

Add and Change files only
Open MarcEdit.




Select Marc Tools (Marc Breaker).




Open the downloaded ftp file.


1. Input file: browse to the location on the hard drive where the Add or Change file is located and select it.
2. Output file: click the save icon, then click save (the file name displayed will be the default name)
3. Click the Execute button. The machinery whirls.

4. Click the Edit Records button.
5. The marc file has been converted to text for display and edits purposes.
6. Edit the records accordingly
    a. **Add 049 field: IER**
    Edit fields tab: Field: 049 ; Field Data: \\$aIER ; Click Add Field button







    b. **Add 099 field: E-Journal [*Internet*]**
    Edit fields tab: Field: 099 ; Field Data: \\$aE-Journal [*Internet*] ; Click Add Field button
    c. **Add 040 field: EBZ** (**if not present already**)
    Edit fields tab: Field 040 ; Field Data: \\$aEBZ ; Click Add Field button





d. **Edit 856 fields to include ezproxy information**
Replace tab: Find what: $uhttp:// ; Replace with: $uhttp://ezproxy.wildcatter.kilgore.edu:2048/login?url=http:// ; Click Replace All button






e. **Append to 050 and 090 fields: [*Internet*]**
Edit Subfields tab: Field: 050 ; Subfield: b ; Field Data: (leave blank) ; Replace with: [*Internet*] ; Search Options: Select Add subfield if not present ; Click Replace Text button
Repeat with 090 field.





7. Save the file.
8. Convert file into Marc format:
   a. Click the menu button that looks like a funnel  : "Make current File into Marc". Click the save button to accept the default file name.



9. Ftp the new file to the server and place in local folder.
10. Open a KornShell prompt and navigate to d:/voyager/kilgoredb/sbin
11. Run Pbulkimport:
    a. **UPDATE/CHANGE:** Pbulkimport -i ATOZupdt -f d:/voyager/kilgoredb/local/<filename>
    b. **ADD:** Pbulkimport -i ATOZ -f d:/voyager/kilgoredb/local/<filename>
12. Check the import log in d:/voyager/kilgoredb/rpt to see if there were any problems.
13. Using the log file, document the results of the job in Database Updates Log Sheet.xls file.


Delete Records


1. Ftp the file to the server and place in local folder.


2. Open a KornShell prompt and navigate to d:/voyager/kilgoredb/sbin
3. Run Pbulkimport to replace and suppress records:
    a. **DELETE:** Pbulkimport -i ATOZdel -f d:/voyager/kilgoredb/local/<filename>
4. Check the import log in d:/voyager/kilgoredb/rpt to see if there were any problems.
5. Open MS Access and run query “Bibs – Deleted.”
6. Export list of Bib_IDs to text file:
    a. Click File > Export; Save as Type: Text file; File Name: <BIBIDS.filename>
    b. Click Export All; Click next
    c. Text Qualifier: {none}; Click next
    d. Click Finish
7. Ftp <BIBIDS.filename> file to the server and place in local folder.
8. Open a KornShell prompt and navigate to d:/voyager/kilgoredb/sbin
9. Run Pmarcexport to extract Bibs and associated MFHDs (interleaved file):
    a. Pmarcexport -r G -m M -t d:/voyager/kilgoredb/local/<BIBIDS.filename>
    b. The output file will be named: marc.exp.yyyymmdd.hhmm
10. Locate the marc.exp.yyyymmdd.hhmm file in the sbin folder and move to local folder.
11. Run Pbulkimport to delete Bibs and MFHDs:
    a. Pbulkimport -i DELDUPE -f d:/voyager/kilgoredb/local/<marc.exp…> -r -x
12. Using the log file, document the results of the job in Database Updates Log Sheet.xls file.


Pbulkimport Profile configuration (Bulk Import Rules)

1. ATOZ
    a. Add
    b. Rules













2. ATOZupdt
    a. Update
    b. Rules













3. ATOZdel
    a. Delete
    b. Rules













4. DELDUPE
    a. Delete Duplicated Records
    b. Rules













5. ATOZupd2
    a. Normal Merge
    b. Rules













6. ATOZupd3
    a. Update with Item Type and Mapping configured
    b. Rules













7. ATOZupd5
    a. Unconditional Merge
    b. Rules












Pbulkimport Profile configuration (Bibliographic Duplicate Detection Profiles)


1. ATOZREPL
    a. ATOZ replace
    b. Rules










2. ATOZREP2
    a. ATOZ replace 2
    b. Rules










3. ATOZREP3
    a. ATOZ replace 3
    b. Rules










4. DELDUPE
    a. Delete duplicated records
    b. Rules










5. OCLCCON
    a. OCLC conditional
    b. Rules







6. OCLCMERG
    a. OCLC merge
    b. Rules













7. OCLCREP
    a. OCLC Replace
    b. Rules









8. OCLCUNCO
    a. OCLC unconditional
    b. Rules







Pbulkimport Profile configuration (Authority Duplicate Detection Profiles)


1. AUTHCOND
   a. AUTHConditional
   b. Rules






2. AUTHREPL
   a. AUTHReplace
   b. Rules







3. AUTHUNCO
   a. AUTHUnconditional
   b. Rules

