TAIL CALLS, MACROS, SCHEME CHALLENGE

COMPUTER SCIENCE MENTORS

April 12 - April 15, 2021

1   Tail Recursion

Tail Recursion Overview

Often, when we write recursive functions, they can take up a lot of space by opening a bunch of frames. Think about `factorial(6).` In order to solve it, we will have to open 6 frames. Now what if we tried `factorial(1000000)`? In Scheme, unlike in Python, we can use a method called **tail recursion**, which solves this problem by only using a **constant** amount of space. The key to defining a tail recursive function is to make sure no further calculations are done after the recursive call, so that none of the values in the current frame have to be saved. If we don't have to save any values in the current frame, we can close it as we make the next recursive call, ensuring that we only have one frame open.

In order to identify whether a function is tail recursive, first find the recursive call in your function. Then, check whether you return the exact result of your recursive call, or if you do work on the result. If you simply return the result of your recursive call, then your function is tail recursive! However, if you do additional work to the result of your recursive call, then it is not tail recursive. Additional work could be adding one to the result of your recursive call and returning the new value, or appending it to a list and returning the resulting list.

The general way we convert a recursive function to a tail recursive one is to move the calculation outside the recursive call into one of the recursive call arguments to accumulate the results. However, this is not always possible if our function doesn't have an argument that accumulates the results, so we may have to create a helper function with an accumulating argument and have the helper be a tail recursive function.

1. What is a tail call? What is a tail context? What is a tail recursive function?

2. Why are tail calls useful for recursive functions?

3. Consider the following function:

```scheme
(define (count-instance lst x)
  (cond ((null? lst) 0)
        ((equal? (car lst) x) (+ 1 (count-instance
                                      (cdr lst) x)))
        (else (count-instance (cdr lst) x)))))
```

   What is the purpose of `count-instance`? Is it tail recursive? Why or why not? Optional: draw out the environment diagram of this `count-instance` with `lst = (1 2 1)` and `x = 1`.

4. Rewrite count-instance to be tail recursive. (Hint: helper functions are often useful in implementing Tail Recursion.)

```scheme
(define (count-tail lst x)



    )
```

5. Implement `filter`, which takes in a one-argument function `f` and a list `lst`, and returns a new list containing only the elements in `lst` for which `f` returns true. Your function must be tail recursive.

You may wish to use the built-in append function, which takes in two lists and returns a new list containing the elements of the first list followed by the elements of the second.

```
;Doctests
scm> (filter (lambda (x) (> x 2)) '(1 2 3 4 5))
(3 4 5)


(define (filter f lst)



    )
```

2   Macros

Macros Overview Whereas normal Scheme evaluation entails evaluating the operator, then evaluating the operands, before finally applying the operator on operands, macros evaluation involves three steps:

1. Evaluate the operator

2. Evaluate the body of the macro procedure without evaluating the operands

3. Evaluate the expression produced by the body and return the result.

Because the body is evaluated without evaluating the operands at first, macros are powerful and allow us to do more than scheme procedures, like implementing new special forms, control the order of evaluation, and more.

Quoting, Quasiquoting, Unquoting All Scheme expressions are lists except for atomic expressions like numbers and symbols; so call expressions and special forms are lists too; Example: (+ 1 2)

The `(quote expression)` special form, also denoted by a ´, simply returns `expression` - it does not evaluate it. This means we can write a Scheme expression and have the expression remain as an expression; if an expression is a call expression or special form, this means the expression will remain a list.

The `(quasiquote expression)` special form, `, has the same effect as `quote`, except that any expression within `expression` can be unquoted by preceding it with `,` or the `unquote` special form; any unquoted expression is evaluated, whereas everything else within `expression` is not, as normal. Quasiquote and unquote are often used in the body of macro procedures to selectively evaluate certain parts.

`(eval expression)` is a procedure that simply evaluates its argument. Note that since `eval` is a procedure, `expression` is evaluated first before applying `eval`.

Below is a simple example of a macro. Note that even though we pass in `(print 'hello)` as an operands, we don't evaluate the expression and print right away. Instead we first evaluate the body of the macro procedure, and afterwards we evaluate the expression produced by the macro.

```
(define-macro (twice expr)
(list 'begin expr expr))

scm> (twice (print 'hello))
hello
hello
```

1. What will Scheme output?

```
scm> (define x 6)

scm> (define y 1)

scm> '(x y a)

scm> `(,x ,y a)

scm> `(,x y a)

scm> `(,(if (- 1 2) '+ '-) 1 2)

scm> (eval `(,(if (- 1 2) '+ '-) 1 2))

scm> (define (add-expr a1 a2)
            (list '+ a1 a2))

scm> (add-expr 3 4)

scm> (eval (add-expr 3 4))

scm> (define-macro (add-macro a1 a2)
          (list '+ a1 a2))

scm> (add-macro 3 4)
```

2. Implement `if-macro`, which behaves similarly to the `if` special form in Scheme but has some additional properties. Here's how the `if-macro` is called:

   `if <cond1> <expr1> elif <cond2> <expr2> else <expr3>`

   If cond1 evaluates to a truth-y value, expr1 is evaluated and returned. Otherwise, if cond2 evaluates to a truth-y value, expr2 is evaluated and returned. If neither condition is true, expr3 is evaluted and returned.

   ```
   ;Doctests
   scm> (if-macro (= 1 0) 1 elif (= 1 1) 2 else 3)
   2
   scm> (if-macro (= 1 1) 1 elif (= 2 2) 2 else 3)
   1
   scm> (if-macro (= 1 0) (/ 1 0) elif (= 2 0) (/ 1 0) else 3)
   3

   (define-macro (if-macro cond1 expr1 elif cond2 expr2 else
       expr3)



       )
   ```

3. Could we have implemented `if-macro` using a function instead of a macro? Why or why not?

4. Implement `apply-twice`, which is a macro that takes in a call expression with a single argument. It should return the result of applying the operator to the operand twice.

```
;Doctests
scm> (define add-one (lambda (x) (+ x 1)))
add-one
scm> (apply-twice (add-one 1))
3
scm> (apply-twice (print 'hi))
hi
undefined


(define-macro (apply-twice call-expr)

     `(let ((operator _____)

            (operand  _____))

            (_____)))
```

3 Scheme Challenge

1. Suppose Isabelle bought turnips from the Stalk Market and has stored them in random amounts among an ordered sequence of boxes. By the magic of time travel, Isabelle's friend Tom Nook can fast-forward one week into the future and determine exactly how many of Isabelle's turnips will rot over the week and have to be discarded.

   Assuming that boxes of turnips will rot in order, i.e. all of box 1's turnips will rot before any of box 2's turnips, help Isabelle determine which turnips will still be fresh by week's end. Specifically, fill in `decay`, which takes in a list of positive integers `boxes`, which represents how many turnips are in each box, and a positive integer `rotten` representing the number of turnips that will rot, and returns a list of non-negative integers that represents how many fresh turnips will remain in each box.

```
; doctests
scm> (define a '(1 6 3 4))
a
scm> (decay a 1)
(0 6 3 4)
scm> (decay a 5)
(0 2 3 4)
scm> (decay a 9)
(0 0 1 4)
scm> (decay a 1000)
(0 0 0 0)


(define (decay boxes rotten)




















)
```

2. Finish the functions `max` and `max-depth`. `max` takes in two numbers and returns the larger. Function `max-depth` takes in a list `lst` and returns the maximum depth of the list. In a nested scheme list, we define the depth as the number of scheme lists a sublist is nested within. A scheme list with no nested lists has a `max-depth` of 0.

```scheme
;doctests
scm> (max 1 5)
5
scm> (max-depth '(1 2 3))
0
scm> (max-depth '(1 2 (3 (4) 5)))
2
scm> (max-depth '(0 (1 (2 (3 (4) 5) 6) 7))
4
```

```scheme
(define (max x y) _____)


(define (max-depth lst)
    (define (helper lst curr)
        (cond
            ((_____) _____)
            ((_____) (max _____
                                 _____))
            (else (helper _____))
        )
    )
    (_____)
)
```