Q2: (Tutorial) Max Product

Write a function that takes in a list and returns the maximum product that can be formed using nonconsecutive elements of the list. The input list will contain only numbers greater than or equal to 1.

```python
def max_product(s):
    """Return the maximum product that can be formed using non-consecutive
    elements of s.

    >>> max_product([10,3,1,9,2]) # 10 * 9
    90
    >>> max_product([5,10,5,10,5]) # 5 * 5 * 5
    125
    >>> max_product([])
    1
    """
    "*** YOUR CODE HERE ***"
```

Q5: (Tutorial) Add This Many

Write a function that takes in a value `x`, a value `el`, and a list `s` and adds as many `el`'s to the end of the list as there are `x`'s. **Make sure to modify the original list using list mutation techniques.**

```python
def add_this_many(x, el, s):
    """ Adds el to the end of s the number of times x occurs
    in s.
    >>> s = [1, 2, 4, 2, 1]
    >>> add_this_many(1, 5, s)
    >>> s
    [1, 2, 4, 2, 1, 5, 5]
    >>> add_this_many(2, 2, s)
    >>> s
    [1, 2, 4, 2, 1, 5, 5, 2, 2]
    """
    "*** YOUR CODE HERE ***"
```

Q4: (Optional) Mystery Reverse Environment Diagram

Fill in the lines below so that the variables in the **global frame** are bound to the values below. Note that the image does not contain a full environment diagram. **You may only use brackets, commas, colons, p and q in your answer.**

Your Answer

```
1    def mystery(p, q):
2        p[1].extend(_____)
3        _____.append(_____[1:]_)
4
5    p = [2, 3]
6    q = [4, [p]]
7    mystery(_____, _____)
8
9
```

Q6: (Warmup) Height

Write a function that returns the height of a tree. Recall that the height of a tree is the length of the longest path from the root to a leaf.

```python
def height(t):
    """Return the height of a tree.

    >>> t = tree(3, [tree(5, [tree(1)]), tree(2)])
    >>> height(t)
    2
    """
    "*** YOUR CODE HERE ***"
```

Q8: (Tutorial) Find Path

Write a function that takes in a tree and a value `x` and returns a list containing the nodes along the path required to get from the root of the tree to a node containing `x`.

If `x` is not present in the tree, return `None`. Assume that the entries of the tree are unique.

For the following tree, `find_path(t, 5)` should return `[2, 7, 6, 5]`

```
def find_path(tree, x):
    """
    >>> t = tree(2, [tree(7, [tree(3), tree(6, [tree(5), tree(11)])] ), tree(15)])
    >>> find_path(t, 5)
    [2, 7, 6, 5]
    >>> find_path(t, 10)  # returns None
    """
    if _____:

        return _____


    _____:

        path = _____:

        if _____:

            return _____
```