```
At time t=0.000000, rtinit0() called.
At time t=0.000000, node 0 sends packet to node 1 with: 0 1 3 7
At time t=0.000000, node 0 sends packet to node 2 with: 0 1 3 7
At time t=0.000000, node 0 sends packet to node 3 with: 0 1 3 7
        via
 D0 | 1 2
 ____
dest 1 | 9999 | 9999 | 9999
dest 2| 9999 9999 9999
dest 3| 9999 9999 9999
At time t=0.000000, rtinit1() called.
At time t=0.000000, node 1 sends packet to node 0 with: 1 0 1 9999
At time t=0.000000, node 1 sends packet to node 2 with: 1 0 1 9999
        via
 D1 \mid 0 \quad 2
 ____
dest 0| 9999 9999
dest 2| 9999 9999
dest 3| 9999 9999
At time t=0.000000, rtinit2() called.
At time t=0.000000, node 2 sends packet to node 0 with: 3 1 0 2
At time t=0.000000, node 2 sends packet to node 1 with: 3 1 0 2
At time t=0.000000, node 2 sends packet to node 3 with: 3 1 0 2
        via
 D2 | 0 1 3
 ----
dest 0| 9999 9999 9999
dest 1| 9999 9999 9999
dest 3| 9999 9999 9999
At time t=0.000000, rtinit3() called.
At time t=0.000000, node 3 sends packet to node 0 with: 7 9999 2 0
At time t=0.000000, node 3 sends packet to node 2 with: 7 9999 2 0
        via
 D3 | 0 2
 ----
dest 0| 9999 9999
dest 1| 9999 9999
dest 2| 9999 9999
At time t=0.124745, node 2 receives a packet from node 0. The updated distance table follows:
        via
 D2 | 0 1 3
 ----
```

```
dest 0| 0 9999 9999
dest 1| 1 9999 9999
dest 3| 7 9999 9999
```

At time t=0.586824, node 3 receives a packet from node 0. The updated distance table follows:

At time t=0.586824, node 3 sends packet to node 0 with: 7 8 2 0 to reflect updated distance table. At time t=0.586824, node 3 sends packet to node 2 with: 7 8 2 0 to reflect updated distance table. At time t=0.609690, node 2 receives a packet from node 1. The updated distance table follows:

At time t=0.609690, node 2 sends packet to node 0 with: 2 1 0 2 to reflect updated distance table. At time t=0.609690, node 2 sends packet to node 1 with: 2 1 0 2 to reflect updated distance table. At time t=0.609690, node 2 sends packet to node 3 with: 2 1 0 2 to reflect updated distance table. At time t=0.745790, node 0 receives a packet from node 1. The updated distance table follows:

At time t=0.745790, node 0 sends packet to node 1 with: 0 1 2 7 to reflect updated distance table. At time t=0.745790, node 0 sends packet to node 2 with: 0 1 2 7 to reflect updated distance table. At time t=0.745790, node 0 sends packet to node 3 with: 0 1 2 7 to reflect updated distance table. At time t=0.810576, node 3 receives a packet from node 2. The updated distance table follows:

At time t=0.810576, node 3 sends packet to node 0 with: 5 3 2 0 to reflect updated distance table. At time t=0.810576, node 3 sends packet to node 2 with: 5 3 2 0 to reflect updated distance table.

At time t=0.867797, node 3 receives a packet from node 2. The updated distance table follows:

At time t=0.867797, node 3 sends packet to node 0 with: 4 3 2 0 to reflect updated distance table. At time t=0.867797, node 3 sends packet to node 2 with: 4 3 2 0 to reflect updated distance table. At time t=0.962070, node 2 receives a packet from node 3. The updated distance table follows:

	Vi	a		
D2	0	1	3	
dest 0	0	1	7	
dest 1	1	0	9999	
dest 3	7	9999	0	

At time t=1.080034, node 1 receives a packet from node 0. The updated distance table follows:

At time t=1.080034, node 1 sends packet to node 0 with: 1 0 1 8 to reflect updated distance table. At time t=1.080034, node 1 sends packet to node 2 with: 1 0 1 8 to reflect updated distance table. At time t=1.224738, node 0 receives a packet from node 2. The updated distance table follows:

At time t=1.224738, node 0 sends packet to node 1 with: 0 1 2 4 to reflect updated distance table. At time t=1.224738, node 0 sends packet to node 2 with: 0 1 2 4 to reflect updated distance table. At time t=1.224738, node 0 sends packet to node 3 with: 0 1 2 4 to reflect updated distance table. At time t=1.380520, node 2 receives a packet from node 3. The updated distance table follows:

At time t=1.383899, node 2 receives a packet from node 0. The updated distance table follows:

At time t=1.565862, node 2 receives a packet from node 3. The updated distance table follows:

At time t=1.657278, node 3 receives a packet from node 0. The updated distance table follows:

At time t=1.826770, node 0 receives a packet from node 3. The updated distance table follows:

At time t=2.077403, node 3 receives a packet from node 0. The updated distance table follows:

	V1	<mark>a</mark>	
D3	0	2	
dest 0	0	2	
dest 1	1	1	
dest 2	2	0	

At time t=2.275775, node 0 receives a packet from node 3. The updated distance table follows:

At time t=2.276489, node 2 receives a packet from node 3. The updated distance table follows:

At time t=2.768510, node 1 receives a packet from node 2. The updated distance table follows:

	Vİ	a		
D1	0	2		
dest 0	0	3		
dest 2	3	0		
dest 3	7	2		

At time t=2.768510, node 1 sends packet to node 0 with: 1 0 1 3 to reflect updated distance table. At time t=2.768510, node 1 sends packet to node 2 with: 1 0 1 3 to reflect updated distance table. At time t=3.166427, node 0 receives a packet from node 2. The updated distance table follows:

At time t=3.956352, node 1 receives a packet from node 2. The updated distance table follows:

At time t=3.981693, node 0 receives a packet from node 3. The updated distance table follows:

At time t=4.103415, node 2 receives a packet from node 1. The updated distance table follows:

At time t=4.226752, node 0 receives a packet from node 3. The updated distance table follows:

At time t=5.663148, node 2 receives a packet from node 0. The updated distance table follows:

At time t=5.667306, node 1 receives a packet from node 0. The updated distance table follows:

At time t=5.743729, node 0 receives a packet from node 1. The updated distance table follows:

	Vi	a		
D0	1	2	3	
dest 1	0	1	3	
dest 2	1	0	2	
dest 3	8	2	0	

At time t=6.198489, node 2 receives a packet from node 1. The updated distance table follows:

	V1	<mark>a</mark>		
D2	0	1	3	
dest 0	0	1	4	
dest 1	1	0	3	
dest 3	4	3	0	

At time t=6.780353, node 0 receives a packet from node 1. The updated distance table follows:

	V1	<mark>a</mark>		
D0	1	2	3	
dest 1	0	1	3	
dest 2	1	0	2	
dest 3	3	2	0	

At time t=6.817634, node 1 receives a packet from node 0. The updated distance table follows:

	vi.	<mark>a</mark>	
D1	0	2	
dest 0	0	2	
dest 2	2	0	
dest 3	4	2	

Simulator terminated at t=6.817634, no packets in medium