Exercises on multiplication and inverse matrices

Problem 3.1: Add AB to AC and compare with A(B+C):

$$A = \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix} \quad B = \begin{bmatrix} 1 & 0 \\ 0 & 0 \end{bmatrix} \quad C = \begin{bmatrix} 0 & 0 \\ 5 & 6 \end{bmatrix}$$

$$AB + AB = A(B+C)$$

Problem 3.2: (2.5 #24. *Introduction to Linear Algebra:* Strang) Use Gauss-Jordan elimination on $[U\ I]$ to find the upper triangular U^{-1} :

$$UU^{-1} = I \quad \left[\begin{array}{ccc} 1 & a & b \\ 0 & 1 & c \\ 0 & 0 & 1 \end{array} \right] \left[\begin{array}{ccc} x_1 & x_2 & x_3 \end{array} \right] = \left[\begin{array}{ccc} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right].$$

1 -a ac-b 0 -1 c

001

MIT OpenCourseWare http://ocw.mit.edu

18.06SC Linear Algebra Fall 2011

For information about citing these materials or our Terms of Use, visit: http://ocw.mit.edu/terms.