



Course : Intro To Web Development

Ex - Java Script Basics

Simple Functions

1. Create a function that receives an array of numbers and returns the sum of all numbers between 3 and 6.
2. Create a function that receives an array of texts and print how many times "A" exists
3. Create a function called "add" that receives 2 numbers and returns the sum of them.
Create a function called mil that receives 2 numbers and returns the multiply of the with OUT the "*" operator, but only by calling the "add" function

Arrays & Objects

4. There is an array as follows :

```
[ 'Avi', 23, [ 1, 2, [ "A", "B", [ "Hello" ] ] ] ]
```

print the length of the inner word ("Hello" in this case)



- 5 . There's an array of arrays as follows :
[[1,2,3], [4,5,6] , [7,8,9]]

Send this array to a function that returns the inner numbers (total) avg

6. Create a json object that represents the following data for a Person :

Name : "Avi Cohen"

Age : 30

Address :

Street : "Herzel"

Num : 23

City : "Tel Aviv"

Phones :

Mobile : "054-1111"

Fax : "03-2222"

Home : "02-222222"

Create a function that receives such an array and a fax number as a second parameter and print the names and their city of those with that fax number



7. Build a data structure for saving students : Each student has a name, id and an array of grades. Create a function that receives such data structure as first parameter, a grade as the second one, and prints all the grades that higher than that grade.