

```
CREATE DATABASE mecon;
```

```
USE mecon;
```

```
CREATE TABLE `usuarios` (  
  `id_usuario` int NOT NULL AUTO_INCREMENT,  
  `nome` varchar(100) NOT NULL,  
  `email` varchar(100) NOT NULL,  
  `senha_hash` varchar(255) NOT NULL,  
  `tipo` enum('cliente','admin') NOT NULL DEFAULT 'cliente',  
  `data_cadastro` timestamp NULL DEFAULT CURRENT_TIMESTAMP,  
  PRIMARY KEY (`id_usuario`),  
  UNIQUE KEY `email` (`email`)  
);
```

```
CREATE TABLE `oficinas` (  
  `id_oficina` int NOT NULL AUTO_INCREMENT,  
  `nome` varchar(100) NOT NULL,  
  `email` varchar(100) NOT NULL,  
  `senha_hash` varchar(255) NOT NULL,  
  `cidade` varchar(100) NOT NULL,  
  `bairro` varchar(100) NOT NULL,  
  `endereco` varchar(255) NOT NULL,  
  `telefone` varchar(20) NOT NULL,  
  `descricao` text,  
  `preco_medio` decimal(10,2) NOT NULL,  
  `data_cadastro` timestamp NULL DEFAULT CURRENT_TIMESTAMP,  
  PRIMARY KEY (`id_oficina`),  
  UNIQUE KEY `email` (`email`),  
  CONSTRAINT `chk_preco_medio` CHECK (`preco_medio` >= 0)
```

);

```
CREATE TABLE `servicos` (  
  `id_servico` int NOT NULL AUTO_INCREMENT,  
  `nome` varchar(100) NOT NULL,  
  PRIMARY KEY (`id_servico`),  
  UNIQUE KEY `nome` (`nome`)  
);
```

```
CREATE TABLE `oficina_servico` (  
  `id_oficina` int NOT NULL,  
  `id_servico` int NOT NULL,  
  PRIMARY KEY (`id_oficina`,`id_servico`),  
  KEY `oficina_servico_ibfk_2` (`id_servico`),  
  CONSTRAINT `oficina_servico_ibfk_1` FOREIGN KEY (`id_oficina`)  
REFERENCES `oficinas` (`id_oficina`) ON DELETE CASCADE,  
  CONSTRAINT `oficina_servico_ibfk_2` FOREIGN KEY (`id_servico`)  
REFERENCES `servicos` (`id_servico`) ON DELETE CASCADE  
);
```

```
CREATE TABLE `avaliacoes` (  
  `id_avaliacao` int NOT NULL AUTO_INCREMENT,  
  `id_usuario` int NOT NULL,  
  `id_oficina` int NOT NULL,  
  `nota` int NOT NULL,  
  `comentario` text,  
  `data_avaliacao` timestamp NULL DEFAULT CURRENT_TIMESTAMP,  
  PRIMARY KEY (`id_avaliacao`),
```

```

KEY `avaliacoes_ibfk_1` (`id_usuario`),
KEY `avaliacoes_ibfk_2` (`id_oficina`),
CONSTRAINT `avaliacoes_ibfk_1` FOREIGN KEY (`id_usuario`)
REFERENCES `usuarios` (`id_usuario`) ON DELETE CASCADE,
CONSTRAINT `avaliacoes_ibfk_2` FOREIGN KEY (`id_oficina`)
REFERENCES `oficinas` (`id_oficina`) ON DELETE CASCADE,
CONSTRAINT `chk_nota` CHECK ((`nota` between 1 and 5))
);

```

```

CREATE TABLE `favoritos` (
  `id_usuario` int NOT NULL,
  `id_oficina` int NOT NULL,
  PRIMARY KEY (`id_usuario`,`id_oficina`),
  KEY `favoritos_ibfk_2` (`id_oficina`),
  CONSTRAINT `favoritos_ibfk_1` FOREIGN KEY (`id_usuario`)
REFERENCES `usuarios` (`id_usuario`) ON DELETE CASCADE,
  CONSTRAINT `favoritos_ibfk_2` FOREIGN KEY (`id_oficina`) REFERENCES
`oficinas` (`id_oficina`) ON DELETE CASCADE
);

```

```

CREATE TABLE `veiculos` (
  `id_veiculo` int NOT NULL AUTO_INCREMENT,
  `id_usuario` int NOT NULL,
  `placa` varchar(10) NOT NULL,
  `data_cadastro` timestamp NULL DEFAULT CURRENT_TIMESTAMP,
  PRIMARY KEY (`id_veiculo`),
  KEY `veiculos_ibfk_1` (`id_usuario`),
  CONSTRAINT `veiculos_ibfk_1` FOREIGN KEY (`id_usuario`) REFERENCES
`usuarios` (`id_usuario`) ON DELETE CASCADE
);

```

```
CREATE TABLE `historico_manutencoes` (  
  `id_historico` int NOT NULL AUTO_INCREMENT,  
  `id_veiculo` int NOT NULL,  
  `id_oficina` int NOT NULL,  
  `id_servico` int NOT NULL,  
  `data_servico` date NOT NULL,  
  PRIMARY KEY (`id_historico`),  
  KEY `historico_manutencoes_ibfk_1` (`id_veiculo`),  
  KEY `historico_manutencoes_ibfk_2` (`id_oficina`),  
  KEY `historico_manutencoes_ibfk_3` (`id_servico`),  
  CONSTRAINT `historico_manutencoes_ibfk_1` FOREIGN KEY (`id_veiculo`) REFERENCES `veiculos` (`id_veiculo`) ON DELETE CASCADE,  
  CONSTRAINT `historico_manutencoes_ibfk_2` FOREIGN KEY (`id_oficina`) REFERENCES `oficinas` (`id_oficina`) ON DELETE CASCADE,  
  CONSTRAINT `historico_manutencoes_ibfk_3` FOREIGN KEY (`id_servico`) REFERENCES `servicos` (`id_servico`) ON DELETE CASCADE  
);
```