

Layout

The root layout, `app/layout.tsx`, is the single place for app-wide providers and global infrastructure.

Do not remove any existing entries without a reason. Current infrastructure in the layout:

Entry	Purpose
<code>ThemeProvider</code>	Light/dark mode via <code>next-themes</code>
<code>Toaster</code>	Global toast notifications via Sonner
<code>ChunkLoadErrorHandler</code>	Required — prevents known <code>ChunkLoadError</code> race condition bug

Typography

Role	Font	Tailwind Class	Default Usage
Body	DM Sans	<code>font-sans</code>	All body text, labels, descriptions
Display	Plus Jakarta Sans	<code>font-display</code>	Page titles, hero headings, section headers
Mono	JetBrains Mono	<code>font-mono</code>	Code snippets, numeric data, IDs, timestamps

Size hierarchy: Use Tailwind’s scale. Headings: `text-4xl` → `text-3xl` → `text-2xl` → `text-xl`. Body: `text-base` → `text-sm`. Captions: `text-xs`.

Always use `tracking-tight` on large headings (`text-2xl` and above).

Color System (Design Tokens)

All colors use CSS variables — **never hardcode color values.**

Primary Palette (Light Mode)

Token	Value	Purpose
--primary	Hue 217 (Modern Blue #3B82F6)	Main brand color, buttons, accents - vibrant and trustworthy
--secondary	Hue 39 (Warm Amber #F59E0B)	Secondary actions, warmth - inviting for restaurant
--accent	Hue 262 (Elegant Violet #7C3AED)	Sophisticated highlights, hover states
--background	White (0 0% 100%)	Page background
--card	White (0 0% 100%)	Card surfaces
--muted	Light Gray (220 13% 91%)	Disabled, subtle elements
--border	Light Gray (220 13% 91%)	Borders and dividers

Functional Colors

Token	Value	Purpose
--success	Emerald Green (142 71% 45%)	Success states, positive feedback
--warning	Amber (38 92% 50%)	Warnings, caution states
--info	Primary Blue (217 91% 52%)	Information, neutral feedback
--error / --destructive	Coral Red (0 84% 60%)	Errors, delete actions, critical

Dark Mode

Same hues are used but with adjusted saturation/lightness for proper contrast:

- --primary : 217 91% 60% (brighter)
- --secondary : 39 89% 55% (brighter)
- --accent : 262 80% 60% (brighter)
- --background : Very dark blue (222 84% 5%)
- --card : Very dark blue (222 84% 7%)
- --muted : Dark gray (222 84% 12%)

Data Visualization Chart Colors

Chart-1	Chart-2	Chart-3	Chart-4	Chart-5
Primary Blue	Secondary Amber	Emerald Green	Accent Violet	Warning Amber
Balanced color spectrum for dashboards and analytics				

Usage

Use Tailwind classes with these tokens:

- `bg-primary` / `text-primary` — Primary color
- `bg-secondary` / `text-secondary` — Secondary color
- `bg-accent` / `text-accent` — Accent highlights
- `bg-muted` / `text-muted-foreground` — Subtle elements
- `bg-destructive` / `text-destructive-foreground` — Errors
- `border-border` — Borders
- `ring-ring` — Focus rings

Spacing Scale

Based on an 8px grid. Use these CSS variables or Tailwind equivalents:

Token	Value	Tailwind
<code>--spacing-xs</code>	4px	<code>p-1</code> , <code>gap-1</code>
<code>--spacing-sm</code>	8px	<code>p-2</code> , <code>gap-2</code>
<code>--spacing-md</code>	16px	<code>p-4</code> , <code>gap-4</code>
<code>--spacing-lg</code>	24px	<code>p-6</code> , <code>gap-6</code>
<code>--spacing-xl</code>	32px	<code>p-8</code> , <code>gap-8</code>
<code>--spacing-2xl</code>	48px	<code>p-12</code> , <code>gap-12</code>
<code>--spacing-3xl</code>	64px	<code>p-16</code> , <code>gap-16</code>

Vary spacing rhythm — don't use the same gap everywhere. Hero → large gap → content → medium gap → footer.

Shadow Scale

Token	Default Usage
<code>--shadow-sm</code>	Subtle card lift, input focus
<code>--shadow-md</code>	Cards, dropdowns, popovers
<code>--shadow-lg</code>	Modals, elevated panels

These are CSS variables only — use them directly in inline styles or custom CSS as `var(--shadow-sm)` etc. They are not mapped to Tailwind's `shadow-*` utilities.

Border Radius

Token	Value	Default Usage
<code>--radius</code>	0.625rem	Default (buttons, inputs, cards)
<code>--radius-sm</code>	<code>calc(var(--radius) - 4px)</code>	Small elements (badges, chips)
<code>--radius-lg</code>	<code>calc(var(--radius) + 4px)</code>	Large containers, hero cards
<code>--radius-full</code>	9999px	Avatars, pills, circular buttons

Animation Timing

Token	Value	Tailwind Class	Default Usage
<code>--duration-fast</code>	150ms	<code>duration-fast</code>	Hover states, toggles
<code>--duration-normal</code>	250ms	<code>duration-normal</code>	Page transitions, reveals
<code>--duration-slow</code>	350ms	<code>duration-slow</code>	Complex animations, modals

Layout Components

Container — @/components/layouts/container

Centers content with responsive padding. Props: `size` (`sm` | `md` | `lg` | `xl` | `full`).

```
<Container size="lg">{children}</Container>
```

Section — @/components/layouts/section

Vertical spacing wrapper for page sections. Props: `id` , `className` .

```
<Section id="features">{children}</Section>
```

PageHeader — @/components/layouts/page-header

Title + description + action buttons. Use at top of every app page.

```
<PageHeader title="Dashboard" description="Overview of your account"
actions={<Button>Export</Button>} />
```

AppShell — @/components/layouts/app-shell

Sidebar + header + main content. The standard layout for dashboards and admin panels.

```
<AppShell sidebar={<nav>...</nav>} header={<div>...</div>}>{children}</AppShell>
```

AuthLayout — @/components/layouts/auth-layout

Centered card on gradient background. Use for login, signup, onboarding flows.

```
<AuthLayout title="Welcome back" description="Sign in to continue">{form}</AuthLayout>
```

Animation Components — @/components/ui/animate & @/components/ui/page-transition

Core Animation Components

Component	Default Usage	Key Props
FadeIn	Reveal content on load	delay , className
ScaleIn	Pop-in effect	delay , className
SlideIn	Directional entrance	direction (up left right), delay , className
Stagger + StaggerItem	Sequential reveal for lists/grids	staggerDelay , className
HoverLift	Lift effect on hover (cards, links)	lift (default: 8px), className
PressScale	Press-down feedback for buttons	scale (default: 0.95), className
SkeletonPulse	Loading placeholder	className (set width/height), count

Wrapper Components (FASE 3)

Component	Default Usage	Key Props
PageTransition	Page entrance/exit animations	duration (default: 0.3s)
MotionButton	Button with spring micro-interactions	Inherits from Button , disableMotion
MotionCard	Card with entrance & hover lift	Inherits from Card , disableMotion , hoverLift
PageLayout	Full page layout with header animation	title , subtitle , action , children

Pattern:

- Wrap page sections in FadeIn , list items in Stagger / StaggerItem
- Use PageTransition to wrap entire page content
- Use MotionButton & MotionCard for interactive elements with micro-interactions
- Use PageLayout for consistent page headers with animations

UI Components — @/components/ui/

Core

Component	Import	Key Props
Button	@/components/ui/button	<code>variant</code> (<code>default</code> <code>secondary</code> <code>outline</code> <code>ghost</code> <code>destructive</code> <code>link</code> <code>glass-dark</code> <code>glass-light</code>), <code>size</code> (<code>default</code> <code>xs</code> <code>sm</code> <code>lg</code> <code>icon</code> <code>icon-sm</code>), <code>loading</code> (boolean). glass-dark : for dark/vivid backgrounds. glass-light : for light/pale backgrounds. Link : focus uses underline, not ring.
Badge	@/components/ui/badge	<code>variant</code> (<code>default</code> <code>secondary</code> <code>outline</code> <code>destructive</code>)
Card	@/components/ui/card	<code>variant</code> (<code>default</code> <code>interactive</code> <code>glass-dark</code> <code>glass-dark-interactive</code> <code>glass-light</code> <code>glass-light-interactive</code> <code>ghost</code>). Composed: <code>Card</code> , <code>CardHeader</code> , <code>CardTitle</code> , <code>CardDescription</code> , <code>CardContent</code> , <code>CardFooter</code> . Interactive : always wrap in <code><a></code> or <code><button></code> for keyboard access.
Separator	@/components/ui/separator	<code>orientation</code> (<code>horizontal</code> <code>vertical</code>)

Forms

Component	Import
Input	@/components/ui/input
Textarea	@/components/ui/textarea
Label	@/components/ui/label
Select	@/components/ui/select
Checkbox	@/components/ui/checkbox
RadioGroup	@/components/ui/radio-group
Switch	@/components/ui/switch
Slider	@/components/ui/slider
Calendar	@/components/ui/calendar
DateRangePicker	@/components/ui/date-range-picker
InputOTP	@/components/ui/input-otp
Form	@/components/ui/form (react-hook-form integration)

Navigation & Layout

Component	Import
Tabs	@/components/ui/tabs — Tabs , TabsList , TabsTrigger , TabsContent
Accordion	@/components/ui/accordion — Accordion , AccordionItem , AccordionTrigger , AccordionContent
NavigationMenu	@/components/ui/navigation-menu
Breadcrumb	@/components/ui/breadcrumb
Pagination	@/components/ui/pagination
Menubar	@/components/ui/menubar
ScrollArea	@/components/ui/scroll-area
Resizable	@/components/ui/resizable

Overlays & Feedback

Component	Import
Dialog	@/components/ui/dialog
AlertDialog	@/components/ui/alert-dialog
Sheet	@/components/ui/sheet — side-panel overlay
Drawer	@/components/ui/drawer — bottom sheet (great for mobile)
Popover	@/components/ui/popover
Tooltip	@/components/ui/tooltip
HoverCard	@/components/ui/hover-card
ContextMenu	@/components/ui/context-menu
DropdownMenu	@/components/ui/dropdown-menu
Command	@/components/ui/command — command palette / searchable list
Alert	@/components/ui/alert
toast	import { toast } from 'sonner' — toast.success(), toast.error()

Data Display

Component	Import
Table	@/components/ui/table — Table, TableHeader, TableBody, TableRow, TableHead, TableCell
Avatar	@/components/ui/avatar
Progress	@/components/ui/progress
Skeleton	@/components/ui/skeleton
AspectRatio	@/components/ui/aspect-ratio
Carousel	@/components/ui/carousel

Misc

Component	Import
Toggle	@/components/ui/toggle
ToggleGroup	@/components/ui/toggle-group
Collapsible	@/components/ui/collapsible
ThemeToggle	@/components/theme-toggle — light/dark mode switch