

Федеральное агентство морского и речного транспорта
Федеральное государственное бюджетное образовательное учреждение
высшего образования
«Волжский государственный университет водного транспорта»

Кафедра иностранных языков и конвенционной подготовки

МАТЕРИАЛЫ К РЕФЕРАТУ
по английскому языку

Выполнил:

А.С. Пудов

Проверил:
доцент, к.фил.н.

Л.Г. Орлова

Нижний Новгород
2017

CONTENT

Translation

Dictionary

Annotation I

Annotation II

References

**TRANSLATION. PARALLEL ALGORITHMS FOR SUMMING FLOATING-POINT
NUMBERS.**

**ANNOTATION I. A BRANCH-AND-BOUND PROCEDURE TO MINIMIZE TOTAL
TARDINESS ON ONE MACHINE WITH ARBITRARY RELEASE DATES.**

**ANNOTATION II. A BRANCH-AND-BOUND PROCEDURE TO MINIMIZE TOTAL
TARDINESS ON ONE MACHINE WITH ARBITRARY RELEASE DATES.**

REFERENCES

- [1] Kogan, D.I. and Fedosenko, Yu.S. The discretization problem: analysis of computational complexity and polynomially solvable subclasses. *Discret. Math. Appl.*, 1996, vol. 6, Issue 5, pp. 435–447. DOI:10.4213/dm534
- [2] Kogan, D.I., Kuimova, A. S., Fedosenko, Yu.S. The problems of servicing of the binary object flow in system with refillable storage component. *Automation and Remote Control*, 2014, vol. 75, Issue 7, pp. 1257–1266. DOI:10.1134/S0005117914070078
- [3] Bellman, R.E. and Dreyfus, S.E. *Applied Dynamic Programming*. – Princeton: Princeton Univ. Press, 1962, p. 390.
- [4] Tanaev V.S., Sotskov, Y.N., Strusevich, V.A. *Scheduling Theory: Multi-Stage Systems*. Springer Netherlands, 2012. – 406 p.
- [5] Pinedo M.L. *Planning and Scheduling in Manufacturing and Services*. Springer, 2009, 537 p.
- [6] Garey, M.R. and Johnson, D.S. *Computers and Intractability: A Guide to the Theory of NP-Completeness*. W.H. Freeman, 1990. – 338 p.
- [7] Villareal, B. and Karwan, M.H. Multicriterial Dynamic Programming with an Application to the Integer Case. *Journal of optimization theory and applications*, 1982, vol. 38, Issue 1, pp. 43–69. DOI:10.1007/BF00934322
- [8] Kogan D.I., Fedosenko, Yu.S., Dunichkina N.A. Bicriterial servicing problems for stationary objects in a one-dimensional working zone of a processor. *Automation and Remote Control*, 2012, vol. 73, Issue 10, pp. 1667–1679. DOI:10.1134/S0005117912100074