PAINLESS

FrogJmp

START

Count minimal number of jumps from position X to Y.

Programming language: C++

A small frog wants to get to the other side of the road. The frog is currently located at position X and wants to get to a position greater than or equal to Y. The small frog always jumps a fixed distance, D.

Count the minimal number of jumps that the small frog must perform to reach its target.

Write a function:

```
int solution(int X, int Y, int D);
```

that, given three integers X, Y and D, returns the minimal number of jumps from position X to a position equal to or greater than Y.

For example, given:

```
X = 10
Y = 85
D = 30
```

the function should return 3, because the frog will be positioned as follows:

- after the first jump, at position 10 + 30 = 40
- after the second jump, at position 10 + 30 + 30 = 70
- after the third jump, at position 10 + 30 + 30 + 30 = 100

Assume that:

- X, Y and D are integers within the range [1..1,000,000,000];
- X ≤ Y.

Complexity:

- expected worst-case time complexity is O(1);
- expected worst-case space complexity is O(1).

For programmers

Lessons Challenges
Terms FAQ

For companies

Tour About us
Pricing Jobs
Blog Terms
Privacy Cookies
API

Sign up for our newsletter:

Information about upcoming challenges, solutions and lessons directly in your inbox.

Your email Sign up

Social:

Contact us:

For customer support queries:
UK +44 (0) 208 970 78 68
US 1-415-466-8085
support@codility.com

For sales queries:
UK +44 (0) 208 970 78 67
US 1-415-466-8085
sales@codility.com