

Dokumentacija sajta

(https://andrijana7.github.io/travel--agency/)

Student: Andrijana Vasić

Broj indeksa: 81/19

Smer: Internet Tehnologije

Predmet: Web programiranje 1

# Sadrzaj

Uvod
------

1.	Korišćeni programski jezici
2.	Opis funkcionalnosti
3.	Template
Or	ganizacija
1.	Organizaciona šema
2.	Mapa sajta
3.	Slike stranica i funkcionalnosti
Ko	dovi
1.	HTML
2.	CSS
3.	JavaScript

Uvod
------

1. Korišćeni programski jezici

Za izradu sajta korišćeni su sledeći programski i markup jezici:

- HTML
- CSS
- XML
- JavaScript
- JQuery
- 2. Opis funkcionalnosti
- Responsive: U zavisnosti na kojim dimenzijama se gleda sajt, prilagodice se svim velicinama i biti pregledan i određeni elementi će eventualno promeniti strukturu zbog rezolucije na kojoj se pristupa sajtu.
- •Dinamički ispis sadržaja
- 3. Template

Korišćen je gotov template.

Agency - One Page Bootstrap Theme - Start Bootstrap


### Organizacija

1. Organizaciona šema


index.html

## 2. Mapa sajta

## 3. Slike stranica I opisi funkcionalnosti



Dinamički ispisan meni. Klik na Destination, About, Portfolio ili Contact odvodi na taj deo stranice. Text se menja na tri sekunde(urađeno u JavaScript).



Dinamički pozvana galerija slika sa svim atributima(alt,src).

## **SPECIAL OFFERS**

#### For our oldest

Always wanted to visit the city of your dreams but never got the chance?In your senior years you finally have the time to go where ever you want and see all the fhings you dreamed about. Our senior program can help with that. Great quality and lower





#### For students

Enjoy your summer break with your friends at some of the best beaches and best Djs in the world!!! We also offer help for students exchange!!!Call us for more info.



#### For students

Enjoy your summer break with your friends at some of the best beaches and best Djs in the world!!! We also offer help for students exchange!!!Call us for more info.

#### Just married

May the first steps you take together be the most beautiful You pick the destination and tell us what you want and we will arrange everything so your honeymoon is a dream come true. Newlyweds have a special discounts on plane tickets



Dinamički pozvana galerija sa opisom I atributima. Preko JavaScript-a urađeno da je text svaki put sa druge strane.

# Hurry up our special offer expires in:

0 days 0 hours 0 minutes 0 seconds
\*offer expired

## Hurry up our special offer expires in:

10 days 22 hours 31 minutes 20 seconds

Timer rađen u JavaScript-u. Kada istekne vreme izbacuje poruku crvenim slovima.



Dinamički opis autora. Toggle rađen u JQuery. Klikom na naslov Andrijana Vasic text nestaje. Svi linkovi u ikonicama vode na određenu stranicu.


Creative

*envato* 

designmodo

**\*\*** themeforest

Dinamički ispiz sponzora.



Kontakt forma sa ograničenjima(ne može se ostaviti prazno polje, mora se uneti broj onako kako je naznačeno u polju....). Linkovi vode na određene stranice, kao I dokumentacija.

Kodovi

1.HTML

U HTML je dodat kod za timer.

```
<div class="py-5">
   <div class="container">
       <div class="row" id="divTimer">
          <div class="col-lg-12 divTimerOffer">
              <h2> Hurry up our special offer expires in: </h2>
          <div class="col-md-3 col-sm-6 my-3 divTimerOffer" id="link">
               days
          <div class="col-md-3 col-sm-6 my-3 divTimerOffer">
               hours
          </div>
          <div class="col-md-3 col-sm-6 my-3 divTimerOffer">
               minuts
          </div>
          <div class="col-md-3 col-sm-6 my-3 divTimerOffer">
               seconds
          </div>
          <div class="col-lg-12 divTimerOffer " id="divTimerExpired">
             <h4 style="color: ■red;"> *offer expired </h4>
          </div>
       </div>
   </div>
</div>
```

#### 2. CSS

Skinut je gotov template(link gore u opisu funkcionalnosti)

3. JavaScript

```
window.onload = function () {
    ///proba
    let selection=document.querySelector('select');
  //ispis menija
        function ispisMenija() {
        var meni = ["Destinations", "Special offers", "Portfolio", "Contact"];
        let ul = document.getElementById('meni_ul')
        meni.forEach((item) => {
            let li = document.createElement('li');
            let a = document.createElement('a');
            a.setAttribute("href", "#");
            li.appendChild(a);
            li.classList.add("nav-item");
            ul.appendChild(li);
            a.classList.add("nav-link" );
            a.innerHTML = item;
            a.id = item;
            a.addEventListener('click',function(e){
                e.preventDefault();
                switch (e.target.id) {
                    case "Destinations":
                        a.setAttribute("href", item);
                        let destination = document.getElementById('portfolio');
                        destination.scrollIntoView()
                      break;
                    case "Special offers":
                        a.setAttribute("href",item);
                        let about = document.getElementById('about');
                        about.scrollIntoView()
                      break;
                    case "Portfolio":
                        a.setAttribute("href",item);
                        let team = document.getElementById('team');
                        team.scrollIntoView()
                      break;
                    case "Contact":
                      a.setAttribute("href",item);
                      let contact = document.getElementById('contact');
```

```
contact.scrollIntoView()
                      break;
            })
       })
    };
   // ispis naslova
    var elem = document.getElementById("text");
    var text = ["Where do you want to go next?", "Our team is waiting to assist
you!"];
    var counter = 0;
    var inst = setInterval(change, 3000);
    function change() {
        elem.innerHTML = text[counter];
        counter++;
        if (counter >= text.length) {
            counter = 0;
//ispis galerije
    function ispisSlika() {
        var nizSlika = [
                key: "Greece",
                slika: {
                    alt: "greece",
                    src: "assets/img/portfolio/greece1.jpg"
                },
                content: ""
                key: "Bora Bora",
                slika: {
                    alt: "bora-bora",
                    src: "assets/img/portfolio/bora.jpg"
                },
                content: ""
            },
```

```
slika: {
                    alt: "egypt",
                    src: "assets/img/portfolio/egypt.jpg"
                },
                content: ""
                key: "Moscow",
                slika: {
                    alt: "moscow",
                    src: "assets/img/portfolio/moscow.jpg"
                content: ""
                key: "Rome",
                slika: {
                    alt: "rome",
                    src: "assets/img/portfolio/rome.jpg"
                },
                content: ""
            },
                key: "New York",
                slika: {
                    alt: "new-york",
                    src: "assets/img/portfolio/ny.jpg"
                },
                content: ""
        ];
        var ispis = "";
        for (var obj of nizSlika) {
            ispis += `
                     <div class="col-lg-4 col-sm-6 mb-4">
                                 <div class="portfolio-item">
                                     <a class="portfolio-link" data-toggle="modal"</pre>
href="#portfolioModal1">
                                         <div class="portfolio-hover">
                                              <div class="portfolio-hover-</pre>
content"><i class="fas fa-plus fa-3x"></i></div>
                                         </div>
```

key: "Egypt",

```
<img class="img-fluid"</pre>
src="${obj.slika.src}" alt="${obj.slika.alt}" />
                                     </a>
                                     <div class="portfolio-caption">
                                         <div class="portfolio-caption-heading"</pre>
>${obj.key}</div>
                                         <div class="portfolio-caption-subheading</pre>
text-muted">${obj.content}</div>
                                     </div>
                                 </div>
                            </div>
        document.getElementById("slikaDiv").innerHTML = ispis;
//ispis ponude
    function ispisPonude() {
        var nizPonude = [
                naslov: "For our oldest",
                opis: "Always wanted to visit the city of your dreams but never
got the chance?In your senior years you finally have the time to go where ever you
want and see all the fhings you dreamed about. Our senior program can help with
that. Great quality and lower prices.",
                slika: {
                    src: "assets/img/about/senior.jpg",
                    alt: "seniro-couple"
            },
                naslov: "For students",
                opis: "Enjoy your summer break with your friends at some of the
best beaches and best Djs in the world!!! We also offer help for students
exchange!!!Call us for more info.",
                slika: {
                    src: "assets/img/about/students.jpg",
                    alt: "students"
                }
            },
                naslov: "Just married",
                opis: "May the first steps you take together be the most beautiful
You pick the destination and tell us what you want and we will arrange everything
so your honeymoon is a dream come true. Newlyweds have a special discounts on
plane tickets",
                slika: {
```

```
src: "assets/img/about/bride.jpg",
                   alt: "just-married"
               }
       ];
       var ispis = "";
       for (var pon of nizPonude) {
           ispis += `
           <1i>>
           <div class="timeline-image"><img class="rounded-circle img-fluid"</pre>
src="${pon.slika.src}" alt="${pon.slika.alt}" /></div>
            <div class="timeline-panel">
               <div class="timeline-heading">
                    <h4>${pon.naslov}</h4>
               </div>
               <div class="timeline-body">
muted">${pon.opis}</div>
           </div>
       document.getElementById("timeline").innerHTML = ispis;
       $("#timeline li:odd").addClass("timeline-inverted");
//portfolio
    function ispisAutor() {
       var autor = [{
               slika:{
                   src:"assets/img/team/ja.jpg",
                   alt:"myself"
               },
           punoIme: {
               ime: "Andrijana",
               prezime: "Vasic"
           opis: "Hi, my name is Andrijana Vasić. I was born the second of
February 1995. in Pančevo. I finished high school of Pharmacy in Pančevo and now I
```

```
am studying ICT Collage. Aside from that, I am a part time waitress in a coffee
shop called 'Brasileiro'. I am creative, friendly, communicative person and I am
capable of working under preasure. ",
            social: {
                twitter: {
                    class: "fab fa-twitter",
                    href: "https://twitter.com/?lang=sr"
                },
                facebook: {
                    class: "fab fa-facebook",
                    href: "https://www.facebook.com/janaczbg/"
                },
                insta: {
                    class: "fab fa-instagram",
                    href: "https://www.instagram.com/andrijana_vasic7/"
            },
        }];
        var ispis = "";
        for (var au of autor) {
            ispis += `
            <div class="col-lg-12">
                <div class="team-member">
                 <img class="mx-auto rounded-circle" src="${au.slika.src}"</pre>
alt="${au.slika.alt}" />
                 <h4> <a href="#" id="proba"> ${au.punoIme.ime}
${au.punoIme.prezime} </a></h4>
                 ${au.opis} 
                    <a class="btn btn-dark btn-social mx-2"</pre>
href="${au.social.twitter.href}"><i class="${au.social.twitter.class}"></i></a>
                    <a class="btn btn-dark btn-social mx-2"</pre>
href="${au.social.facebook.href}"><i class="${au.social.facebook.class}"></i></a>
                    <a class="btn btn-dark btn-social mx-2"</pre>
href="${au.social.insta.href}"><i class="${au.social.insta.class}"></i></a>
                </div>
                </div>
        document.getElementById("tim").innerHTML = ispis;
    };
//forma
```

```
const form=document.getElementById('contactForm')
const name=document.getElementById('name')
const email=document.getElementById('email')
const phone=document.getElementById('phone')
const message=document.getElementById('message')
form.addEventListener("submit",(e) => {
e.preventDefault()
proveraForme();
})
function setSuccess(rezultat){
   console.log(rezultat)
function setError(message){
   console.log(message)
function proveraForme(){
   const nameV=name.value.trim()
   const emailV=email.value.trim()
   const phoneV=phone.value.trim()
   const messageV=message.value.trim()
   function validateNumber(phone)
       return /^[(]{0,1}[0-9]{3}[)]{0,1}[-\s\.]{0,1}[0-9]{3}[-\s\.]{0,1}[0-
9]{4}$/.test(phone);
   function isEmailValid(emailV) {
       return
/^(([^<>()\[\]\\.,;:\s@"]+(\.[^<>()\[\]\\.,;:\s@"]+)*)|(".+"))@((\[[0-9]{1,3}\.[0-
9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\])|(([a-zA-Z\-0-9]+\.)+[a-zA-Z]{2,}))$/.test(
         emailV
       );
   if(nameV === ""){
       setError("Ne moze prazno ime!")
       errorName.innerHTML= ` Insert your name please
`
   else {
       setSuccess(nameV)
       errorName.innerHTML= ` What a nice name! `
   if(emailV === ""){
       setError("Ne moze prazan email")
       errorEmail.innerHTML= ` Insert your email please
```

```
else if(!isEmailValid(emailV)){
      setError("Email is not valid!")
      errorEmail.innerHTML= ` Insert your email in corect
form please 
   else {
      setSuccess(emailV)
      errorEmail.innerHTML= ` We will send you an email
if(!validateNumber(phoneV)){
      setError("Phone is not valid!")
      errorPhone.innerHTML= ` Insert your phone number
please `
   else{
      setSuccess(phoneV)
      errorPhone.innerHTML= ` You will receve a call wery
soon`
   if(messageV === ""){
      setError("Ne moze prazna poruka")
      errorMess.innerHTML= ` Please enter message `
   else{
      setSuccess(messageV)
      errorMess.innerHTML= ` You will get your response
soon `
function ispisSponzori() {
   var sponzori = [
          slika: {
             alt: 'sponzor1',
             src: 'assets/img/logos/slika1.jpg'
      },
          slika: {
             alt: 'sponzor2',
             src: 'assets/img/logos/slika2.jpg'
      },
```

```
slika: {
                alt: 'sponzor3',
                src: 'assets/img/logos/slika3.jpg'
        },
            slika: {
                alt: 'sponzor4',
                src: 'assets/img/logos/slika4.jpg'
    ];
    var ispis = "";
    for (var s of sponzori) {
        ispis += `
        <div class="col-md-3 col-sm-6 my-3" id="link">
        <a href="${s.slika.src}"><img class="img-fluid d-block mx-auto"</pre>
                src="${s.slika.src}" alt="${s.slika.alt}" /></a>
    </div>
    document.getElementById("divZaSponzore").innerHTML = ispis;
//futer
function ispisFuter() {
    var footer = [{
        content:"Copyright © Andrijana Vasic 81/19",
        social: {
            rss: {
                class: "fas fa-rss",
                href: "rss.xml"
            },
            sitemap: {
                class: "fas fa-sitemap",
                href: "sitemap.xml"
            },
            github: {
                class: "fab fa-github",
                href: "https://github.com/"
        },
        dokument:{
```

```
href:"documentation.pdf",
            content:"Documentation"
    }];
    var ispis = "";
    for (var fu of footer) {
        ispis += `
        <div class="col-lg-4 text-lg-left">${fu.content}</div>
                    <div class="col-lg-4 my-3 my-lg-0">
                         <a class="btn btn-dark btn-social mx-2"</pre>
href="${fu.social.rss.href}"><i class="${fu.social.rss.class}"></i></a>
                         <a class="btn btn-dark btn-social mx-2"</pre>
href="${fu.social.sitemap.href}"><i class="${fu.social.sitemap.class}"></i></a>
                        <a class="btn btn-dark btn-social mx-2"</pre>
href="${fu.social.github.href}"><i class="${fu.social.github.class}"></i></a>
                    </div>
                    <div class="col-lg-4 text-lg-right">
                         <a class="mr-3"</pre>
href="${fu.dokument.href}">${fu.dokument.content}</a>
                    </div>
    document.getElementById("futer").innerHTML = ispis;
};
    //ispis funkcija
    ispisMenija();
    ispisSlika();
    ispisPonude();
    ispisAutor();
    timer();
    ispisSponzori();
    ispisFuter();
    // JQuery kod za toggle opisa
    document.getElementById("proba").addEventListener("click", function (e) {
        e.preventDefault();
        // alert("cao!");
        let klasa = $("#toggle");
        klasa.toggle(function() {
            $(this).animate( {'display':'block'}, 2000, 'linear')
```

```
}, function() {
            $(this).animate( {'display':'none'}, 2000, 'linear');
          });
   });
//timer
function timer (){
   const second = 1000,
   minute = second * 60,
   hour = minute * 60,
   day = hour * 24;
   let time = "December 31, 2021 20:32:00";
   let countDown = new Date(time).getTime(),
   x = setInterval(function () {
       let now = new Date().getTime(),
            distance = countDown - now;
           document.getElementById('days').innerText = Math.floor(distance /
(day)) + ' days',
            document.getElementById('hours').innerText = Math.floor((distance %
(day)) / (hour)) + ' hours',
            document.getElementById('minutes').innerText = Math.floor((distance %
(hour)) / (minute)) + ' minutes',
            document.getElementById('seconds').innerText = Math.floor((distance %
(minute)) / second) + ' seconds';
       if (distance <= 0) {</pre>
            document.getElementById('days').innerText = ('0 days');
            document.getElementById('hours').innerText = ('0 hours');
            document.getElementById('minutes').innerText = ('0 minutes');
            document.getElementById('seconds').innerText = ('0 seconds');
            document.getElementById("divTimerExpired").style.display = "block";
   }, second)
```