Visoka škola za informacione I komunikacione tehnologije



Dokumentacija sajta

(https://andrijana7.github.io/travel--agency/)

Student: Andrijana Vasić

Broj indeksa: 81/19

Smer: Internet Tehnologije

Predmet: Web programiranje 1

Sadrzaj

Uvod	
------	--

1. Ko	rišćeni programski jezici		
2. Opis funkcionalnosti			
3. Template			
Orga	anizacija		
1. Or	ganizaciona šema		
2. M	apa sajta		
3. SI	ike stranica i funkcionalnosti		
Kodo	vi		
1.	HTML		
2.	CSS		
2	lavaScrint		

U	vod
---	-----

1. Korišćeni programski jezici

Za izradu sajta korišćeni su sledeći programski i markup jezici:

- HTML
- CSS
- XML
- JavaScript
- JQuery
- 2. Opis funkcionalnosti
- Responsive: U zavisnosti na kojim dimenzijama se gleda sajt, prilagodice se svim velicinama i biti pregledan i određeni elementi će eventualno promeniti strukturu zbog rezolucije na kojoj se pristupa sajtu.
- •Dinamički ispis sadržaja
- 3. Template

Korišćen je gotov template.

Agency - One Page Bootstrap Theme - Start Bootstrap


Organizacija

1. Organizaciona šema


index.html

2. Mapa sajta

3. Slike stranica I opisi funkcionalnosti



Dinamički ispisan meni. Klik na Destination, About, Portfolio ili Contact odvodi na taj deo stranice. Text se menja na tri sekunde(urađeno u JavaScript).



Dinamički pozvana galerija slika sa svim atributima(alt,src).

SPECIAL OFFERS

For our oldest

Always wanted to visit the city of your dreams but never got the chance?In your senior years you finally have the time to go where ever you want and see all the fhings you dreamed about. Our senior program can help with that. Great quality and lower



3

For students

Enjoy your summer break with your friends at some of the best beaches and best Djs in the world!!! We also offer help for students exchange!!!Call us for more info.



For students

Enjoy your summer break with your friends at some of the best beaches and best Djs in the world!!! We also offer help for students exchange!!!Call us for more info.



May the first steps you take together be the most beautiful You pick the destination and tell us what you want and we will arrange everything so your honeymoon is a dream come true. Newlyweds have a special discounts on plane tickets



Dinamički pozvana galerija sa opisom I atributima. Preko JavaScript-a urađeno da je text svaki put sa druge strane.

Hurry up our special offer expires in:



Hurry up our special offer expires in:

10 days 22 hours 31 minutes 20 seconds

Timer rađen u JavaScript-u. Kada istekne vreme izbacuje poruku crvenim slovima.





Andrijana Vasic

Hi, my name is Andrijana Vasić. I was born the second of February 1995. in Pančevo. I finished high school of Pharmacy in Pančevo and now I am studying ICT Collage. Aside from that, I am a part time waitress in a coffee shop called 'Brasileiro'. I am creative, friendly, communicative person and I am capable of working under preasure.







PORTFOLIO





Dinamički opis autora. Toggle rađen u JQuery. Klikom na naslov Andrijana Vasic text nestaje. Svi linkovi u ikonicama vode na određenu stranicu.


Creative



designmodo

3themeforest

Dinamički ispiz sponzora.



Kontakt forma sa ograničenjima(ne može se ostaviti prazno polje, mora se uneti broj onako kako je naznačeno u polju....). Linkovi vode na određene stranice, kao I dokumentacija.

Kodovi

1.HTML

U HTML je dodat kod za timer.

```
<div class="py-5">
   <div class="container">
       <div class="row" id="divTimer">
          <div class="col-lg-12 divTimerOffer">
              <h2> Hurry up our special offer expires in: </h2>
          </div>
          <div class="col-md-3 col-sm-6 my-3 divTimerOffer" id="link">
               days
          <div class="col-md-3 col-sm-6 my-3 divTimerOffer">
               hours
          <div class="col-md-3 col-sm-6 my-3 divTimerOffer">
               minuts
          <div class="col-md-3 col-sm-6 my-3 divTimerOffer">
               seconds
          </div>
          <div class="col-lg-12 divTimerOffer " id="divTimerExpired">
             <h4 style="color: ■red;"> *offer expired </h4>
          </div>
       </div>
   </div>
</div>
```

2. CSS Skinut je gotov template(link gore u opisu funkcionalnosti)

3. JavaScript

```
window.onload = function () {
        function ispisMenija() {
        var meni = ["Destinations", "About", "Portfolio", "Contact"];
        let ul = document.getElementById('meni ul')
        meni.forEach((item) => {
            let li = document.createElement('li');
            let a = document.createElement('a');
            a.setAttribute("href", "#");
            li.appendChild(a);
            li.classList.add("nav-item");
            ul.appendChild(li);
            a.classList.add("nav-link" );
            a.innerHTML = item;
            a.id = item;
            a.addEventListener('click',function(e){
                e.preventDefault();
                switch (e.target.id) {
                    case "Destinations":
                        a.setAttribute("href", item);
                        let destination = document.getElementById('portfolio');
                        destination.scrollIntoView()
                      break;
                    case "About":
                        a.setAttribute("href",item);
                        let about = document.getElementById('about');
                        about.scrollIntoView()
                      break;
                    case "Portfolio":
                        a.setAttribute("href",item);
                        let team = document.getElementById('team');
                        team.scrollIntoView()
```

```
about.scrollIntoView()
                  break;
                case "Portfolio":
                    a.setAttribute("href",item);
                    let team = document.getElementById('team');
                    team.scrollIntoView()
                  break;
                  a.setAttribute("href",item);
                  let contact = document.getElementById('contact');
                  contact.scrollIntoView()
                  break;
        })
var elem = document.getElementById("text");
var text = ["Where do you want to go next?", "Our team is waiting to assist you!"];
var counter = 0;
var inst = setInterval(change, 3000);
function change() {
    elem.innerHTML = text[counter];
    counter++;
    if (counter >= text.length) {
        counter = 0;
```

```
//ispis galerije
    function ispisSlika() {
        var nizSlika = [
                key: "Greece",
                slika: {
                   alt: "greece",
                    src: "assets/img/portfolio/greece1.jpg"
                },
                content: ""
                key: "Bora Bora",
                slika: {
                   src: "assets/img/portfolio/bora.jpg"
                },
                content: ""
               key: "Egypt",
                slika: {
                    alt: "egypt",
                   src: "assets/img/portfolio/egypt.jpg"
                },
                content: ""
                key: "Moscow",
                slika: {
                    alt: "moscow",
                    src: "assets/img/portfolio/moscow.jpg"
```

```
content:
        },
             key: "Rome",
             content: ""
             key: "New York",
                   src: "assets/img/portfolio/ny.jpg"
             content: ""
   for (var obj of nizSlika) {
        ispis +=
                   <div class="col-lg-4 col-sm-6 mb-4">
                                        <a class="portfolio-link" data-toggle="modal" href="#portfolioModal1">
                                                  <div class="portfolio-hover-content"><i class="fas fa-plus fa-3x"></i></div>
                                             <img class="img-fluid" src="${obj.slika.src}" alt="${obj.slika.alt}" />
                                        <div class="portfolio-caption">
                                             <div class="portfolio-caption-heading" >${obj.key}</div>
                                             <div class="portfolio-caption-subheading text-muted">${obj.content}</div>
    document.getElementById("slikaDiv").innerHTML = ispis;
function ispisPonude() {
   var nizPonude = [
            naslov: "For our oldest",
opis: "Always wanted to visit the city of your dreams but never got the chance?In your senior years you finally have the time to go wh
            slika: {
    src: "assets/img/about/senior.jpg",
    alt: "seniro-couple"
            naslov: "For students",
opis: "Enjoy your summer break with your friends at some of the best beaches and best Djs in the world!!! We also offer help for students."
            stika: {
    src: "assets/img/about/students.jpg",
    alt: "students"
            naslov: "Just married",
opis: "May the first steps you take together be the most beautiful You pick the destination and tell us what you want and we will arra
            slika: {
    src: "assets/img/about/bride.jpg",
    alt: "just-married"
```

```
var ispis = "";
for (var pon of nizPonude) {
   ispis += `
          document.getElementById("timeline").innerHTML = ispis;
     $("#timeline li:odd").addClass("timeline-inverted");
function ispisAutor() {
  var autor = [{
                    src:"assets/img/team/ja.jpg",
alt:"myself"
                    src:"assets/img/team/ja.jpg",
alt:"myself"
          punoIme: {
   ime: "Andrijana",
   prezime: "Vasic"
               twitter: {
    class: "fab fa-twitter",
    href: "https://twitter.com/?lang=sr"
              },
facebook: {
   class: "fab fa-facebook",
   href: "https://www.facebook.com/janaczbg/"
                    ca: {
class: "fab fa-instagram",
href: "https://www.instagram.com/andrijana_vasic7/"
     var ispis = "";
for (var au of autor) {
   ispis += `
   <div class="col-lg-12">
```

```
for (var au of autor) {
                              ispis +=
                              <div class="col-lg-12">
                                       document.getElementById("tim").innerHTML = ispis;
  const form=document.getElementById('contactForm')
 const name=document.getElementById('name')
const email=document.getElementById('email')
  const phone=document.getElementById('phone')
 const message=document.getElementById('message')
form.addEventListener("submit",(e) => {
e.preventDefault()
proveraForme();
function setSuccess(rezultat){
         console.log(rezultat)
    function setSuccess(rezultat){
             console.log(rezultat)
   function setError(message){
            console.log(message)
   function proveraForme(){
           const nameV=name.value.trim()
            const emailV=email.value.trim()
            const phoneV=phone.value.trim()
            const messageV=message.value.trim()
             function validateNumber(phone)
                      function isEmailValid(emailV) {
    return /^(([^<>()\[\]\\.,;:\s@"]+(\.[^<>()\[\]\\.,;:\s@"]+(\.[0-9]+\\[0-9]+,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]\.[0-9][1,3]
                         emailv
             if(nameV === ""){
    setError("Ne moze prazno ime!")
                      setSuccess(nameV)
             if(emailv === ""){
    setError("Ne moze prazan email")
              else if(!isEmailValid(emailV)){
                      setError("Email is not valid!")
```

```
else if(!isEmailValid(emailV)){
      setError("Email is not valid!")
      setSuccess(emailv)
   if(!validateNumber(phoneV)){
      setError("Phone is not valid!")
  else{
      setSuccess(phoneV)
  if(messageV === ""){
      setError("Ne moze prazna poruka")
  else{
      setSuccess(messageV)
unction ispisSponzori() {
  var sponzori = [
           slika: {
              alt: 'sponzor1',
              src: 'assets/img/logos/slika1.jpg'
          slika: {
              alt: 'sponzor2',
              src: 'assets/img/logos/slika2.jpg'
```

```
rss: {
                      href:
                 sitemap: {
                      class: "fas fa-sitemap",
href: "https://www.facebook.com/janaczbg/"
                 github: {
                     nuo: {
    class: "fab fa-github",
    href: "https://www.instagram.com/andrijana_vasic7/"
           dokument:{
   href:"file:///C:/Users/Andrijana%20Vasic/OneDrive/Documents/Dokumentacija.pdf",
     var ispis = "";
for (var fu of footer) {
           ispis +=
           //time
function timer (){
     minute = second * 60,
      let countDown = new Date(time).getTime(),
     x = setInterval(function () {
           let now = new Date().getTime(),
                distance = countDown - now;
               document.getElementById('days').innerText = Math.floor(distance / (day)) + ' days',
document.getElementById('hours').innerText = Math.floor((distance % (day)) / (hour)) + ' hours',
document.getElementById('minutes').innerText = Math.floor((distance % (hour)) / (minute)) + ' minutes',
document.getElementById('seconds').innerText = Math.floor((distance % (minute)) / second) + ' seconds';
           if (distance <= 0) {
               document.getElementById('days').innerText = ('0 days');
document.getElementById('hours').innerText = ('0 hours');
document.getElementById('minutes').innerText = ('0 minutes');
document.getElementById('seconds').innerText = ('0 seconds');
                document.getElementById("divTimerExpired").style.display = "block";
```

```
document.getElementById("futer").innerHTML = ispis;

//ispis funkcija0

ispisMenija();
ispisSlika();
ispisPonude();
ispisAutor();
timer();
ispisSponzori();
ispisFuter();
```

4. JQuery toggle

```
// JQuery kod za toggle opisa
document.getElementById("proba").addEventListener("click", function (e) {
    e.preventDefault();
    // alert("cao!");
    let klasa = $("#toggle");
    klasa.toggle(function() {
        $(this).animate( {'display':'block'}, 2000, 'linear')
        }, function() {
        $(this).animate( {'display':'none'}, 2000, 'linear');
        });
    });
}
```