



**PT. PANCASAKTI PUTRA KENCANA**  
IMPORTIR AND STOCKIST OF INDUSTRIAL AND FOOD CHEMICALS

F/QCL/002 Rev.02

**CERTIFICATE OF ANALYSIS**

Product Name : Xylene  
Batch No. : 48-20240911  
Formula :  $C_8H_{10}$   
Cas No : 1330-20-7  
Date Of Analysis : September, 11 2024  
Expiry Date : September, 11 2025

NO.	ITEM TEST	UNITS	METHOD	SPECIFICATION	RESULT
1.	Appearance	–	Visual	Clear Colourless Liquid	Clear Colourless Liquid
2.	Colour	Hazen	ASTM D-1209	max 10	3
3.	Odour	–	Visual	Characteristic odor	Characteristic odor
4.	Wt. Per ml at 15 °C	g/cm <sup>3</sup>	ASTM D-891	0.865 – 0.875	0.8694
5.	Total Aromatics Purity	wt %	GC	min 95.0	97.28
6.	Water Content	wt %	By KF	Max 0.05	0.0029
7.	Distillation Range, deg, 0	–			
8.	IBP, deg.0	°C	ASTM D-1078	Min 135	136.1
9.	DP, deg.0	°C	ASTM D-1078	Max 155	139.1

Remark : This Certificate refers to the lested sample only and item test for IBP, DP,Acid wash color result based on COA maker

PT. Pancasakti Putra Kencana



Yuvraj Sagvekar  
Quality Control