

Assignment 5

anonymous

1 General information

2 Generalized linear model: Bioassay model with Metropolis algorithm

2.1 (a)

Write your answers/code here!

```
# Useful functions: runif, rnorm
# bioassaylp, dmnorm (from aaltobda)

data("bioassay")
# Start by implementing a function called `density_ratio` to
# compute the density ratio function,  $r$  in Eq. (11.1) in BDA3:
density_ratio <- function(alpha_propose, alpha_previous, beta_propose, beta_previous, x, y, n){
  # Do computation here, and return as below.
  # Below are the correct return values for two different calls of this function:

  # alpha_propose = 1.89, alpha_previous = 0.374,
  # beta_propose = 24.76, beta_previous = 20.04,
  # x = bioassay$x, y = bioassay$y, n = bioassay$n
  1.305179

  # alpha_propose = 0.374, alpha_previous = 1.89,
  # beta_propose = 20.04, beta_previous = 24.76,
  # x = bioassay$x, y = bioassay$y, n = bioassay$n
  0.7661784
}

# Then implement a function called `metropolis_bioassay()` which
# implements the Metropolis algorithm using the `density_ratio()`:
metropolis_bioassay <- function(alpha_initial, beta_initial, alpha_sigma, beta_sigma, no_draws, x, y,
  # Do computation here, and return as below.
  # Below are "wrong" values (unlikely to actually occur)
  # in the "correct" format (such that they work with the plotting functions further down).
  data.frame(
    alpha=c(alpha_initial, alpha_initial+alpha_sigma, alpha_initial-alpha_sigma),
    beta=c(beta_initial, beta_initial+beta_sigma, beta_initial-beta_sigma)
  )
)
```

```
}  
df = metropolis_bioassay(0, 0, 1, 1, 1000, bioassay$x, bioassay$y, bioassay$n)
```

2.2 (b)

Write your answers/code here!

Have a look at [bayesplot trace plot examples](#) and tune your plot if wanted/needed. Don't forget to include a title/caption/description.

The below example plot only includes a single chain, but your report should include a plot with multiple chains overlayed!

```
# Useful functions: mcmc_trace (from bayesplot)  
mcmc_trace(df, pars=c("alpha", "beta"))
```

2.3 (c)

Write your answers/code here!

```
# Useful functions: rhat_basic (from posterior)
```

2.4 (c)

Write your answers/code here!

Have a look at [bayesplot scatter plot examples](#) and tune your plot if wanted/needed. Don't forget to include a title/caption/description.

```
# Useful functions: mcmc_scatter (from bayesplot)  
mcmc_scatter(df, pars=c("alpha", "beta"))
```