

```

import { useEffect, useRef, useState } from "react"
import * as THREE from "three"

const VS = `
    varying vec2 vUv;
    varying vec3 vNormal;
    void main() {
        vUv = uv;
        vNormal = normalize(normalMatrix * normal);
        gl_Position = projectionMatrix * modelViewMatrix * vec4(position, 1.0);
    }
`;

const FS = `
    precision highp float;
    uniform float time;
    varying vec2 vUv;
    varying vec3 vNormal;
    #define PI 3.14159265359
    #define TAU 6.28318530718

    vec3 hsv(float h, float s, float v) {
        vec4 K = vec4(1.0, 2.0/3.0, 1.0/3.0, 3.0);
        vec3 p = abs(fract(h + K.xyz) * 6.0 - K.www);
        return v * mix(K.xxx, clamp(p - K.xxx, 0.0, 1.0), s);
    }

    float ring(vec2 p, vec2 c, float r) {
        return exp(-abs(length(p - c) - r) * 28.0);
    }

    void main() {
        vec2 p = (vUv * 2.0 - 1.0) * 3.2;
        float t = time * 0.14;
        float br = 0.96 + 0.04 * sin(t * 2.8);
        float r = 1.0 * br;

        vec3 col = vec3(0.0);
        float tot = 0.0;

        // center circle
        float g = ring(p, vec2(0.0), r);
        float h = fract(atan(p.y, p.x)/TAU + t*0.07);
        col += g * hsv(h, 0.9, 2.2); tot += g;
    }
`;

```

```

// 6 seed petals
for(int i=0;i<6;i++){
    float a = float(i)*PI/3.0;
    vec2 c = vec2(cos(a),sin(a))*r;
    float g2 = ring(p, c, r);
    float h2 = fract(atan(p.y-c.y,p.x-c.x)/TAU + t*0.07 + float(i)/6.0);
    col += g2 * hsv(h2, 0.88, 2.0); tot += g2;
}

// outer ring at 2r
for(int i=0;i<6;i++){
    float a = float(i)*PI/3.0;
    vec2 c = vec2(cos(a),sin(a))*r*2.0;
    float g2 = ring(p, c, r)*0.75;
    float h2 = fract(atan(p.y-c.y,p.x-c.x)/TAU + t*0.06 + float(i)/6.0+0.33);
    col += g2 * hsv(h2, 0.82, 1.6); tot += g2;
}

// hexagonal outer at sqrt3
for(int i=0;i<6;i++){
    float a = float(i)*PI/3.0 + PI/6.0;
    vec2 c = vec2(cos(a),sin(a))*r*1.732;
    float g2 = ring(p, c, r)*0.6;
    float h2 = fract(atan(p.y-c.y,p.x-c.x)/TAU + t*0.05 + float(i)/6.0+0.66);
    col += g2 * hsv(h2, 0.78, 1.3); tot += g2;
}

// bounding outer circle
float gb = ring(p, vec2(0.0), r*2.0)*0.85;
col += gb * hsv(fract(t*0.04), 0.7, 1.8); tot += gb;

// second bounding
float gb2 = ring(p, vec2(0.0), r*3.0)*0.35;
col += gb2 * hsv(fract(t*0.035+0.5), 0.6, 1.2); tot += gb2;

// fresnel rim glow
float fr = pow(1.0 - abs(dot(vNormal, vec3(0,0,1))), 2.5);
col += fr * hsv(fract(t*0.06+0.2), 0.6, 0.9);

col = col / (col + 0.6);
col = pow(col, vec3(0.75));

float alpha = clamp(tot*1.6 + fr*0.5, 0.0, 1.0);
gl_FragColor = vec4(col, alpha);
}

```

```

const GLOW_VS = `
    varying vec3 vNormal;
    void main(){
        vNormal = normalize(normalMatrix * normal);
        gl_Position = projectionMatrix * modelViewMatrix * vec4(position,1.0);
    }
`;

const GLOW_FS = `
    precision mediump float;
    uniform float time;
    varying vec3 vNormal;
    vec3 hsv(float h,float s,float v){
        vec4 K=vec4(1.0,2.0/3.0,1.0/3.0,3.0);
        vec3 p=abs(fract(h+K.xyz)*6.0-K.www);
        return v*mix(K.xxx,clamp(p-K.xxx,0.0,1.0),s);
    }
    void main(){
        float fr = pow(1.0-abs(dot(vNormal,vec3(0,0,1))),3.5);
        vec3 col = hsv(fract(time*0.05), 0.8, 1.0);
        gl_FragColor = vec4(col*fr, fr*0.55);
    }
`;

function FlowerSphere() {
    const ref = useRef(null)
    useEffect(() => {
        if (!ref.current) return
        const el = ref.current
        const W = el.clientWidth, H = el.clientHeight
        const renderer = new THREE.WebGLRenderer({ antialias: true, alpha: true })
        renderer.setPixelRatio(Math.min(window.devicePixelRatio, 2))
        renderer.setSize(W, H)
        el.appendChild(renderer.domElement)

        const scene = new THREE.Scene()
        const cam = new THREE.PerspectiveCamera(42, W/H, 0.1, 100)
        cam.position.z = 3.2

        const uni = { time: { value: 0 } }

        const sphere = new THREE.Mesh(
            new THREE.SphereGeometry(1, 128, 128),
            new THREE.ShaderMaterial({ uniforms: uni, vertexShader: VS, fragmentShader:
            )
        )
        scene.add(sphere)
    }, [ref])
}

```

```

const glowMesh = new THREE.Mesh(
  new THREE.SphereGeometry(1.18, 32, 32),
  new THREE.ShaderMaterial({ uniforms: uni, vertexShader: GLOW_VS, fragmentSh
})
scene.add(glowMesh)

let id
const clock = new THREE.Clock()
const tick = () => {
  id = requestAnimationFrame(tick)
  const e = clock.getElapsedTime()
  uni.time.value = e
  sphere.rotation.y = e * 0.2
  sphere.rotation.x = Math.sin(e * 0.13) * 0.18
  glowMesh.rotation.copy(sphere.rotation)
  renderer.render(scene, cam)
}
tick()

const onResize = () => {
  const nw = el.clientWidth, nh = el.clientHeight
  cam.aspect = nw/nh; cam.updateProjectionMatrix()
  renderer.setSize(nw, nh)
}
window.addEventListener("resize", onResize)
return () => {
  cancelAnimationFrame(id)
  window.removeEventListener("resize", onResize)
  el.removeChild(renderer.domElement)
  renderer.dispose()
}
}, [])
return <div ref={ref} style={{ position:"absolute", inset:0 }} />
}

const protocols = [
  { sym:"☉", name:"Дыхание Стрельниковой", time:"5 мин", desc:"Активирует лёгкие"},
  { sym:"○", name:"Йога Сиддхов", time:"8 мин", desc:"Гималайская традиция" },
  { sym:"◆", name:"Акупрессура", time:"3 мин", desc:"Китайские энергетические точ"},
  { sym:"●", name:"Брюшной вакуум", time:"3 мин", desc:"Тонус внутренних органов"},
  { sym:"✦", name:"Гуаша лифтинг", time:"4 мин", desc:"Омоложение и дренаж лица"},
  { sym:"◉", name:"Медитация Ошо", time:"5 мин", desc:"Динамическое освобождение"},
  { sym:"☼", name:"Лимфоактивация", time:"3 мин", desc:"Циркуляция и детокс" },
  { sym:"◆", name:"Упражнения для глаз", time:"2 мин", desc:"Острота и снятие нап"},
  { sym:"✧", name:"Хэндстэнд", time:"3 мин", desc:"Баланс и сила духа" },
]

```

```
const tiers = [
  { name:"Base", price:"$97", period:"единоразово", accent:"#7a7060",
    items:["9-блочный утренний протокол","Видео-инструкции","PDF-гайд","Поддержка
  { name:"Forever", price:"$297", period:"3 месяца", accent:"#c9a96e", hot:true,
    items:["Всё из Base","IM8 витамины","Еженедельные звонки","Персональный план
  { name:"Immortal", price:"$1 200", period:"год", accent:"#e8e0d0",
    items:["Всё из Forever","VIP-иммерсив на Бали","Индивидуальные добавки","Безл
]
```

```
export default function App() {
  const [billedY, setBilledY] = useState(false)
  return (
    <div style={{ background:"#07060a", color:"#e8e0d0", fontFamily:"'DM Sans',sa
      <style>{`
        @import url('https://fonts.googleapis.com/css2?family=Cormorant+Garamond:
        *{box-sizing:border-box;margin:0;padding:0}
        ::-webkit-scrollbar{width:2px}
        ::-webkit-scrollbar-thumb{background:#2a2018}
        .card{transition:transform .25s ease,box-shadow .25s ease}
        .card:hover{transform:translateY(-5px)}
        .proto:hover{background:rgba(201,169,110,.05)!important;border-color:rgba
        .btn{transition:opacity .2s,transform .18s}
        .btn:hover{opacity:.82;transform:scale(1.025)}
        @keyframes fadeUp{from{opacity:0;transform:translateY(22px)}to{opacity:1;
        .fade{animation:fadeUp .9s ease both}
        .fade1{animation-delay:.15s}.fade2{animation-delay:.32s}.fade3{animation-
      `}</style>

      {/* — HERO — */}
      <section style={{ position:"relative", height:"100vh", display:"flex", flex
        <FlowerSphere />

      {/* radial haze */}
      <div style={{ position:"absolute",inset:0, background:"radial-gradient(el
      <div style={{ position:"absolute",inset:0, background:"radial-gradient(el

      <div style={{ position:"relative", zIndex:5, textAlign:"center", padding:
        <div className="fade" style={{ fontSize:10, letterSpacing:"0.35em", tex
          Андроник · Bali · Wellness Protocol
        </div>
        <h1 className="fade fade1" style={{ fontFamily:"'Cormorant Garamond',se
          Протокол<br/>
          <em style={{ fontStyle:"italic", color:"#c9a96e" }}>Forever Young</em
        </h1>
        <p className="fade fade2" style={{ fontSize:14, color:"#5a5040", lineHe
          30 минут утром — и тело начинает молодеть.<br/>
          Йога · Дыхание · Акупрессура · Медитация · Хэндстэнд
```

```

</p>
<div className="fade fade3" style={{ display:"flex", gap:12, justifyCon
  <button className="btn" style={{ background:"#c9a96e", border:"none",
    Начать протокол
  </button>
  <button className="btn" style={{ background:"transparent", border:"1px
    Узнать больше
  </button>
</div>
</div>

<div style={{ position:"absolute", bottom:28, left:"50%", transform:"tran
  <span style={{ animation:"fadeUp 1.2s ease 1.2s both", display:"block"
</div>
</section>

{/* — MANIFESTO — */}
<section style={{ padding:"90px 24px", textAlign:"center", borderTop:"1px s
  <p style={{ fontFamily:"'Cormorant Garamond',serif", fontSize:"clamp(22px
    «Тело помнит всё. Дай ему правильный ритуал —<br/>и оно начнёт молодеть
  </p>
  <div style={{ fontSize:10, color:"#3a3020", letterSpacing:".25em", margin
</section>

{/* — PROTOCOL — */}
<section style={{ padding:"100px 24px", maxWidth:860, margin:"0 auto" }}>
  <div style={{ textAlign:"center", marginBottom:56 }}>
    <div style={{ fontSize:9, letterSpacing:".35em", textTransform:"upperca
    <h2 style={{ fontFamily:"'Cormorant Garamond',serif", fontSize:"clamp(3
      9 блоков · 30-35 минут
    </h2>
  </div>
  <div style={{ display:"grid", gridTemplateColumns:"repeat(auto-fill,minma
    {protocols.map((p,i) => (
      <div key={i} className="proto" style={{ background:"rgba(255,255,255,
        <span style={{ color:"#c9a96e", fontSize:17, flexShrink:0, marginTo
        <div>
          <div style={{ fontSize:12.5, fontWeight:400, color:"#d8d0c0", mar
            <div style={{ fontSize:10, color:"#5a5040", letterSpacing:".04em"
              <div style={{ fontSize:11, color:"#4a4030", lineHeight:1.5 }}>{p.
            </div>
          </div>
        </div>
      )})
    </div>
  </section>

{/* — STATS — */}

```

```

<section style={{ padding:"60px 24px 80px", borderTop:"1px solid rgba(255,2
  <div style={{ maxWidth:700, margin:"0 auto", display:"grid", gridTemplate
    {[["300+","дней хэндстэнд стрик"],["9","практик в одном ритуале"],["Бал
      <div key={i}>
        <div style={{ fontFamily:"'Cormorant Garamond',serif", fontSize:"cl
          <div style={{ fontSize:11, color:"#5a5040", marginTop:8, lineHeight
            </div>
          </div>
        </div>
      </div>
    </div>
  </section>

```

```

{/* — PRICING — */}

```

```

<section style={{ padding:"100px 24px", maxWidth:920, margin:"0 auto" }}>
  <div style={{ textAlign:"center", marginBottom:56 }}>
    <div style={{ fontSize:9, letterSpacing:".35em", textTransform:"upperca
    <h2 style={{ fontFamily:"'Cormorant Garamond',serif", fontSize:"clamp(3
      Выбери свой уровень
    </h2>
    <div style={{ display:"inline-flex", background:"rgba(255,255,255,.04)"
      {[["Разово / Курс","Подписка"].map((l,i) => (
        <button key={i} onClick={()=>setBilledY(i===1)} className="btn" sty
          {l}
        </button>
      </div>
    </div>
  </div>

```

```

<div style={{ display:"grid", gridTemplateColumns:"repeat(auto-fill,minma
  {tiers.map((t,i) => (
    <div key={i} className="card" style={{ background: t.hot ? "rgba(201,
      {t.hot && <div style={{ position:"absolute", top:-12, left:"50%", t
        <div style={{ fontSize:9, letterSpacing:".25em", textTransform:"upp
        <div style={{ fontFamily:"'Cormorant Garamond',serif", fontSize:50,
        <div style={{ fontSize:11, color:"#3a3020", marginBottom:26, margin
        <div style={{ display:"flex", flexDirection:"column", gap:9, margin
          {t.items.map((f,j) => (
            <div key={j} style={{ display:"flex", gap:9, alignItems:"flex-s
              <span style={{ color:t.accent, fontSize:11, flexShrink:0, mar
                <span style={{ fontSize:12.5, color:"#8a8070", lineHeight:1.4
              </div>
            </div>
          </div>
        <button className="btn" style={{ width:"100%", background: t.hot ?
          Выбрать программу
        </button>
      </div>
    </div>
  </div>

```

```
        </div>
    </section>

    { /* — FOOTER — */ }
    <footer style={{ textAlign:"center", padding:"40px 24px 48px", borderTop:"1
        Andronik · Гейвах Андроник Николаевич · Bali · Протокол Forever Young · 2
    </footer>
    </div>
    )
}
```