



Universidad de Oviedo

Escuela Ingeniería Informática

**TRABAJO DE FIN DE GRADO
GRADO EN INGENIERÍA INFORMÁTICA
DEL SOFTWARE**

Evaluación de la influencia de colores en interfaces en
modo oscuro mediante eye-tracking

Author: Andrés Cadenas Blanco

Tutors: Sara Vecino García
Dr. Daniel Fernandez Lanvin

Gijón, March 31, 2026

Chapter 1

Acknowledgments

hola hola hola

Chapter 2

Abstract

bla bla Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec eleifend mauris erat, sit amet tristique ex lobortis vel. Etiam dapibus tempor nunc, et volutpat libero porta et. Aenean odio dolor, luctus at tincidunt sit amet, egestas sed orci. Praesent nec bibendum arcu, id vulputate velit. Phasellus vel posuere risus. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Morbi hendrerit, lectus at lobortis tincidunt, leo nisl convallis lorem, et elementum mi diam rutrum lacus. Phasellus sagittis mauris ac dignissim pretium. Curabitur eu nulla felis. Proin ut iaculis urna. Vivamus sed pellentesque magna. Duis pharetra, lorem eget aliquet ornare, quam dolor lobortis quam, a hendrerit dui eros vitae metus. Interdum et malesuada fames ac ante ipsum primis in faucibus. Pellentesque fermentum leo mi, quis pellentesque magna convallis et.

Vestibulum condimentum tincidunt mauris nec tristique. Donec elementum, turpis id mattis cursus, elit ligula elementum ante, et congue ligula sapien eu neque. Pellentesque feugiat mauris nec consectetur tincidunt. Nunc at quam sit amet elit rhoncus mollis ut euismod velit. Morbi ornare, odio nec faucibus consectetur, quam orci luctus velit, eget pretium ex tellus in quam. Suspendisse eget urna elit. Donec porta sit amet orci posuere varius.

Suspendisse sit amet dui ultricies, tincidunt quam id, faucibus purus. Vestibulum sodales dui in est finibus consequat. Aliquam eget viverra diam. Quisque ac viverra lorem. Donec gravida nulla vel neque aliquam sollicitudin. Ut finibus egestas rhoncus. Aliquam dapibus augue nec risus aliquam, eu euismod nibh pharetra. Mauris ultricies velit diam. Vivamus sed lacus felis.

Contents

1	Acknowledgments	1
2	Abstract	2
3	Introduction	9
3.1	Context	9
3.2	Motivation	9
3.3	Purpose of the thesis	10
3.4	Document Structure	10
4	State of the Art	11
4.1	Previous Studies	11
4.1.1	The impact of web page text-background colour combinations on readability, retention, aesthetics and behavioural intention[5]	12
4.1.2	Study on the effects of display color mode and luminance contrast on visual fatigue. [23]	13
4.1.3	Web Design Attributes in Building User Trust, Satisfaction, and Loyalty for a High Uncertainty Avoidance Culture.[3]	15
4.1.4	The Effect of Display Polarity on Reading Speed and Reading Error Among Young Adults.[10]	17
4.1.5	Eye Tracking in Human-Computer Interaction and Usability Research: Current Status and Future Prospects [13]	18
4.2	Research Gap	20
5	Hypothesis	21
5.1	General Objective	21
5.2	Specific Objectives	21
5.3	Hypothesis	21
6	Methodology	22
6.1	Experiment Design	22
6.2	Population of Study	22
6.3	Tools	23
6.3.1	Tobii Pro Nano	23
6.3.2	Tobii Pro Lab	24

6.3.3	Google Forms	25
6.3.4	Python 3	25
6.3.5	Dark Reader	26
6.3.6	Python Web Interaction Behaviour (Pywib)	26
7	Experiment Execution	28
7.1	Environmental Conditions	28
7.2	Experiment Phases	28
7.2.1	Eye-tracker Calibration	28
7.2.2	User Instructions	29
7.2.3	Reading Task	29
7.2.4	Final Questionnaire	30
8	Data Analysis	35
8.1	Data Preprocessing	35
8.1.1	Tobii Data	35
8.1.2	Google Forms Data	36
8.2	Chosen Metrics	38
8.2.1	Fixations	38
8.2.2	Saccades	39
8.3	Statistical Analysis	39
9	Results	41
9.1	Eye-tracker Data	41
9.1.1	Total Duration of Whole Fixations	41
9.1.2	Total Number of Fixations	42
9.1.3	Duration of First Fixation	44
9.1.4	Average Duration of Fixations	45
9.1.5	Average Peak Velocity	47
9.1.6	Average Saccade Amplitude	48
9.1.7	Amplitude of First Saccade	50
9.1.8	Number of Saccades	51
9.2	Questionnaire Results	52
10	Discussion	53
11	Conclusion and Future Work	54
11.1	Lessons Learned Report	54

A	Project Management	57
A.1	Initial Planning	57
A.2	Risk Identification and Management	57
A.2.1	Risk Details	57
A.2.2	Risk Strategy	61
A.3	Budget and Resource Allocation	61
A.4	Project Monitoring and Incidence Log	61
B	Experimentee Consent Form	62

List of Figures

4.1	Experimental Illustrations.	13
4.2	Photo of participant during the experiment	14
4.3	E-ticket bus website prototype used in the experiment.	16
4.4	The comparison of reading speed between positive and negative display polarities.	18
4.5	Corneal reflection and bright pupil as seen in the infrared camera such as Tobii Pro Nano [20].	19
6.1	Tobii Pro Nano Device[20]	24
6.2	Tobii Pro Lab Software[19]	24
6.3	Google Forms Example	25
6.4	Dark Reader Extension[1]	27
7.1	Wikipedia page about potatoes in positive display polarity[22]	29
7.2	Wikipedia page about potatoes in negative display polarity[22]	30
7.3	Amazon product page in positive display polarity[7]	30
7.4	Amazon product page in negative display polarity[7]	31
9.1	Total Duration of Fixations for each Display Polarity and TOI.	42
9.2	Total Number of Fixations for each Display Polarity and TOI.	43
9.3	Duration of First Fixation for each Display Polarity and TOI.	45
9.4	Average Duration of Fixations for each Display Polarity and TOI.	46
9.5	Average Saccade Peak Velocity for each Display Polarity and TOI.	48
9.6	Average Saccade Amplitude for each Display Polarity and TOI.	49
9.7	Amplitude of First Saccade for each Display Polarity and TOI.	50
9.8	Number of Saccades for each Display Polarity and TOI.	52

List of Tables

4.1	Summary of the article by Hall and Hanna	12
4.2	Summary of the article by Xie <i>et al.</i>	13
4.3	Summary of the article by Faisal <i>et al.</i>	15
4.4	Summary of the article by Muhamad and Mokhtar	17
4.5	Summary of the article by Poole and Ball	18
6.1	Distribution of participants by gender, polarity, and age.	23
8.1	Fixation Metrics and their corresponding variables in the .tsv file	38
8.2	Saccade Metrics and their corresponding variables in the .tsv file	39
9.1	Results of Total Duration of Whole Fixations	41
9.2	Statistics of Total Duration of Whole Fixations	42
9.3	Results of Total Number of Fixations	43
9.4	Statistics of Total Number of Fixations	44
9.5	Results of Duration of First Fixation	44
9.6	Statistics of Duration of First Fixation	45
9.7	Results of Average Duration of Fixations	46
9.8	Statistics of Average Duration of Fixations	47
9.9	Results of Average Peak Velocity	47
9.10	Statistics of Average Peak Velocity	48
9.11	Results of Average Saccade Amplitude	49
9.12	Statistics of Average Saccade Amplitude	49
9.13	Results of Amplitude of First Saccade	50
9.14	Statistics of Amplitude of First Saccade	51
9.15	Results of Number of Saccades	51
9.16	Statistics of Number of Saccades	52
A.1	Risks List	57
A.2	Few experimental samples impact.	58
A.3	Statistical analysis imprecision impact.	58
A.4	Loss of partial work impact.	58
A.5	Justified leave of worker impact.	59
A.6	Lack of teamwork impact.	59
A.7	Tobii measurements drifts impact.	59
A.8	Privacy violations impact.	60
A.9	Timeline delay impact.	60
A.10	Publisher rejection impact.	60

A.11 Risk strategy and action plan. 61

Chapter 3

Introduction

3.1 Context

Computer scientists have always been seen as “hackers” that work with Command Line Interfaces (CLI). This belief comes from a long-gone era where Graphical User Interfaces (GUI) wouldn’t exist. In reality, Command Line Interfaces and Graphical User Interfaces live together in peace in the different sectors of informatics. However, lately the Graphical User Interfaces are experiencing, perhaps what can be called a ‘golden era’. The evolution from the first Graphical User Interface computer, the Xerox Alto in 1973[21], to Web GUIs applications still share the same core. However, they have quickly evolved in the past years thanks to eased access to the Internet and computers. Nowadays, big companies dictate the cutting edge of technology regarding GUIs. A trend that has become obvious is the rise of Dark mode, dividing the whole user community of many applications.

3.2 Motivation

Year after year we have seen how the whole world has changed at a really high pace. Two of the fastest changing areas are Graphical User Interfaces and User Experience (UX). A long time has passed since the times when developers would consider the front end a secondary part of development.

Nowadays a new problem has become viral, not only inside the informatics world but throughout the whole spectrum of internet users: is dark mode better (from now on negative polarity) or bright mode (from now on positive polarity)? This has led many companies to embrace dark mode as its corporate colors, for example the social network X (former Twitter) shifted to negative polarity as its default mode.

There have been many studies regarding usability between both options. However, no one has actually studied the effects of the positive and negative display polarity in longer texts. That has risen the following questions:

- Does the user get more fatigued while reading in negative polarity?
- Will they read faster or slower?

- Will the user struggle to find more information?
- E-commerce websites are mainly programmed in positive polarity. Is the negative polarity really a disadvantage for the user experience while reading and analyzing a product?

All these questions will be analyzed and given the best answer possible in this thesis. A conclusion regarding long texts and display polarities will be studied and explained here.

3.3 Purpose of the thesis

The purpose of the thesis is to investigate the visual fatigue and readability of both display polarities in terms of reading long texts in web-based products. This will be achieved by using a tobii eye-tracker. This tool can give real time data of the eye, giving us objective and solid information.

Visual fatigue can be defined as a moment in which the eyes have a huge workload, and the user can perceive a sensation of discomfort. Visual fatigue can happen after a long period of time in front of a screen, but it also happens every time someone reads a text on a smaller scale. It is usually studied with questionnaires leading to subjectiveness in the analysis. However, in recent times, tools such as eye-trackers have proven a new way to study it. Symptoms of visual fatigue can be calculated as the time the user takes to read a whole paragraph and how many times the person takes to stop at each word.

3.4 Document Structure

The structure of the document has been briefly inspired by Jose Manuel Redondo's spreadsheet of final thesis for development thesis [6]. However, in order to adapt it to an investigation thesis the spreadsheet has been adapted and now doesn't follow non specific standard. This new "version" is mostly inspired by the scientific method by expanding the common topics on a scientific paper, while at the same time being mixed with the most common sections of a usual informatics thesis.

Chapter 4

State of the Art

The state of the art is the information relevant to the study that will be done. In this way, we can close the scope of what this new investigation will prove and find studies that can help us close that new research gap. As a small reminder, display polarity is the mode that will be shown on the screen, positive polarity being dark characters in bright background and negative polarity the other way around.

4.1 Previous Studies

The previous studies section, as explained above, consists of doing research in order to slowly close the research gap. This process was done by following a “baking” process, where an initial research was done on the subject in several Databases such as IEEExplore[2] or Scopus[15], refining the keywords every time to find related articles. The best keywords appeared to be:

- Display polarity
- Visual fatigue
- Reading

After reading and analyzing the first bake, a second bake of refinement and vertical expansion (analyzing cites and references of such scientific papers) was done. After erasing the unrelated articles and the ones out of scope, the following key articles were found:

4.1.1 The impact of web page text-background colour combinations on readability, retention, aesthetics and behavioural intention[5]

Table 4.1: Summary of the article by Hall and Hanna

Authors	Hall, Richard H Hanna, Patrick
Year	2004
Source	Behaviour and Information Technology
DOI	10.1080/01449290410001669932

Reason for choice

The motivation to use this paper as a reference is because of the Likert scale questionnaire that is used, giving questions that can perfectly fit with the desired study. In addition, they hand out more questions that could be applied to further explain other non-studied parts of my thesis.

Abstract

The purpose of this experiment was to examine the effect of web page text/background colour combination on readability, retention, aesthetics, and behavioural intention. One hundred and thirty-six participants studied two Web pages, one with educational content and one with commercial content, in one of four colour-combination conditions. Major findings were: (a) Colours with greater contrast ratio generally lead to greater readability; (b) colour combination did not significantly affect retention; (c) preferred colours (i.e., blues and chromatic colours) led to higher ratings of aesthetic quality and intention to purchase; and (d) ratings of aesthetic quality were significantly related to intention to purchase.

4.1.2 Study on the effects of display color mode and luminance contrast on visual fatigue. [23]

Table 4.2: Summary of the article by Xie *et al.*

Authors	Xie, Xiaojiao Song, Fanghao Liu, Yan Wang, Shurui Yu, Dong
Year	2021
Source	IEE Access
DOI	10.1109/ACCESS.2021.3061770

Reason for choice

This study is one of the closest to what the purpose of this thesis is related to. However, there are some differences. For example, the aim is different, and they are not focused on usability. Nevertheless, this paper has provided good information to reach the desired experiment for investigating the usability and visual fatigue. In the following illustration we can see the luminance contrast: (a) 0.969, (b) 0.935, (c) 0.855, (d) 0.868, (e) 0.725, (f) 0.469



Figure 4.1: Experimental Illustrations.

Abstract

Using electronic devices at night can easily cause visual fatigue. We investigated the conjoint effects of color mode and luminance contrast on visual fatigue and subjective preference when using electronic devices under low screen luminance and low ambient illumination at night. A multidimensional approach based on eye and subjective measures was used to test 2 color modes (dark mode, light mode) and 6 luminance contrast ratios (0.969, 0.935, 0.868, 0.855, 0.725, 0.469) in a 2×6 experimental design. We used eye movement tracking technology to collect blink rate and pupil diameters, and used the Likert scale to measure subjective visual fatigue scale and preference.

Results showed that reading in the dark mode reduced visual fatigue, as reflected by an increase in blink rate and pupil accommodation. Lower subjective visual fatigue scale and higher preference were found in the light mode due to subjects' using habits of dark texts on a light background. There was a significant negative correlation between (text-background) luminance contrast and visual fatigue, and subjects preferred higher luminance contrast. We observed the lowest visual fatigue under the luminance contrast of 0.969 in the dark mode, and the lowest subjective preference when the luminance contrast was lower than 0.725. We suggest the users should choose the dark mode to reduce visual fatigue when using electronic devices at night. These findings also provide a reference for the design of interactive interfaces such as tablets and mobile phones, and have practical implications for reducing visual fatigue.




Figure 4.2: Photo of participant during the experiment

4.1.3 Web Design Attributes in Building User Trust, Satisfaction, and Loyalty for a High Uncertainty Avoidance Culture.[3]

Table 4.3: Summary of the article by Faisal *et al.*

Authors	Faisal, C M Gonzalez-Rodríguez, Martin Fernandez-Lanvinv, Daniel De Andres-Suarez, Javier
Year	2016
Source	IEEE Access
DOI	10.1109/THMS.2016.2620901

Reason for choice

In order to extract usability subjective data, it is necessary to use a Likert questionnaire. The display polarity questions are already selected. However, there are a few general preference questions that need to be asked. It is better to obtain well studied questions rather than using self-created ones.

Abstract

In this study, we attempt to evaluate the user preferences for web design attributes (i.e., typography, color, content quality, interactivity, and navigation) to determine the trust, satisfaction, and loyalty for uncertainty avoidance cultures. Content quality and navigation have been observed as strong factors in building user trust with e-commerce websites. In contrast, interactivity, color, and typography have been observed as strong determinants of user satisfaction. The most relevant and interesting finding is related to typography, which has been rarely discussed in e-commerce literature. A questionnaire was designed to collect data to corroborate the proposed model and hypotheses. Furthermore, the partial least-squares method was adopted to analyze the collected data from the students who participated in the test ($n = 558$). Finally, the results of this study provide strong support to the proposed model and hypotheses. Therefore, all the web design attributes were observed as important design features to develop user trust and satisfaction for uncertainty avoidance cultures. Although both factors seem to be relevant, the relationship between trust and loyalty was observed to be stronger than between satisfaction and

loyalty; thus, trust seems to be a stronger determinant of loyalty for risk/high uncertainty avoidance cultures.




Figure 4.3: E-ticket bus website prototype used in the experiment.

4.1.4 **The Effect of Display Polarity on Reading Speed
and Reading Error Among Young Adults.[10]**

Table 4.4: Summary of the article by Muhamad and Mokhtar

Authors	Muhamad, Nurulain Mokhtar, Nurliyana
Year	2024
Source	Journal of Health Science and Medical Research
DOI	10.31584/jhsmr.20241095

Reason for choice

The reason for choosing this article is the fact that, even though the study is quite similar, they are not using an eye tracker but instead measuring times by hand, hence giving a general measurement with a lot of imprecisions. However, the methodology (without considering the tools for measuring) is an acceptable one, and some of it is considered while processing the data.

Abstract

Objective: The widespread adoption of digital devices has surged, particularly since the coronavirus disease 2019 (COVID-19) pandemic. Nearly everyone now owns devices like laptops, tablets, or smartphones, offering options for light mode (positive polarity) and dark mode (negative polarity) to suit individual preferences. This study examines how display polarity affects reading performance among young adults. Material and Methods: Thirty participants engaged in a 15-minute reading task on a laptop with randomly assigned display polarities, followed by a 15-minute break before repeating the task. Results: Reading speed, measured in words per minute (wpm), differed significantly between polarities, with negative polarity yielding higher speeds (136.27 ± 25.58 wpm) compared to positive polarity (128.42 ± 19.98 wpm), $Z = -2.355$, $p\text{-value} < 0.05$. However, no significant polarity-related differences were found in reading errors, including mispronunciation ($p\text{-value} = 0.193$) or omission ($p\text{-value} = 0.113$). Conclusion: Negative polarity displays enhanced reading performance by increasing reading speed; while reading errors remained unaffected.




Figure 4.4: The comparison of reading speed between positive and negative display polarities.

4.1.5 Eye Tracking in Human-Computer Interaction and Usability Research: Current Status and Future Prospects [13]

Table 4.5: Summary of the article by Poole and Ball

Authors	Poole, Alex Ball, Linden J.
Year	2006
Source	Encyclopedia of Human Computer Interaction
DOI	10.4018/978-1-59140-562-7.ch034

Reason for choice

This article is a key reference for eye-tracking as it displays all the important information regarding the technology such as the significance of the different eye-tracking metrics like fixations, saccades, etc. It also explains how eye-trackers work. This information is the core of this study as the statistical analysis will be based on these metrics explained here.

Abstract

Eye-movement tracking is a method that is increasingly being employed to study usability issues in HCI contexts. The objectives of the present chapter are threefold. First, we introduce the reader to the basics of eye-movement technology, and also present key aspects of practical guidance to those who might be interested in using eye tracking in HCI research, whether in usability-evaluation studies, or for capturing people's eye movements as an input mechanism to drive system interaction. Second, we examine various ways in which eye movements can be systematically measured to examine interface usability. We illustrate the advantages of a range of different eye-movement metrics with reference to state-of-the-art usability research. Third, we discuss the various opportunities for eye-movement studies in future HCI research, and detail some of the challenges that need to be overcome to enable effective application of the technique in studying the complexities of advanced interactive-system use.




Figure 4.5: Corneal reflection and bright pupil as seen in the infrared camera such as Tobii Pro Nano [20].

4.2 Research Gap

There aren't many investigations regarding display polarity. However, the few existing ones are inconsistent. Manual measuring methods, such as taking time with a chrono, are usual procedures. Many times, the total populations could reach less than 20 people in total. Therefore, the research gap remains broad. In the case of this thesis, the investigation will be conducted for web-based wikis and product descriptions, as this can help to study the long text. It is also important to note that the aim is to give consistent results that are backed up by statistical methods and precise tools such as the Tobii eye-tracker.

Chapter 5

Hypothesis

5.1 General Objective

5.2 Specific Objectives

5.3 Hypothesis

The hypotheses to be proven in this thesis are:

- H1) Users using negative polarity are less fatigued than the positive polarity users
- H2) Users using negative polarity read quicker than positive polarity
- H3) Users prefer negative polarity over positive polarity

Chapter 6

Methodology

6.1 Experiment Design

The experiment proposal is tightly attached to the idea of using an eye-tracking system, not only because it is an innovation that gives us more precision within the measurements but it also uniqueness surrounding the state of the art as really few experiments have used this device. To be more exact we will be using the eye tracking model Tobii Pro Nano[20]. The experiment is briefly described in this section, but it will be further explained in the chapter 7.

The user will be prompted with a text message showing the instructions. This text comes along with a previous tobii calibration that will be further explained in the section 7.2.1 and 7.2.2 respectively.

After the instructions and calibration are completed, the second phase, the actual experiment can start. There are two possible paths, negative display polarity path or positive display polarity path. Both affect the instruction texts as long as the screenshots shown to the user. The wiki text was shown always the first being followed by the product description. The user has as much time as they want. However, it wasn't possible to return to previous pages.

Once the user finished reading the third phase would start, a questionnaire regarding preference will be shown, it also contains a small set of questions about the texts to ensure the user has been reading carefully.

In addition, the webpages chosen for the experiment are [wikipedia.org](https://www.wikipedia.org) and [amazon.es](https://www.amazon.es). These two webpages will be further explained in the 7.2.3 section.

6.2 Population of Study

In order to have a good experiment, not only is it important to have a consistent and well-prepared process but also have a focus population of study. The decision was to check for university students as this was the easiest and most accessible population given the situation. Therefore, the objective age was young people between 18 to 30 years old.

It is also worth mentioning that the objective was to find the usual user on the internet. For that an average user isn't a computer scientist as they can be specialized on web design or other similar fields. This point made us go to the faculty of Economics as it was a larger faculty and the students can be considered an "average" user.

The objective was to have 80 persons in total 20 women and 20 men divided evenly between the negative and positive display polarity. However, due to the lack of collaboration of the people and the tendency to decline collaboration in the experiment, this was later reduced to 34 in total.

To summarize, it can be concluded that the conditions and population of the study were:

Table 6.1: Distribution of participants by gender, polarity, and age.

Number of partic.	<i>Neg. Pol.</i>		<i>Pos. Pol.</i>		<i>TOTAL</i>		<i>Age</i>
	Obj.	Act.	Obj.	Act.	Obj.	Act.	
<i>Men</i>	20	7	20	7	40	14	[18,30]
<i>Women</i>	20	10	20	10	40	20	
<i>Total</i>	40	17	40	17	80	34	

6.3 Tools

In order to accomplish the success of the experiment there is a need of some tools. They will be further explained why they are important and what purpose do they serve. There is one hardware tool requirement and 3 software tools that are used to collect data and process it.

6.3.1 Tobii Pro Nano

The tobii pro nano it's an eye-tracker currently discontinued by the owners (Tobii)[20] that is still to its day a great tool to collect user data. It's worth mentioning that this tool is quite expensive and to use it the University of Oviedo has lent me one unit. Always with the surveillance of my tutors. The tobii pro nano is the lightest and most portable unit offered, however it has some limitations that won't be a problem in our case as the limitations are for precise operations.



Figure 6.1: Tobii Pro Nano Device[20]

Eye Tracker Technology Breakdown

The eye tracker works in an amazing way, the process is a combination of high-quality cameras. Using what's commonly called Pupil Center Corneal Reflection (PCCR). In the case of tobii pro nano it uses a patented variant of PCCR (US Patent US7,572,008).[18]

The PCCR is a mix between “illuminators” that is components that are almost infrared sensors that create such light on the eyes. Then different sets of cameras take pictures of the eye patterns and reflections. That is sent to algorithms that detect those patterns and reflections creating a detailed 3D model of the eye position and its gazes [18].

6.3.2 Tobii Pro Lab




Figure 6.2: Tobii Pro Lab Software[19]

The eye-tracking device connects to a software application called “Tobii Pro Lab”. This application aims to ease the use, collection and analysis of the gaze data. Curiously this is a negative display polarity program. It is needed to have a license in order to use it. However, a 30 day trial is provided which has been enough to extract the data, change or create the desired data, download it and process it. The data was gathered in the laptop




Figure 6.3: Google Forms Example

of my professor as they have the paid license. Some of the most interesting tools are the visualization of heat maps, recordings and the Areas of Interest, that will be further explained.

6.3.3 Google Forms

Google Forms is a free tool developed by Google that allows google users to create forms. This is a powerful tool as the answers can be stored in a Google Spreadsheet that can be exported as a .csv archive to be later processed. This tool is also pretty compatible with the tobii pro lab when creating the timelines that the user is going to be exposed due to the fact of the possibility of running.

6.3.4 Python 3

There're few programming languages that almost everyone on earth has heard of, this is the case. Python is a powerful programming language not because of its speed or performance but because of the libraries that are available. This python environment makes room to one of the biggest spaces for data processing. In my case, I'm not a specialized student on data processing, that's why a well-known and big space like this can be the perfect tool to approach a thesis.

Python external libraries

As mentioned beforehand, the prowess of python resides in its libraries. The libraries used for this thesis are:

- **Pandas**[12]: Pandas is a library centered around the idea of easing data manipulation and analysis by providing a generic data structure called DataFrame. It is almost an standard in the data ecosystem of python.

- **Matplotlib**[9]: Matplotlib strength resides in its flexibility to create any kind of graph. It is one of the most used libraries in Python.
- **NumPy**[11]: NumPy name comes from “Numerical Python” and it is a library that provides aid for the manipulation of arrays of data. It combines pretty well with Pandas as every column or row of a DataFrame can be transformed into a NumPy array easily.
- **SciPy**[14]: SciPy is a library created for scientific and technical computing. Providing a large amount of functions for many different fields. In the case of this study, the biggest use resided in the statistics algorithms like Mann-Whitney U test and the t-test.

6.3.5 Dark Reader

Given that the objective is to analyze the effects of display polarity on texts the decision was to choose a wiki page as it is a tool that until this day many users do. Moreover, an e-commerce is another safe bet. In order to make it the most average the decision was to use “wikiedia.org” and “amazon.es”. However, the e-commerce website didn’t allow negative polarity, so we had to use a firefox extension called Dark Reader which you can see in figure 6.4

6.3.6 Python Web Interaction Behaviour (Pywib)

Pywib[4] is a python library desgined for the analysis of user behaviour within webpages. This library is still in development by a colleague of mine called Guillermo Dylan Carvajal and despite of this tool is still in early stages, it is strong enough to be used in the analysis of this study.

TODO: Añadir más info sobre que funciones se han usado y para que sirven.




Figure 6.4: Dark Reader Extension[1]

Chapter 7

Experiment Execution

7.1 Environmental Conditions

The experiment was developed in the Faculty of Economics of the University of Oviedo, located in the city of Oviedo during the 23rd and 25th of April. The weather was cloudy with few intermittent rains, this led to a general dim light. In order to have proper lighting and stable conditions the room was illuminated with fluorescent lights giving a total of 7,2 Exposure Value (EV) on the first day and 7,3 EV the second day.

Regarding the placement of the experiment, we were in a Main Hall in the calmest possible place. Experiment subjects would sit in a chair with a small table holding the laptop and the eye-tracker. The average distance between the experiment subjects and the screen was 60 cm as suggested by the tobii pro lab.

7.2 Experiment Phases

The first and most 3 phase of the experiment consisted of a tobii calibration. As this is a key factor and it was desired to have a lot of precision during the experiment, that is why the 9-point calibration was chosen. Experiment subjects were asked to watch and follow a white dot on the screen after this was finished the calibration results were shown. In the case the results were favorable the experiment would continue or else the calibration would be repeated entirely or partially.

7.2.1 Eye-tracker Calibration

The second phase of the experiment already had two different versions. One consisted of the instructions displayed in negative polarity and the other one prompted the instructions in positive polarity. Results of this have been recorded but not taken into account inside the experiment as they are outside of the aim of web based texts.

7.2.2 User Instructions

TODO: Aladir capturas de pantalla de las instrucciones y explicar que se les decia a los usuarios

7.2.3 Reading Task

The reading task consisted of 2 texts. The first texts is based on Wikipedia newest negative and positive display polarity while the first text is based on Amazon web-page along with the plugin “Dark Reader” explained above in the document. The pages displayed were centered around daily objects with complex enough information so It wouldn’t be a technical hurdle while not being too simple to read.

Wikipedia article

The chosen Wikipedia page regards potatoes[22] as this is a common object with complex enough information so the subjects wouldn’t have any problem reading it but at the same time it doesn’t contain technical knowledge. The screenshots of the page in both polarities can be seen in the figures 7.1 and 7.2. The native negative polarity mode of Wikipedia was used in the test.



Figure 7.1: Wikipedia page about potatoes in positive display polarity[22]

Amazon product

The second webpage chosen was the e-commerce webpage of Amazon. This provides a broad variety of possibilities. The product was chosen arbitrarily ending up with a backpack[7] as it is a common object and the information provided was complex and wit long descriptions. The screenshots of the




Figure 7.2: Wikipedia page about potatoes in negative display polarity[22]

page in both polarities can be seen in the figures 7.3 and 7.4. Being 7.3 the positive display polarity and 7.4 the negative display using the Dark Reader extension[1] that was explained in 6 chapter.




Figure 7.3: Amazon product page in positive display polarity[7]

7.2.4 Final Questionnaire

The final phase of the experiment consisted of a questionnaire which had 5 different sections:

1. Identification information.
2. Personal data.
3. Wikibased questions.




Figure 7.4: Amazon product page in negative display polarity[7]

4. E-commerce based questions.
5. Preference and subjective questions.

Identification information

This section was a key part as it allowed for the linking of the results with the eye-tracking data. These two first questions were:

- **Subject number:** This number was provided to the subjects.
- **Experiment:** Experiment 1 or Experiment 2 depending on the display polarity. This was also provided to the subjects.

Personal Data

These questions were the only two personal data questions that were gathered during the experiment. The objective of them was to have control over the experiment population and to be able to check for differences between different groups. The questions were:

- **Gender:** Male, Female or Other.
- **Age:** In format dd-mm-yyyy.

Wiki-based questions

The objective of this section was to check the reading comprehension of the subjects regarding the article. The questions were:

1. What is the gender of the potato?

Solanum (Correct)

Tuberosa

Herbacea

2. Which French person expanded the gastronomic use of potatoes?

Paul Leduc

Antoine Parmentier (Correct)

Alan Pinaud

3. What was the original purpose of the potato?

Healing plant

Gastronomic use

Garden decoration (Correct)

4. In which lake was the potato first domesticated?

Titicaca (Correct)

Maracaibo

Cocibolca

E-commerce based questions

The e-commerce reading questions aimed to be similar to the wiki-based ones. Whoever, there was a question that had significant impact depending on display polarity.

The question that had this conflict asked the color of the backpack, and subjects in negative display polarity had a tendency to answer that the backpack was dark grey rather than black. This will be further explained in the 11 chapter.

The questions asked in this section were:

1. Does this product comply with Ryanair restrictions?

Yes (Correct)

No

2. What is the capacity of the backpack?

20L (Correct)

30L

40L

3. What is the color of the backpack?

White

Black (Correct)

Dark grey

4. Which is the purpose of the isolated compartment in the main part?

To carry a laptop

To carry wet objects (Correct)

Preference and subjective questions

The final section of the questionnaire collected personal preferences that are not going to be directly analyzed in the experiment. However, future work can be directed towards the analysis of these preferences and their relation with the results of this thesis. The first three questions were a multiple choice and then the other ones were likert scale of 5 points.

These questions were:

1. What is your type of vision?

Normal vision (No need for correction)

Corrected vision (Glasses or contact lenses)

Other (Please specify)

2. Which mode do you prefer for wiki-based websites?

Bright mode

Dark mode

3. Which mode do you prefer for e-commerce websites?

Bright mode

Dark mode

4. In general, how frequently do you use bright mode?

5. In general, how frequently do you use dark mode?
6. It is easy to read the text with the font and colors used
7. The colors used in the webpage are pleasant
8. In general, I'm happy with the webpage graphical interface
9. The color combinations made the reading experience better
10. The color combinations made the memorization of the information better
11. The color combinations were pleasant at sight
12. The color combinations looked professional

Chapter 8

Data Analysis

8.1 Data Preprocessing

Data preprocessing is important for every investigation as it prevents the poisoning of the results with undesired outliers. In this case, there are two main sources of data, the tobii data and the google forms questionnaire. The data preprocessing included heavy manage of .tsv files and .csv files.

8.1.1 Tobii Data

The tobii data was preprocessed using the tool Tobii Pro Lab seen in chapter 6. The process consisted of importing the .tsv files and creating a pandas dataframe that would later be divided into two different dataframes. The first dataframe would be the positive display polarity and the second dataframe would be the negative display polarity. This is possible thanks to the common column to all exported data called "Timeline". This specific column showed wich experiment was being performed at the moment of the recording.

This separation was later divided for the different scenarios: Wikipedia webpage and Amazon webpage. This is achieved thanks to the TOI (Time of Interest) column, which showed the scenes of the experiment.

```
def filter_by_polarity(df):  
    '''  
    Function to filter the DataFrame by polarity (claro  
        and oscuro)  
  
    There must be a column named Timeline with the  
        values 'Timeline1-Mode1' for claro and 'Timeline2  
        -Mode2' for oscuro  
    '''  
    claro = df[df['Timeline'] == 'Timeline1-Mode1']  
    oscuro = df[df['Timeline'] == 'Timeline2-Mode2']  
    return claro, oscuro  
def separate_by_toi(df, toi):  
    '''  
    Function to obtain Patata, Mochila, Text and Entire  
        Recording
```

```
    There must be a column named 'TOI'
    '''
    df_toi = df[df['TOI'] == toi]
    return df_toi
tf = pd.read_csv('raw/TotalFixations.tsv', sep='\t')

tf_claro, tf_oscuro = filter_by_polarity(tf)

tf_claro_patata = separate_by_toi(tf_claro, 'PatataClaro')
tf_oscuro_patata = separate_by_toi(tf_oscuro, 'PatataOscuro')

tf_claro_mochila = separate_by_toi(tf_claro, 'MochilaClaro')
tf_oscuro_mochila = separate_by_toi(tf_oscuro, 'MochilaOscuro')

tf_claro_entire = separate_by_toi(tf_claro, 'EntireRecording')
tf_oscuro_entire = separate_by_toi(tf_oscuro, 'EntireRecording')
```

The data outliers were not taken into account for the analysis, as they were not considered to be a problem for the results and there were really few of them. Therefore no more preprocessing was needed for the tobii data.

8.1.2 Google Forms Data

The google forms data needed much preprocessing due to the fact of human intervention and a bug related to Tobii Pro Lab. Firstly the data was imported as a pandas dataframe from the CSV file downloaded from the google spreadsheet generated for the form.

The second step was to declutter the dataframe by removing all the duplicated rows. These duplicated rows are generated by a bug in tobii pro lab that makes the explorer to send many requests rather than one, which ended up in generating an undefined number of duplicates per person. This was solved with the following code. Note that due to Latex nature the original column contains an accent in the "u" of número but the code blocks do not allow it so it was changed to avoid the compiling error.

```
df = pd.read_csv('raw/Encuesta TFG.csv')
df = df.drop_duplicates(subset=['Numero de
    participante'], keep='first').copy()
```

Next, the age column needed detailed work as some people set their age and some others their birth date. This was solved with a function that checks if the value is a number, in such case it returns the number converted to an integer. In the other case, it tries to parse the date with the pandas function 'to_datetime()' this can result in a warning but it is not an issue. The warning explains that when using the days first format, a date is introduced starting with something else than the day.

```
# Convertimos el string a fecha
df['Marca temporal'] = pd.to_datetime(df['Marca temporal'],
    dayfirst=True, errors='coerce')

def calculate_age(age_value, ref_ts):
    # Hay gente que puso la edad numerica solo
    age_num = pd.to_numeric(str(age_value).strip(),
        errors='coerce')
    if pd.notna(age_num):
        return int(age_num)

    # si puso fecha, la calculamos y comparamos con la
    fecha de referencia del csv (ref_ts)
    # Esto genera un warning pero da igual porq no es
    nada que afecte el codigo
    birth_ts = pd.to_datetime(str(age_value).strip(),
        dayfirst=True, errors='coerce')
    if pd.notna(birth_ts) and pd.notna(ref_ts):
        years = ref_ts.year - birth_ts.year - ((ref_ts.
            month, ref_ts.day) < (birth_ts.month,
            birth_ts.day))
        return int(years)

# Llamamos a la funcion
df['Edad'] = [calculate_age(v, t) for v, t in zip(df['
    Edad'], df['Marca temporal'])]
```

In the case of the date being parsed, then the formula to calculate the age is the following:

$$Age = \text{Current Year} - \text{Birth Year} - (1 \text{ or } 0) \quad (8.1)$$

The final step of 1 or 0 checks whether the person has already had their

birthday this year or not, in the case of having had the birthday, then the age is not reduced, otherwise it is reduced one year. After computing all the ages one subject did not provide the correct age information but rather gave the actual year.

Finally the last step was to preprocess the question regarding the type of vision of the subjects. This was done by hand as there were some unique cases that wouldn't make sense to be solved programming. This question will be further examined in the chapter 9.

8.2 Chosen Metrics

The chosen metrics to analyze are based on the article "Eye tracking in human-computer interaction and usability research: Current status and future prospects" [13]. These metrics are based on the eye-tracking data and were analyzed for the different escenarios as long as with the whole recording.

8.2.1 Fixations

Fixations are the moments when the eye stays still focused on a point of the screen. This moments can be as small as a few milliseconds. There are a few metrics which are related to fixations as shown below with their respective definition by Poole, Alex and Ball, Linden J.[13]

Table 8.1: Fixation Metrics and their corresponding variables in the .tsv file

Fixation Metric	Variable in .tsv file
Gaze	Total_duration_of_whole_fixations
Total Number of Fixations	Number_of_whole_fixations
Duration of First Fixation	Duration_of_first_whole_fixation
Average Duration of Fixations	Average_duration_of_whole_fixations

- **Gaze (sum of the duration of all fixations):** "Gaze is usually the sum of all fixation durations within a prescribed area. It is best used to compare attention distributed between targets. It can also be used as a measure of anticipation in situation awareness if longer gazes fall on an area of interest before a possible event occurring."
 - Although this metric is centered in Areas of Interest, in this thesis the 2 areas compared are positive display polarity and negative display polarity.

- **Total Number of Fixations:** "More overall fixations indicate less efficient search (perhaps due to sub-optimal layout of the interface)."
- **Duration of Fixation:** "A longer fixation duration indicates difficulty in extracting information, or it means that the object is more engaging in some way."
 - This will be analyzed both with the first fixation and with the average duration of the fixations.

8.2.2 Saccades

Saccades are the time the eye is moving from one fixation to another, during this period the brain is not processing any information. They can provide information that supports the fixations or that can be useful in this thesis. These metrics will be explained briefly with the definitions given by Poole, Alex and Ball, Linden J.[13]

- **Saccade Amplitude:** "Larger saccades indicate more meaningful cues, as attention is drawn from a distance."
 - The Saccade Amplitude is analyze through the average amplitude, as well as the average peak velocity of the saccades.
- **Number of Saccades:** "More saccades indicate more searching."

Table 8.2: Saccade Metrics and their corresponding variables in the .tsv file

Saccade Metric	Variable in .tsv file
Saccade Amplitude	Average_peak_velocity_of_saccades
Average Saccade Amplitude	Average_amplitude_of_saccades
Amplitude of First Saccade	Amplitude_of_first_saccade
Number of Saccades	Number_of_saccades

TODO: Explain more saccades and there's missing one metric explanation in saccade

8.3 Statistical Analysis

In this section the process of analyzing the data with statistical methods will be further explained. This process consists of 3 main steps that are shared

along all the studied data. Please, keep in mind that all three statistical methods have the α value of 0,05 but relevant results under 0,1 will also be recorded. In addition, no extense explanation of the method will be given as this is out of the scope of the thesis.

1. **Extract Basic Data:** Firstly the standard deviation, mean, maximum and minimum of each group is extracted to obtain the general shape. It will be later used in the representation of the results of the hypothesis.
2. **Shapiro-Wilk Test[16]:** Secondly the data is analyzed with the Shapiro-Wilk test to check the normality of it. The null hypothesis of this test proves that the data follows a normal distribution, from now on, this statistic will be called W . In the following chapters W_{PP} and W_{NP} will represent the Shapiro-Wilk test for Positive Polarity and Negative Polarity respectively.

$$W = \frac{(\sum_{i=1}^n a_i x_{(i)})^2}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

3. **T-Student test[17] or Mann-Whitney U[8] test** Finally, a comparison of both groups W is compared. In the case of both datasets following a normal distribution, then the T-Student test is used, otherwise the Mann-Whitney U test is used. Note that in both cases the α value is 0,05 but relevant results under 0,1 will also be recorded.

T-Student test: The T-Student test compares the means of two normal distributed groups. Being the null hypothesis that both groups have the same mean. Therefore it helps to check whether the difference between the groups is significant or not. In this study, the chosen variation is the independent samples test.

$$t = \frac{\bar{x}_1 - \bar{x}_2}{\sqrt{\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}}}$$

Mann-Whitney U test: The Mann-Whitney U test is a non-parametric test which compares the medians of two samples being the null hypothesis that both groups have the same median. Although it is different from the T-Student results should be similar and it also provides a way to test data that is not normally distributed.

$$U_1 = n_1 n_2 + \frac{n_1(n_1 + 1)}{2} - R_1$$

$$U_2 = n_1 n_2 + \frac{n_2(n_2 + 1)}{2} - R_2$$

Chapter 9

Results

9.1 Eye-traker Data

TODO: Arreglar el inicio del capitulo No se como empezar este capitulo pero, the study developed in python has proven interesting results regarding the metrics mentioned in chapter 8. The results will show the results of the statistics along with the basic statistical values such as mean and standard deviation.

9.1.1 Total Duration of Whole Fixations

Table 9.1 shows that the mean was higher in length for positive polarity in all TOIs, having the biggest difference in the Wiki-Based Scene.

Table 9.1: Results of Total Duration of Whole Fixations

Display Polarity	TOI	Min. (ms)	Mean (ms)	Std. Deviation (ms)	Max. (ms)
Positive Polarity	Wiki-based	18570	52902.88	24410.26	125026
	E-Commerce	9443	64217.12	34024.20	125642
	Entire Exp.	215011	347509	81449.08	504168
Negative Polarity	Wiki-based	2631	41879.59	17204.72	72631
	E-Commerce	8977	53989.41	22480.35	94915
	Entire Exp.	154088	282626.65	63197.95	391933

Figure 9.1 shows how only the entire experiment has significant results within this variable. Further statistics can be seen in table 9.2 where p-values under $\alpha = 0.05$ are highlighted in red and p-values under $\alpha = 0.1$ are highlighted in orange.

Only significant markers are shown: T = Welch t-test, MW = Mann-Whitney U | red $p < 0.05$, orange $p < 0.1$




Figure 9.1: Total Duration of Fixations for each Display Polarity and TOI.

Table 9.2: Statistics of Total Duration of Whole Fixations

TOI	W_{PP}	W_{NP}	T-Student	Mann-Whitney
Wiki-Based	0.0091	0.7774	-	0.2557
E-Commerce	0.7094	0.9138	0.3244	-
Entire Exp.	0.8348	0.9790	0.0174	-

9.1.2 Total Number of Fixations

Regarding the total number of fixations, table 9.3 proves that the mean number of fixations is higher in positive polarity in every single TOI.

Table 9.3: Results of Total Number of Fixations

Display Polarity	TOI	Min.	Mean	Std. Deviation	Max.
Positive Polarity	Wiki-based	62	158.94	52.41	301
	E-Commerce	35	199.06	92.76	320
	Entire Exp.	545	979.59	240.28	1510
Negative Polarity	Wiki-based	13	142.65	50.59	208
	E-Commerce	45	194.06	64.46	280
	Entire Exp.	405	844.82	162.51	1159

The statistical analysis, as seen in figure 9.2 and table 9.4. There is no significant difference between both groups but the entire experiment is close to be significant with a p-value of 0.0736 in the T-Student test.

Only significant markers are shown: T = Welch t-test, MW = Mann-Whitney U | red $p < 0.05$, orange $p < 0.1$




Figure 9.2: Total Number of Fixations for each Display Polarity and TOI.

Table 9.4: Statistics of Total Number of Fixations

TOI	W_{PP}	W_{NP}	T-Student	Mann-Whitney
Wiki-Based	0.5150	0.2003	0.3776	-
E-Commerce	0.1019	0.1089	0.8591	-
Entire Exp.	0.5321	0.3570	0.0736	-

9.1.3 Duration of First Fixation

The first duration of fixation is lower in positive polarity in both TOIS but differs in the whole recording, as shown in table 9.5.

Table 9.5: Results of Duration of First Fixation

Display Polarity	TOI	Min. (ms)	Mean (ms)	Std. Deviation (ms)	Max. (ms)
Positive Polarity	Wiki-based	83	181.21	111.99	583
	E-Commerce	133	193	54.03	316
	Entire Exp.	67	315.47	268.45	1016
Negative Polarity	Wiki-based	100	205.82	100.07	533
	E-Commerce	83	200	123.55	650
	Entire Exp.	67	203.88	163.85	766




Figure 9.3: Duration of First Fixation for each Display Polarity and TOI.

The statistical analysis in this case shows how none of the TOIS follows a normal distribution, as shown in table 9.6 resulting in the Mann-Whitney U test where none of the TOIS is significant, see figure 9.3.

Table 9.6: Statistics of Duration of First Fixation

TOI	W_{PP}	W_{NP}	T-Student	Mann-Whitney
Wiki-Based	0.0001	0.0005	-	0.3224
E-Commerce	0.0048	0.0000	-	0.5434
Entire Exp.	0.0046	0.0002	-	0.3005

9.1.4 Average Duration of Fixations

The average duration of fixations seems to be higher in positive polarity in every single TOI, as shown in table 9.7. This difference is more steep in the Wiki-Based scene.

Table 9.7: Results of Average Duration of Fixations

Display Polarity	TOI	Min. (ms)	Mean (ms)	Std. Deviation (ms)	Max. (ms)
Positive Polarity	Wiki-based	234	329.29	79.39	537
	E-Commerce	236	318.41	63.58	457
	Entire Exp.	288	358.88	43.08	451
Negative Polarity	Wiki-based	202	287.53	57.97	441
	E-Commerce	193	272.19	58.81	407
	Entire Exp.	262	336.18	46.65	436

Regarding the statistical analysis, only a relevant result exists for the E-Commerce scene with the p-value of 0.0514 being pretty close to the significance level.




Figure 9.4: Average Duration of Fixations for each Display Polarity and TOI.

Table 9.8: Statistics of Average Duration of Fixations

TOI	W_{PP}	W_{NP}	T-Student	Mann-Whitney
Wiki-Based	0.0365	0.2901	-	0.1528
E-Commerce	0.0200	0.4693	-	0.0514
Entire Exp.	0.6286	0.8766	0.1624	-

9.1.5 Average Peak Velocity

The average peak velocity is higher in negative polarity for every TOI as seen in table 9.9. However, It is only relevant in the entire recording with a p-value of 0.0871 proven in table 9.10 and figure 9.5

Table 9.9: Results of Average Peak Velocity

Display Polarity	TOI	Min. (°/s)	Mean (°/s)	Std. Deviation (°/s)	Max. (°/s)
Positive Polarity	Wiki-based	89.13	107.76	15.84	148.82
	E-Commerce	77.19	102.25	24.92	189.92
	Entire Exp.	91.69	106.49	7.09	119.99
Negative Polarity	Wiki-based	79.57	118.72	29.61	216.31
	E-Commerce	76.66	104.02	16.63	133.35
	Entire Exp.	88.48	112.61	11.79	135.44




Figure 9.5: Average Saccade Peak Velocity for each Display Polarity and TOI.

Table 9.10: Statistics of Average Peak Velocity

TOI	W_{PP}	W_{NP}	T-Student	Mann-Whitney
Wiki-Based	0.0371	0.0030	-	0.2557
E-Commerce	0.0001	0.5860	-	0.3892
Entire Exp.	0.3574	0.9985	0.0871	-

9.1.6 Average Saccade Amplitude

The results of table 9.11 show a pretty even mean distribution along polarities making no evident differences. This can be further seen in figure 9.6 and table 9.12 where none of the statistics is close to be significant.

Table 9.11: Results of Average Saccade Amplitude

Display Polarity	TOI	Min. (°)	Mean (°)	Std. Deviation (°)	Max. (°)
Positive Polarity	Wiki-based	2.22	2.97	0.48	3.87
	E-Commerce	1.92	2.95	0.70	5.15
	Entire Exp.	2.39	3.12	0.36	3.70
Negative Polarity	Wiki-based	2.26	3.26	0.69	5.30
	E-Commerce	2.14	2.98	0.50	4.06
	Entire Exp.	2.63	3.31	0.39	4.10




Figure 9.6: Average Saccade Amplitude for each Display Polarity and TOI.

Table 9.12: Statistics of Average Saccade Amplitude

TOI	W _{PP}	W _{NP}	T-Student	Mann-Whitney
Wiki-Based	0.6837	0.0758	0.1833	-
E-Commerce	0.0153	0.6737	-	0.6297
Entire Exp.	0.0984	0.9634	0.1620	-

9.1.7 Amplitude of First Saccade

The amplitude of the first saccade behaved simimilarly to the average saccade amplitude with a pretty even mean distribution. Followd with a big standard deviation shown in table 9.13. This can be further seen in figure 9.7 and table 9.14 this also leads to no significant nor meaningful results in the statistics table 9.14

Table 9.13: Results of Amplitude of First Saccade

Display Polarity	TOI	Min. (°)	Mean (°)	Std. Deviation (°)	Max. (°)
Positive Polarity	Wiki-based	1.59	9.06	3.93	17.71
	E-Commerce	0.56	5.35	3.29	13.00
	Entire Exp.	1.07	5.18	3.97	17.74
Negative Polarity	Wiki-based	2.03	8.74	3.79	14.09
	E-Commerce	0.56	4.70	3.39	14.86
	Entire Exp.	0.59	6.46	4.57	17.47

Only significant markers are shown: T = Welch t-test, MW = Mann-Whitney U | red p<0.05, orange p<0.1




Figure 9.7: Amplitude of First Saccade for each Display Polarity and TOI.

Table 9.14: Statistics of Amplitude of First Saccade

TOI	W_{PP}	W_{NP}	T-Student	Mann-Whitney
Wiki-Based	0.5576	0.2155	0.8151	-
E-Commerce	0.3231	0.0159	-	0.5018
Entire Exp.	0.0030	0.1831	-	0.5353

9.1.8 Number of Saccades

Lastly, all 3 scenes had a higher mean number of saccades in positive polarity than in negative polarity clearly shown in table 9.15.

Table 9.15: Results of Number of Saccades

Display Polarity	TOI	Min.	Mean	Std. Deviation	Max.
Positive Polarity	Wiki-based	59	151.29	47.86	270
	E-Commerce	34	184.18	83.67	305
	Entire Exp.	509	870.06	188.81	1122
Negative Polarity	Wiki-based	13	134.41	50.24	199
	E-Commerce	29	171.47	59.10	241
	Entire Exp.	344	746.41	166.22	1004

There's only a relevant results regardin the whole recording with a p-value of 0.0582 in the t-student test. It is not enough to be considered relevant but gets close enough to be considered relevant. This can be further seen in figure 9.8 and table 9.16.

Only significant markers are shown: T = Welch t-test, MW = Mann-Whitney U | red $p < 0.05$, orange $p < 0.1$




Figure 9.8: Number of Saccades for each Display Polarity and TOI.

Table 9.16: Statistics of Number of Saccades

TOI	W _{PP}	W _{NP}	T-Student	Mann-Whitney
Wiki-Based	0.9486	0.2609	0.3377	-
E-Commerce	0.1768	0.0185	-	0.3797
Entire Exp.	0.1577	0.6058	0.0582	-

9.2 Questionnaire Results

Chapter 10

Discussion

Chapter 11

Conclusion and Future Work

11.1 Lessons Learned Report

Bibliography

- [1] Dark Reader. *Dark Reader Browser Extension*. URL: <https://darkreader.org/>.
- [2] Institute of Electrical and Electronics Engineers. *IEEE Xplore Digital Library*. URL: <https://ieeexplore.ieee.org/Xplore/home.jsp>.
- [3] C M Nadeem Faisal et al. "Web Design Attributes in Building User Trust, Satisfaction, and Loyalty for a High Uncertainty Avoidance Culture". In: (2016). DOI: 10.1109/THMS.2016.2620901. URL: <http://ieeexplore.ieee.org..>
- [4] Guillermo Dylan Carvajal, Alejandro Varela. *Python Web Interaction Behaviour*. URL: <https://github.com/HumanCommunicationInteraction/pywib>.
- [5] Richard H. Hall and Patrick Hanna. "The impact of web page text-background colour combinations on readability, retention, aesthetics and behavioural intention". In: *Behaviour and Information Technology*. Vol. 23. May 2004, pp. 183–195. DOI: 10.1080/01449290410001669932.
- [6] J.M. Redendo. *Modelo para Trabajos de Fin de Grado o Master de la Escuela de Informática de Oviedo*. URL: https://www.researchgate.net/publication/327882831_Documentos-modelo_para_Trabajos_de_Fin_de_GradoMaster_de_la_Escuela_de_Informatica_de_Oviedo.
- [7] KLOSTEIN. *Mochila Viaje Cabina Avion*. URL: <https://amzn.eu/d/02PDoAv5>.
- [8] H. B. Mann and D. R. Whitney. "On a Test of Whether One of Two Random Variables is Stochastically Larger than the Other". In: *The Annals of Mathematical Statistics* 18.1 (1947), pp. 50–60.
- [9] Matplotlib Developers. *Matplotlib: Python Plotting Library*. URL: <https://matplotlib.org/>.
- [10] Nurulain Muhamad and Nurliyana Mokhtar. "The Effect of Display Polarity on Reading Speed and Reading Error Among Young Adults". In: *Journal of Health Science and Medical Research* 42 (6 Oct. 2024), e20241095. ISSN: 2586-9981. DOI: 10.31584/jhsmr.20241095. URL: <https://www.jhsmr.org/index.php/jhsmr/article/view/1095>.
- [11] NumPy Developers. *NumPy: Fundamental Package for Scientific Computing with Python*. URL: <https://numpy.org/>.

- [12] Pandas Development Team. *Pandas: Python Data Analysis Library*. URL: <https://pandas.pydata.org/>.
- [13] Alex Poole and Linden J. Ball. "Eye tracking in human-computer interaction and usability research: Current status and future prospects". In: *Encyclopedia of Human Computer Interaction*. Ed. by Claude Ghaoui. Idea Group Reference, 2006, pp. 211–219. DOI: 10.4018/978-1-59140-562-7.ch034.
- [14] SciPy Developers. *SciPy: Scientific Computing Library for Python*. URL: <https://scipy.org/>.
- [15] Scopus. *Scopus Database*. URL: <https://www.scopus.com/>.
- [16] S. S. Shapiro and M. B. Wilk. "An analysis of variance test for normality (complete samples)". In: *Biometrika* 52.3/4 (1965), pp. 591–611.
- [17] Student. "The Probable Error of a Mean". In: *Biometrika* 6.1 (1908), pp. 1–25.
- [18] Tobii. *How do eye trackers work?* URL: <https://www.tobii.com/resource-center/learn-articles/how-do-eye-trackers-work>.
- [19] Tobii. *Tobii Pro Lab Software*. URL: <https://www.tobii.com/es/products/software/behavior-research-software/tobii-pro-lab>.
- [20] Tobii. *Tobii Pro Nano Eye Tracker*. URL: <https://www.tobii.com/es/products/discontinued/tobii-pro-nano>.
- [21] Wikipedia Contributors. *History of the Graphical User Interface*. URL: https://en.wikipedia.org/wiki/History_of_the_graphical_user_interface.
- [22] Wikipedia Contributors. *Solanum Tuberosum*. URL: https://es.wikipedia.org/wiki/Solanum_tuberosum.
- [23] Xiaojiao Xie et al. "Study on the effects of display color mode and luminance contrast on visual fatigue". In: *IEEE Access* 9 (2021), pp. 35915–35923. ISSN: 21693536. DOI: 10.1109/ACCESS.2021.3061770.

Appendix A

Project Management

A.1 Initial Planning

A.2 Risk Identification and Management

Risk identification is a key phase of the project as it can help acknowledge possible negative effects on the project. It is important to have a strategy to face such events in order to make them affect the least possible the outcome of the project.

Table A.1: Risks List

Risk ID	Risk Name
1	Few Experimental Samples
2	Statistical Analysis Imprecision
3	Loss of Partial Work
4	Justified Leave of Worker
5	Lack of Teamwork
6	Tobii Measurements Drifts
7	Privacy Violations
8	Timeline Delay
9	Publisher Rejection

A.2.1 Risk Details

Few Experimental Samples

Statistical Analysis Imprecision

There is not enough sample for the test, this can lead to inconsistent data and problems when doing the processing and publishing the paper.

When analyzing the processed data if the statistic analysis is imprecise it can lead to wrong conclusions. It is important for it to remain precise.

Table A.2: Few experimental samples impact.

Probability	Impact				Impact
	Budget	Planning	Reach	Quality	
Medium	Low	Low	Medium	Critic	0,45

Table A.3: Statistical analysis imprecision impact.

Probability	Impact				Impact
	Budget	Planning	Reach	Quality	
Low	Seamless	Low	Low	Medium	0,09

Loss of Partial Work

Due to data corruption or any other external agent, there's a possibility of losing the entire or part of the work accomplished.

Table A.4: Loss of partial work impact.

Probability	Impact				Impact
	Budget	Planning	Reach	Quality	
Low	Medium	High	Medium	Low	0,17

Justified Leave of Worker

Any of the workers may need a justified leave of work according to the Spanish law.

Lack of Teamwork

Teamwork is important as it creates a healthy environment where workers feel comfortable, however it is quite easy to have a lot of individualism in teams.

Table A.5: Justified leave of worker impact.

Probability	Impact				Impact
	Budget	Planning	Reach	Quality	
Medium	Low	High	Low	Low	0,28

Table A.6: Lack of teamwork impact.

Probability	Impact				Impact
	Budget	Planning	Reach	Quality	
Medium	Low	High	Low	Low	0,15

Tobii Measurements Drifts

Due to light changes, the subject of the experiment looking away or other uncontrollable events, the tobii eye-tracker may drift its measurements.

Table A.7: Tobii measurements drifts impact.

Probability	Impact				Impact
	Budget	Planning	Reach	Quality	
High	Seamless	Seamless	Seamless	Medium	0,21

Privacy Violations

This whole research gathers a lot of sensitive information and it is a key to store and manipulate the sensitive data correctly as it can lead to fines.

Timeline Delay

Research projects usually take longer than initially expected this can overextend the planning making it a real risk.

Table A.8: Privacy violations impact.

Probability	Impact				Impact
	Budget	Planning	Reach	Quality	
Low	Critic	Low	Seamless	Low	0,27

Table A.9: Timeline delay impact.

Probability	Impact				Impact
	Budget	Planning	Reach	Quality	
High	High	High	Medium	Low	0,39

Publisher Rejection

After finishing the experiment, gathering the data and writing the paper there's a possibility the desired scientific publishers may not be interested in the paper.

Table A.10: Publisher rejection impact.

Probability	Impact				Impact
	Budget	Planning	Reach	Quality	
High	Seamless	Low	High	Low	0,39

A.2.2 Risk Strategy

A risk strategy is needed in order to know what to do against every risk, the risks of A.2.1 explains them further. From the 9 identified risks, 2 will be deleted, 3 assumed and 4 mitigated.

Table A.11: Risk strategy and action plan.

ID	Risk Name	Impact	Strategy	Risk Answer
1	Few Experimental Samples	0,45	Delete	Spend more time than planned gathering samples for the experiment.
8	Timeline Delay	0,39	Mitigate	When creating the planning always adding more time than expected.
9	Publisher Rejection	0,39	Assume	It should be necessary to have a broad list of publishers.
4	Justified Leave of Worker	0,28	Assume	Work the planning around the person missing.
7	Privacy Violations	0,27	Delete	Exhaustive analysis by the prepared workers on the RGPD.
6	Tobii Measurements Drifts	0,21	Assume	Try to find a spot with balanced lighting.
3	Loss of Partial Work	0,17	Mitigate	Integrate a version control system on the work.
5	Lack of Teamwork	0,15	Mitigate	Weekly optional team buildings outside of the work period.
2	Statistical Analysis Imprecision	0,09	Mitigate	Final deep review of the statistical analysis.

A.3 Budget and Resource Allocation

A.4 Project Monitoring and Incidence Log

Appendix B

Experimentee Consent Form



Universidad de
Oviedo

FORMULARIO DE PARTICIPACIÓN EN PRUEBAS DE USABILIDAD
Departamento de Informática, Universidad de Oviedo

D/D* _____, con DNI _____

Fecha: _____

Firma: _____

(Márquese lo que proceda).

- ☐ Acepta participar sin cargo en los estudios de usabilidad realizados en la fecha referida, guiados por profesorado del Departamento de Informática de la Universidad de Oviedo. Durante las pruebas se hará registro de las interacciones realizadas con los prototipos en estudio, así como de los comentarios y observaciones que los participantes en las mismas deseen proporcionar sobre su funcionamiento. Esta información será empleada en la mejora de los prototipos bajo prueba. La Universidad de Oviedo tratará los datos de los participantes de forma anónima, sin perjuicio de que los resultados puedan ser incluidos en publicaciones científicas.
- ☐ Autorizo a la Universidad de Oviedo, de manera expresa e inequívoca, a captar y utilizar las imágenes en las que aparezco grabado o fotografiado, individualmente o en grupo, en ocasión de las actividades referidas, así como para su montaje y edición con la finalidad de ser publicadas y expuestas a través de sus canales de comunicación interna y externa. El plazo de la cesión de los derechos de imagen y voz será por tiempo indefinido, de forma gratuita y sin límite en su ámbito territorial. Plena Inclusión la Universidad de Oviedo cuidará de que la captación y utilización de las imágenes no atente contra la dignidad ni el derecho al honor de las personas, ni contra la moral y el orden público, en los términos establecidos en la legislación vigente. Igualmente, autorizo que dichas imágenes puedan aparecer en cualquier plataforma de comunicación, página web, redes sociales, vídeos y folletos divulgativos y de sensibilización social, exposiciones, etc, de conformidad con el artículo 2 de la Ley Orgánica 1/1982 de 5 de mayo, sobre Protección Civil de Derecho al Honor, a la Intimidad Personal y Familiar y a la Propia Imagen.