Test file for the bibliography of `newchet.sty`

Contents

1. Articles **1**
- 1.1. Standard cases . . . 1
- 1.2. arXiv identifiers . . . 1
- 1.3. JHEP DOI inference . . . 1
- 1.4. Optional fields . . . 2

2. Books **2**

3. Inbook, Inproceedings, Conference, Incollection **2**

4. Misc **2**

5. Theses **2**

6. Technical Reports **2**

7. Grouped citations (`mcite`) **3**

1. Articles

1.1. Standard cases

Standard article with three authors, journal, eprint, primaryClass, and explicit doi [1].

Collaboration only (no author field); should show "ATLAS Collaboration" with no trailing comma [2].

Collaboration and individual authors; should show "CMS Collaboration, S. Chatrchyan & V. Khachatryan et al." [3].

Many authors ending with `others`, producing et al. [4].

1.2. arXiv identifiers

Preprint with no journal entry: only eprint and primaryClass should appear [5].

Old-style arXiv identifier (`hep-th/9711200`): no `arXiv:` prefix should be added, no primaryClass bracket [6].

New-style arXiv ID with explicit `arXiv:` prefix in the eprint field: prefix should be stripped for the URL but preserved in the display text [7].

1.3. JHEP DOI inference

JHEP old DOI inference: year starts with `199`, 2-digit volume;
expected DOI `10.1088/1126-6708/1999/05/021` [8].

JHEP new DOI inference: year starts with `201`, 2-digit volume;
expected DOI `10.1007/JHEP08(2012)034` [9].

JHEP from the IOP years 2000–2008, which `chetref.bst` does not infer;
expected DOI `10.1088/1126-6708/2004/06/017` [10].

JHEP from the 2020s, which `chetref.bst` does not infer;
expected DOI `10.1007/JHEP04(2021)123` [11].

JHEP with explicit `doi` field: inference should be suppressed and the provided DOI used as-is [12].

1.4. Optional fields

Article with both `url` and `note` fields [13].

2. Books

Standard book with author, publisher, and address [14].

Edited volume with `editor` but no `author`: editor should appear in the attribution slot [15].

Book with `eprint` and `edition` [16].

3. Inbook, Inproceedings, Conference, Incollection

`inbook`: chapter in a book with pages and publisher [17].

`inproceedings`: with editor and old-style eprint [18].

`conference`: alias for `inproceedings` [19].

`incollection`: alias for `inbook`, with editor [20].

4. Misc

`misc` with eprint only [21].

`misc` with `howpublished` and `url` (no eprint) [22].

5. Theses

`phdthesis` with school and eprint [23].

`phdthesis` with no `school` field (edge case): should fall back to "PhD thesis (year)" with no comma [24].

`mastersthesis` with school [25].

6. Technical Reports

`techreport` with institution, number, and year [26].

`techreport` with number and year but no institution [27].

`techreport` with year only (no number, no institution): should output "(year)" with no double space [28].

7. Grouped citations (`mcite`)

With biblatex the first key of `\mcite` names the group, so chet's `\cite{a, *b}` becomes `\mcite{group,*a,*b}`. Each member of a group starts on a new line.

Two references grouped under one citation number; the bibliography entry should show both separated by a semicolon [29].

Three references grouped; all three should appear under the same number [30].

A second two-entry group appearing after the three-entry group, to verify that citation numbers increment correctly [31].

References

[1] J. Smith, B. Jones & D. Brown, *"A standard journal article with three authors"*, Phys. Rev. Lett. **125**, 012345 (2020), arXiv:2001.12345 [hep-th].

[2] ATLAS Collaboration, *"A collaboration-only paper with no individual authors"*, Phys. Lett. B **716**, 1 (2012), arXiv:1207.7214 [hep-ex].

[3] CMS Collaboration, S. Chatrchyan, V. Khachatryan et al., *"A paper listing both the collaboration and individual authors"*, Phys. Lett. B **716**, 30 (2012), arXiv:1207.7235 [hep-ex].

[4] A. Author, B. Author, C. Author, D. Author et al., *"A paper with many authors, producing et al."*, Nucl. Phys. B **900**, 1 (2015), arXiv:1501.00001 [hep-th].

[5] A. Preprint, *"An unpublished preprint with no journal entry"*, arXiv:2301.00001 [hep-th].

[6] J. Maldacena, *"The Large N limit of superconformal field theories and supergravity"*, Adv. Theor. Math. Phys. **2**, 231 (1998), hep-th/9711200.

[7] V. Rychkov & A. Vichi, *"Universal constraints on conformal operator dimensions"*, Phys. Rev. D **80**, 045006 (2009), arXiv:0905.2211 [hep-th].

[8] O. Aharony, S. Gubser, H. Ooguri & Y. Oz, *"Large N field theories, string theory and gravity"*, JHEP **9905**, 021 (1999).

[9] D. Gaiotto, *"N=2 S-duality"*, JHEP **1208**, 034 (2012), arXiv:0904.2715 [hep-th].

[10] A. Iop, *"A JHEP article from 2004"*, JHEP **0406**, 017 (2004).

[11] B. Springer, *"A JHEP article from 2021"*, JHEP **2104**, 123 (2021), arXiv:2101.00001 [hep-th].

[12] R. Rattazzi, V. Rychkov, E. Tonni & A. Vichi, *"Bounding scalar operator dimensions in 4D CFT"*, JHEP **0812**, 031 (2008), arXiv:0805.4418 [hep-th].

[13] K. Wilson, *"Renormalization group and critical phenomena. I."*, Phys. Rev. B **4**, 3174 (1971), See also Phys. Rev. B 4, 3184 (1971), https://link.aps.org/doi/10.1103/PhysRevB.4.3174.

[14] J. Polchinski, *"String Theory. Vol. 1: An Introduction to the Bosonic String"*, Cambridge University Press (2005), Cambridge.

[15] ed: E. D'Hoker & D. Phong, *"Quantum Fields and Strings: A Course for Mathematicians"*, American Mathematical Society (1999), Providence, RI.

[16] D. Freedman & A. Van Proeyen, *"Supergravity"*, 2nd edition, Cambridge University Press (2012), arXiv:1110.4858 [hep-th].

[17] S. Coleman, *"Secret Symmetry"*, in *"Aspects of Symmetry"*, p. 113–184, Cambridge University Press (1985).

[18] A. Polyakov, *"String theory and quark confinement"*, in *"Strings 97"*, ed: H. Ooguri & Y. Oz, p. 1–8, hep-th/9711002.

[19] E. Witten, *"Branes and the dynamics of QCD"*, in *"NATO Advanced Study Institute: Confinement, Duality and Nonperturbative Aspects of QCD"*, hep-th/9710065.

[20] J. Zinn-Justin, *"Renormalization of gauge theories"*, in *"Trends in Elementary Particle Theory"*, ed: H. Rollnik & K. Dietz, p. 1–39, Springer (1975).

[21] J. McGreevy, *"Holographic duality with a view toward many-body physics"*, arXiv:0909.0518 [hep-th].

[22] R. Workman et al., *"Review of Particle Physics"*, Particle Data Group, https://pdg.lbl.gov.

[23] V. Rychkov, *"D1D5 black hole in string theory"*, PhD thesis, Princeton University (2002), hep-th/0204131.

[24] A. Noschool, *"A thesis with no school field"*, PhD thesis (2020).

[25] A. Student, *"A master's level study of conformal field theory"*, Master's thesis, University of Cambridge (2015).

[26] K. Chetyrkin & F. Tkachov, *"Integration by parts: the algorithm to calculate beta-functions"*, INR Moscow, Report No. INR-P-0453 (1981).

[27] B. Author, *"A technical report with number but no institution"*, Report No. TECH-2020-001 (2020), arXiv:2001.00099 [hep-ph].

[28] C. Author, *"A minimal technical report with year only"*, (2021).

[29] E. Witten, *"Anti-de Sitter space and holography"*, Adv. Theor. Math. Phys. **2**, 253 (1998), hep-th/9802150;
S. Gubser, I. Klebanov & A. Polyakov, *"Gauge theory correlators from non-critical string theory"*, Phys. Lett. B **428**, 105 (1998), hep-th/9802109.

[30] A. Zamolodchikov, *"Irreversibility of the flux of the renormalization group"*, JETP Lett. **43**, 730 (1986);
J. Cardy, *"Is there a c theorem in four dimensions?"*, Phys. Lett. B **215**, 749 (1988);
Z. Komargodski & A. Schwimmer, *"On renormalization group flows in four dimensions"*, JHEP **1112**, 099 (2011), arXiv:1107.3987 [hep-th].

[31] A. Belavin, A. Polyakov & A. Zamolodchikov, *"Infinite conformal symmetry in two-dimensional quantum field theory"*, Nucl. Phys. B **241**, 333 (1984);
P. Di Francesco, P. Mathieu & D. Senechal, *"Conformal Field Theory"*, Springer (1997).