

User: Variable codebook
Project: Bupe and incarceration

```
name: <unnamed>
log: C:\Users\riggins\Documents\einstein_materials\Summer Research Fello
> wship\bupe_incarceration_scripts\codebook.smcl
log type: smcl
opened on: 18 Jan 2016, 20:05:41
```

```
1 . codebook age white black latino asian_and_other english male heterosexual marr
> ied alone homeless hsdiploma employed mentaldiag asialcscore asidrugscore inje
> ctodrugs everalcintox everheroin evermethadone everotherpk everседative evercoc
> aine evermarijuana everanyopioid recentalcintox recentheroin recentmethadone r
> ecentotherpk recentседative recentcocaine recentmarijuana years_any_opioid ove
> rdosed treatedfordrugs recentmethadonetx anyrecentopioids_qu1 anyrecentopioids
> _qu2 anyrecentopioids_qu3 anyrecentopioids_qu4 anyrecentopioids_base retention
> lq retention2q retention3q retention4q recentincar_qu1 recentincar_qu2 recenti
> ncar_qu3 recentincar_qu4 recentincar_base everincar_base
```

age **Age at entr**

```
type: numeric (double)
range: [20,60] units: 1
unique values: 38 missing .: 85/306
mean: 44.552
std. dev: 8.5266
percentiles: 10% 25% 50% 75% 90%
              33 40 46 52 55
```

white **Subject identifies as non-hispanic/non-latino white**

```
type: numeric (byte)
label: no_yes
range: [0,1] units: 1
unique values: 2 missing .: 0/306
tabulation: Freq. Numeric Label
              237      0 no
              69      1 yes
```

black **Subject identifies as African-American/black**

```
type: numeric (byte)
label: no_yes
range: [0,1] units: 1
unique values: 2 missing .: 0/306
tabulation: Freq. Numeric Label
              150      0 no
              156      1 yes
```

latino **Subject identifies as hispanic/latino white**

```
type: numeric (byte)
label: no_yes
```

```

range: [0,1]
unique values: 2
units: 1
missing .: 0/306

tabulation: Freq.   Numeric   Label
              239         0    no
              67         1    yes

```

asian_and_other **Subject does not identify as white or African-American/black**

```

type: numeric (float)
label: no_yes

range: [0,1]
unique values: 2
units: 1
missing .: 0/306

tabulation: Freq.   Numeric   Label
              296         0    no
              10         1    yes

```

english **Subject speaks English as primary language**

```

type: numeric (byte)
label: no_yes

range: [0,1]
unique values: 2
units: 1
missing .: 0/306

tabulation: Freq.   Numeric   Label
              34         0    no
              272        1    yes

```

male **Subject is male**

```

type: numeric (byte)
label: no_yes

range: [0,1]
unique values: 2
units: 1
missing .: 0/306

tabulation: Freq.   Numeric   Label
              100         0    no
              206         1    yes

```

heterosexual **Subject describes sexual orientation as straight/heterosexual**

```

type: numeric (byte)
label: no_yes

range: [0,1]
unique values: 2
units: 1
missing .: 2/306

tabulation: Freq.   Numeric   Label
              59         0    no
              245         1    yes
               2          .

```

married **Subject describes current marital status as married or living with partner**

 type: numeric (byte)
 label: no_yes

 range: [0,1] units: 1
unique values: 2 missing .: 0/306

 tabulation: Freq. Numeric Label
 258 0 no
 48 1 yes

alone **Subject reports living alone**

 type: numeric (double)
 label: no_yes

 range: [0,1] units: 1
unique values: 2 missing .: 0/306
unique mv codes: 1 missing .*: 1/306

 tabulation: Freq. Numeric Label
 229 0 no
 76 1 yes
 1 .a don't know

homeless **Self-Reported Homelessness**

 type: numeric (double)
 label: no_yes

 range: [0,1] units: 1
unique values: 2 missing .: 0/306

 tabulation: Freq. Numeric Label
 230 0 no
 76 1 yes

hsdiploma **Does person have at a least a high school diploma or equivalent?**

 type: numeric (double)
 label: no_yes

 range: [0,1] units: 1
unique values: 2 missing .: 1/306

 tabulation: Freq. Numeric Label
 130 0 no
 175 1 yes
 1 .

employed **Subject works for pay**

 type: numeric (byte)
 label: no_yes

```

range: [0,1] units: 1
unique values: 2 missing .: 0/306

tabulation: Freq. Numeric Label
             228      0 no
             78      1 yes

```

mentaldiag **Ever Diagnosed Serious Mental Illness (ASI)**

```

type: numeric (double)
label: no_yes

range: [0,1] units: 1
unique values: 2 missing .: 3/306
unique mv codes: 2 missing .*: 2/306

tabulation: Freq. Numeric Label
             133      0 no
             168      1 yes
               3      .
               2      .a don't know

```

asialcscore **(unlabeled)**

```

type: numeric (float)

range: [0,100] units: 1.000e-07
unique values: 55 missing .: 3/306

mean: 7.39265
std. dev: 15.4556

percentiles: 10% 25% 50% 75% 90%
              0 0 .666667 5.33333 23

```

asidrugscore **Standardized composite score for drug use (out of 100)**

```

type: numeric (float)

range: [0,54.880951] units: 1.000e-08
unique values: 188 missing .: 5/306

mean: 25.746
std. dev: 11.678

percentiles: 10% 25% 50% 75% 90%
              8.33333 18.2143 27.9762 33.9286 39.2857

```

injectdrugs **Has person injected any drugs before?**

```

type: numeric (float)
label: no_yes

range: [0,1] units: 1
unique values: 2 missing .: 0/306

```

tabulation:	Freq.	Numeric	Label
	64	0	no
	242	1	yes

everalcintox	Subject has ever drunk alcohol to intoxication
---------------------	---

type:	numeric (float)	
label:	no_yes	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/306

tabulation:	Freq.	Numeric	Label
	113	0	no
	193	1	yes

everheroin	Subject has ever used heroin
-------------------	-------------------------------------

type:	numeric (float)	
label:	no_yes	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/306

tabulation:	Freq.	Numeric	Label
	13	0	no
	293	1	yes

evermethadone	Subject has ever used methadone
----------------------	--

type:	numeric (float)	
label:	no_yes	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/306

tabulation:	Freq.	Numeric	Label
	121	0	no
	185	1	yes

everotherpk	Subject has ever used other opioids or analgesics
--------------------	--

type:	numeric (float)	
label:	no_yes	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/306

tabulation:	Freq.	Numeric	Label
	176	0	no
	130	1	yes

eversedative	Subject has ever used sedatives
---------------------	--

type:	numeric (float)
label:	no_yes

```

range: [0,1]
unique values: 2
units: 1
missing .: 0/306

tabulation: Freq.   Numeric   Label
              206         0    no
              100         1    yes

```

evercocaine **Subject has ever used cocaine**

```

type: numeric (float)
label: no_yes

range: [0,1]
unique values: 2
units: 1
missing .: 0/306

tabulation: Freq.   Numeric   Label
              41         0    no
              265        1    yes

```

evermarijuana **Subject has ever used marijuana**

```

type: numeric (float)
label: no_yes

range: [0,1]
unique values: 2
units: 1
missing .: 0/306

tabulation: Freq.   Numeric   Label
              89         0    no
              217        1    yes

```

everanyopioid **Subject has ever used heroin or methadone**

```

type: numeric (float)
label: no_yes

range: [0,1]
unique values: 2
units: 1
missing .: 0/306

tabulation: Freq.   Numeric   Label
              8         0    no
              298        1    yes

```

recentalcintox **Subject has used alcohol to intoxication in the last 30 days**

```

type: numeric (float)
label: no_yes

range: [0,1]
unique values: 2
units: 1
missing .: 0/306

tabulation: Freq.   Numeric   Label
              226         0    no
              80         1    yes

```

recentheroin **Subject has used heroin in the past 30 days**

```

      type: numeric (float)
      label: no_yes

      range: [0,1]
      unique values: 2
      units: 1
      missing .: 0/306

      tabulation: Freq.   Numeric   Label
                   89         0      no
                   217        1      yes

```

recentmethadone **Subject has used methadone in the past 30 days**

```

      type: numeric (float)
      label: no_yes

      range: [0,1]
      unique values: 2
      units: 1
      missing .: 0/306

      tabulation: Freq.   Numeric   Label
                   226         0      no
                   80         1      yes

```

recentotherpk **Subject has used other opioids or analgesics in the past 30 days**

```

      type: numeric (float)
      label: no_yes

      range: [0,1]
      unique values: 2
      units: 1
      missing .: 0/306

      tabulation: Freq.   Numeric   Label
                   217         0      no
                   89         1      yes

```

recentssedative **Subject has used sedatives in the past 30 days**

```

      type: numeric (float)
      label: no_yes

      range: [0,1]
      unique values: 2
      units: 1
      missing .: 0/306

      tabulation: Freq.   Numeric   Label
                   252         0      no
                   54         1      yes

```

recentcocaine **Subject has used cocaine in the past 30 days**

```

      type: numeric (float)
      label: no_yes

      range: [0,1]
      unique values: 2
      units: 1
      missing .: 0/306

      tabulation: Freq.   Numeric   Label
                   131         0      no
                   175        1      yes

```

recentmarijuana	Subject has used marijuana in the past 30 days
------------------------	---

type:	numeric (float)				
label:	no_yes				
range:	[0,1]		units:	1	
unique values:	2		missing .:	0/306	
tabulation:	Freq.	Numeric	Label		
	203	0	no		
	103	1	yes		

years_any_opioid	Number of times treated for drug abuse
-------------------------	---

type:	numeric (float)				
range:	[0,43]		units:	1	
unique values:	39		missing .:	2/306	
mean:	17.3322				
std. dev:	10.734				
percentiles:	10%	25%	50%	75%	90%
	3	8	17	25	31

overdosed	Drug Overdose Count
------------------	----------------------------

type:	numeric (double)				
range:	[0,100]		units:	1	
unique values:	16		missing .:	1/306	
mean:	2.38689				
std. dev:	7.52022				
percentiles:	10%	25%	50%	75%	90%
	0	0	1	3	5

treatedfordrugs	Drug Abuse
------------------------	-------------------

type:	numeric (double)				
range:	[0,100]		units:	1	
unique values:	27		missing .:	2/306	
unique mv codes:	2		missing .*:	1/306	
mean:	5.74587				
std. dev:	9.15854				
percentiles:	10%	25%	50%	75%	90%
	0	2	3	6	12

recentmethadonetx	Methadone Treatment Past 3-months
--------------------------	--

type:	numeric (double)
label:	no_yes

range: [0,1] units: 1
 unique values: 2 missing .: 2/306
 unique mv codes: 2 missing .*: 3/306

tabulation:	Freq.	Numeric	Label
	245	0	no
	56	1	yes
	2	.	
	3	.a	don't know

anyrecentopioids_qu1

Any heroin or methadone use in 30 days before followup in quarter 1

type: numeric (float)
 label: no_yes

range: [0,1] units: 1
 unique values: 2 missing .: 99/306

tabulation:	Freq.	Numeric	Label
	129	0	no
	78	1	yes
	99	.	

anyrecentopioids_qu2

Any heroin or methadone use in 30 days before followup in quarter 2

type: numeric (float)
 label: no_yes

range: [0,1] units: 1
 unique values: 2 missing .: 117/306

tabulation:	Freq.	Numeric	Label
	123	0	no
	66	1	yes
	117	.	

anyrecentopioids_qu3

Any heroin or methadone use in 30 days before followup in quarter 3

type: numeric (float)
 label: no_yes

range: [0,1] units: 1
 unique values: 2 missing .: 133/306

tabulation:	Freq.	Numeric	Label
	115	0	no
	58	1	yes
	133	.	

anyrecentopioids_qu4

Any heroin or methadone use in 30 days before followup in quarter 4

type: numeric (float)
 label: no_yes

```

        range: [0,1]
unique values: 2
                                units: 1
                                missing .: 137/306

        tabulation: Freq.    Numeric    Label
                     114      0      no
                     55      1      yes
                     137      .

```

anyrecentopioids_base Any heroin or methadone use in 30 days before baseline

```

        type: numeric (float)
        label: no_yes

        range: [0,1]
unique values: 2
                                units: 1
                                missing .: 5/306

        tabulation: Freq.    Numeric    Label
                     65      0      no
                     236     1      yes
                     5       .

```

retention1q
Subject was retained on bup/nx treatment for one or more consecutive quarters

```

        type: numeric (float)
        label: no_yes

        range: [0,1]
unique values: 2
                                units: 1
                                missing .: 0/306

        tabulation: Freq.    Numeric    Label
                     79      0      no
                     227     1      yes

```

retention2q
Subject was retained on bup/nx treatment for two or more consecutive quarters

```

        type: numeric (float)
        label: no_yes

        range: [0,1]
unique values: 2
                                units: 1
                                missing .: 0/306

        tabulation: Freq.    Numeric    Label
                     103     0      no
                     203     1      yes

```

retention3q
Subject was retained on bup/nx treatment for three or more consecutive quarters

```

        type: numeric (float)
        label: no_yes

        range: [0,1]
unique values: 2
                                units: 1
                                missing .: 0/306

```

tabulation:	Freq.	Numeric	Label
	129	0	no
	177	1	yes

retention4q**Subject was retained on bup/nx treatment for four consecutive quarters**

type: numeric (float)
label: no_yes
range: [0,1] units: 1
unique values: 2 missing .: 0/306

tabulation:	Freq.	Numeric	Label
	159	0	no
	147	1	yes

recentincar_qu1**Subject reported being incarcerated in 3 months before quarter one visit**

type: numeric (float)
label: no_yes
range: [0,1] units: 1
unique values: 2 missing .: 117/306

tabulation:	Freq.	Numeric	Label
	176	0	no
	13	1	yes
	117	.	

recentincar_qu2**Subject reported being incarcerated in 3 months before quarter two visit**

type: numeric (float)
label: no_yes
range: [0,1] units: 1
unique values: 2 missing .: 136/306

tabulation:	Freq.	Numeric	Label
	144	0	no
	26	1	yes
	136	.	

recentincar_qu3**Subject reported being incarcerated in 3 months before quarter three visit**

type: numeric (float)
label: no_yes
range: [0,1] units: 1
unique values: 2 missing .: 146/306

tabulation:	Freq.	Numeric	Label
	147	0	no
	13	1	yes
	146	.	

recentincarc_qu4**Subject reported being incarcerated in 3 months before quarter four visit**

```
      type: numeric (float)
      label: no_yes

      range: [0,1]                      units: 1
unique values: 2                      missing .: 149/306

      tabulation: Freq.   Numeric   Label
                   137       0      no
                   20       1      yes
                   149       .
```

recentincarc_base**Subject reported at baseline having been incarcerated in the past 30 days**

```
      type: numeric (double)
      label: no_yes

      range: [0,1]                      units: 1
unique values: 2                      missing .: 1/306

      tabulation: Freq.   Numeric   Label
                   266       0      no
                   39       1      yes
                   1       .
```

everincarc_base**Subject reported at baseline having ever been incarcerated for more than 3 days**

```
      type: numeric (double)
      label: no_yes

      range: [0,1]                      units: 1
unique values: 2                      missing .: 0/306

      tabulation: Freq.   Numeric   Label
                   64       0      no
                   242      1      yes
```

```
2 . log close
   name: <unnamed>
   log:  C:\Users\riggins\Documents\einstein_materials\Summer Research Fello
> wship\bupe_incarceration_scripts\codebook.smcl
   log type: smcl
closed on: 18 Jan 2016, 20:07:05
```
