



Master's Thesis in Robotics, Cognition, Intelligence

English Title

German Title

Supervisor Prof. Dr.-Ing. habil. Alois C. Knoll

Advisor Musterbetreuer, M.Sc.

Author Martin Mustermann

Date January 1, 2020 in Garching

Disclaimer

I confirm that this Master's Thesis is my own work and material used.	I have documented all sources and
Garching, January 1, 2020	(Martin Mustermann)

Abstract

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Zusammenfassung

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Contents

1	Abo	ut TUMlatex	1
	1.1	Introduction	1
	1.2	Quick-Start-Guide for Beginners	1
		1.2.1 Installation	1
		1.2.2 Create your own Document	3
		1.2.3 Documentation	4
		1.2.4 Bugs, Errors and Suggestions	4
	1.3	Guide for Developers/Contributors	4
	1.4	Support	4
	1.5	License Notes	5
2	I6 S	ubmission Guidelines	7
	2.1	Citations	7
	2.2	Figures	7
	2.3	Math Notation	7
	2.4	Length	8
	2.5	Cover	8
	2.6	CD or DVD	9
3	Exa	mples	11
	3.1	Figures	11
	3.2	Tables	11
	3.3	Equations	12
	3.4	Plots	12
	3.5	Citations	13
	3.6	Sections	13
		3.6.1 Subsection 1	13
		3.6.2 Subsection 2	14
		3.6.3 Subsection 3	14
Α	App	endix 1	15
Βi	hling	raphy	17

Chapter 1

About TUMlatex

1.1 Introduction

This TUMlatex project represents a cooperation of several chairs of the Technical University of Munich to provide a compact and easy-to-use LaTeX package for both, employees and students.

If you are interested in using this package, please read Section 1.2.

If you are an advanced LaTeX user and want to contribute to this project, please read Section 1.3.

If you are responsible for the LaTeX templates of your chair and you are interested in joining this collaboration, please contact the current maintainer Michael Kreutz (m.kreutz@tum.de).

1.2 Quick-Start-Guide for Beginners

This project aims to provide an easy-to-use solution for unexperienced or even first-time LaTeX users. As a first step, please read the installation instructions of Section 1.2.1.

1.2.1 Installation

If you are using TUMlatex for the first time, please pass through the following steps carefully.

Setup your LaTeX Environment

First of all you have to install a LaTeX environment on your PC. You may skip this step, if you are using a PC of the university with a pre-installed LaTeX environment (e.g. TUM-PC).

- For **Windows** users: Please install the newest version of <u>MiKTeX</u> (see below for full installation).
- For **Mac** users: Please install the newest version of <u>MacTeX</u> (see below for full installation).
- For **Linux** (Ubuntu, <u>TeXLive</u>) Option A (outdated version not recommended): Install the default packages texlive-full and biber via apt-get shipped with your Ubuntu distribution.

2 1 About TUMlatex

• For Linux (Ubuntu, <u>TeXLive</u>) - Option B (newest version - recommended): Download the TUMlatex package of your chair (see Section 1.2.1), unzip it and run the automatic installer script UbuntuInstallTexliveNewest.sh as root (sudo ./UbuntuInstallTexliveNewest.sh) located in XXXTools (replace XXX by your chair abbreviation).

Note: Without any warranty you may use a different LaTeX environment.

Important: If the amount of free memory on your PC permits, be sure to install all packages. Otherwise it is likely, that you are missing some necessary packages and have to install them on your own.

- For **Windows** users: Install all packages via the MiKTeX Package Manager.
- For **Mac** users: Install the Full MacTeX package.
- For **Linux** users: Both options (A and B) mentioned above will install a full installation of TeXLive.

Optional: Update your LaTeX Environment

In some cases this is necessary in order to avoid compilation errors due to outdated standard packages. Again you may skip this step if this is not your private PC.

- For Windows users: Please follow this guide.
- For Mac users: You can use the graphical updating tool <u>TeX Live Utility</u> to update your packages.
- For Linux users: If you chose option B (see Section 1.2.1) open a terminal and update the TeXLive package manager and all packages with the command sudo tlmgr update -self -all -reinstall-forcibly-removed

Setup your LaTeX Editor

You can use any editor you like. However, the open-source and cross-platform LaTeX editor <u>TeXstudio</u> is recommended. In this case you can use the **auto-completion feature** by copying the provided syntax file (.cwl-file, shipped within the .zip file, see Section 1.2.1) to the folder

- %APPDATA%\Roaming\texstudio\completion\user for Windows users or equivalently
- ~/.config/texstudio/ for Linux or Mac users.

Furthermore you may enable the shell-escape option of pdflatex (optional, but neccessary for tikz-externalize to work):

- 1. Navigate to Options \rightarrow Configure TeXstudio \rightarrow Commands
- 2. Change PdfLaTeX to pdflatex -synctex=1 -shell-escape -interaction=nonstopmode %.tex

You also should change the default bibliography tool from bibtex to biber:

- 1. Navigate to Options \rightarrow Configure TeXstudio \rightarrow Build
- 2. Change Default Bibliography Tool to txs:///biber

Note: You can also use bibtex as bibliography backend with the TUMlatex packages. However, you have to pass optBibtex instead of optBiber to the package. Furthermore some commands related to the bibliography are different (ask Google for help).

Get the latest Release of the TUMlatex Package

If you are reading this document you probably already have downloaded the TUMlatex package. However, it is recommended to check if you are using the latest version. In the following table you find the chair-related TUMlatex packages:

Dept.	Chair	TUMlatex Package
MW	Aerodynamics and Fluid Mechanics	AERlatex.zip
MW	Applied Mechanics	AMlatex.zip
MW	Automotive Technology	FTMlatex
MW	Machine Tools and Industrial Management	IWBlatex.zip
MW	Central Teaching Unit	ZLlatex.zip
IN	I6 - Robotics, AI & Embedded Systems	RAIlatex.zip

The packages include (replace "XXX" by your chair abbreviation)

- the main class file XXXlatex.cls,
- the main package file XXXlatex.sty (This is an alternative to using the main class file. This is helpful, if you write a paper and have to use the baseclass provided by the publisher),
- the syntax file XXXlatex.cwl for auto-completion in TeXstudio,
- a license file XXXlatex_LICENSE.txt containing licensing information,
- a folder XXXDocumentation containing the package documentation (therein precompiled as main.pdf),
- a folder XXXTemplates containing a selection of useful templates which you can copy and directly use.
- a folder XXXTools containing a selection of useful tools (e.g. TeXLive setup script).

1.2.2 Create your own Document

The **recommended way** to create a new document is to

- 1. select an appropriate template in the template folder XXXTemplates,
- 2. copy the whole template folder (e.g. XXXDocument) wherever you want,
- 3. open the main.tex file in the template folder with your favorite LaTeX-editor,
- 4. initially compile it (using *pdflatex* and optionally *biber/bibtex*) and check for errors,

4 1 About TUMlatex

- 5. make your changes and fill it with content and
- 6. compile it (using pdflatex and optionally biber/bibtex).

Note: As an alternative way it is possible to use the main class (.cls-file) or the main package (.sty-file) as a shared resource by copying it to your local texmf folder. However, in this case you may not be able to compile old documents, which have been created with a different version of this package. Thus it is **strongly recommended** to make a copy of the main class file (XXXlatex.cls) for each of your documents!

1.2.3 Documentation

The documentation of the packages is included in the folder XXXDocumentation (precompiled as file main.pdf). Feel free to have a look at the source code of the documentation, in order to learn how to do stuff. Be aware that most of the source code is automatically generated.

1.2.4 Bugs, Errors and Suggestions

If you recognize any bug/error or you have a suggestion to make this package (even) better, please feel free to open an Issue.

Important: Assign the corresponding maintainer of your chair to the issue (see <u>LRZ GitLab</u>). Expect no support for unassigned issues - they will be deleted immediately!

Please use the default **Labels** to categorize your issue. Please also provide additional information like your

- operating system (+ version),
- · LaTeX environment (+ version) and
- LaTeX editor and (+ version).

1.3 Guide for Developers/Contributors

For information on how to contribute to this project please have a look at the Contribution Guide.

1.4 Support

For support, please directly contact the responsible package maintainer of you chair (see "maintainer" in Section 1.2.4).

Important: If your are not associated with a chair or your chair is not part of the TUM-latex project, please read following note: We are happy that you use TUMlatex and that you appreciate our effort in making a good LaTeX template for TUM members. However, please understand that this project is maintained by various PhD students, who contribute to the template mainly in their spare time (actually we do not get paid for this - its our personal commitment). Thus, we limit our "support" to employees and students of our associated chairs. Certainly, we are happy for any bug report, however, we can not assist everybody in using this template neither can we respond to individual feature requests. We hope you can understand this.

1.5 License Notes 5

1.5 License Notes

Copyright (c) 2021 Technical University of Munich (https://www.tum.de/)

This work may be distributed and/or modified under the conditions of the LaTeX Project Public License, either version 1.3 of this license or (at your option) any later version. The latest version of this license is in http://www.latex-project.org/lppl.txt and version 1.3 or later is part of all distributions of LaTeX version 2005/12/01 or later.

This work has the LPPL maintenance status 'maintained'. The current maintainer of this work is Michael Kreutz (m.kreutz@tum.de).

This work consists of all files of the GitLab repository https://gitlab.lrz.de/AM/TUMlatex.

Chapter 2

16 Submission Guidelines

This chapter gives an overview about the expected format of a thesis at the Chair of Robotics, Artificial Intelligence and Real-time systems. It mostly focuses on the format on your written thesis. For a general overview of the submission guideline please refer to the I6 Wiki.

When writing your thesis please use the RAIStudentThesis template. It should be in line with the IN TUM thesis guidelines (last checked: 08/02/2020). However, please always reassure that this is still the case. In other subjects, please make sure that the format meets your individual requirements. When handing it in, please include an additional copy for your advisor. Moreover make sure your that thesis fulfills the following requirements.

2.1 Citations

We recommend that you use alphadin citation style when working with bibtex, or alpha when using biblatex/biber. Your bibliography should look like this:

- [BM92] Besl, P. J. and McKay, N. D. "Method for registration of 3-D shapes". In: Sensor fusion IV: control paradigms and data structures. Vol. 1611. International Society for Optics and Photonics. 1992, pp. 586–606.
- [CM92] Chen, Y. and Medioni, G. "Object modelling by registration of multiple range images". In: Image and vision computing 10.3 (1992), pp. 145–155.

When quoting an author word-by-word please include a page number in the reference.

2.2 Figures

Please use vector graphics when including figures or diagrams in your thesis. If you create them with PGF/TIKZ or Inkscape it also possible to add texts directly from Latex to ensure a consistent typesetting. There is an unwritten rule, saying figures not referenced in your text are unnecessary.

When citing a figure include the reference in the figure's label (including the page number).

2.3 Math Notation

When using formulas or pseudocode use the following notation style:

Туре	Example	Code (Math Mode)	Comment	
General items				
Scalars	а	a	lower case, italic	
Functions	sin(x)	\textrmsin(x)	regular text	
Units	42 Hz	42\textrmHz	half-space between number and unit; unit	
A = a1 a a		\ - 1 h	in regular text Greek letters	
Angles Absolute value	α	\alpha \mid a \mid	Greek letters	
Modulo	<i>a</i> mod	\mid a \mid \textrm{mod}		
		(DOMINITY STATE		
Vectors and matr	ices			
Vectors	ν	\boldsymbol{v}	lower case, italic, bold	
Matrices	M	\boldsymbol{M}	upper case, italic, bold	
Variable indices	\boldsymbol{x}_i	\boldsymbol{x}_i		
Static indices	x_{\min}	\boldsymbol{x}_mi	n}	
Unit vectors	\mathbf{e}_{x}	\textbf{e}_x		
Identity matrices	\mathbf{Id}_n	$\text{textbf}\{\text{Id}\}_n$		
Transpose	$oldsymbol{x}^{ ext{T}}$	\boldsymbol{x}^\textrm{T}	T in superscript and regular font	
Vector product	×	\times		
(cross product)				
Dot product	•	\cdot		
Sets and sequences				
Sets	$A = \{1, 2, 3\}$	A = \{ 1, 2, 3 \}	upper case, italic	
Sequence	$\mathcal{A} = \langle 1, 2, 3 \rangle$	<pre>\mathcal{A} = \langle 1,2,3 \rangle</pre>		
Set without	$A \setminus \{e\}$	A \backslash \{ e \}		
Unification	$A \cup \{e\}$	A \cup \{ e \}		

Always use single letters for variable names.

2.4 Length

Stundents often ask for a required number of pages. However, there are no fixed page limits or requirements for bachelor's or master's theses. As a point of reference, most bachelor's have around 40 to 60 pages and while master's thesis usually reach 60 to 80 pages (including abstract, table-of-contents, lists of figures, lists of tables and bibliography). If your thesis is going to be longer than 100 pages, your advisor and/or supervisor will most likely not read all of it. Detailed information can be found in your module handbook (see campus.tum.de).

2.5 Cover

The main directory of the RAIStudentThesis template contains two *.tex: main.tex and cover.tex. Start by using main.tex to write your thesis. Once you have completed your

2.6 CD or DVD 9

work and you know how large the spine of the book will be you can use cover.tex to generate a matching cover for your printed copies.

2.6 CD or DVD

Note: A CD or DVD is not required for the official copy you submit to the faculty or your program coordinator. If in doubt check your program's website!

For your advisor's/ supervisor's copy of your thesis please add a CD or DVD on the last inner page of your thesis including:

- 1. A digital copy of your thesis (including its Latex sources)
- 2. The code you programmed
- 3. The dataset(s) you used for your evaluation results

As a rule of thumb, the disk should include everything required to reproduce your results.

Chapter 3

Examples

This chapter shows a number of examples that might be useful when you have not worked with LaTex or TUMlatex before.

3.1 Figures

This paragraph shows the differences of pixel based images and vector graphics. As you can see in figure fig. 3.1 the *.png image becomes quite blurry when scaled to large, while the other, vector based images look flawless at any zoom rate.




Figure 3.1: Image description.

3.2 Tables

Tables can be referred to in the same way as figures. The four letters after the \begin{table} statement indicate the placement of the table environment as listed in table 3.1, where the first letter is the preferred position, the second one the next best alternative and so on.

12 3 Examples

Letter	Placement
h	here
t	top of the page
b	bottom of the page
p	standalone page

Table 3.1: Placement options for floating environments.

We recommend to use the \toprule, \midrule and \bottomrule commands from the booktabs package to generate nice looking tables.

3.3 Equations

Besides of LaTeX general math mode, that allows you to put some formulas like $a^2 + b^2 = c^2$ directly in your paragraph, we can also use an enumerated, standalone environment for more complex statements, such as Equation 3.1:

$$E = mc^2 (3.1)$$

3.4 Plots

Plots might appear to be just another kind of images, however, *tikz* allows you to define them right in your LaTeX code, as done in figures 3.2 and 3.3.




Figure 3.2: Title of the 2D plot (using pgfplots).

3.5 Citations 13




Figure 3.3: Title of the 3D plot (using pgfplots).

3.5 Citations

This sentence is referring to a single source [BM92]. Sentence number two has a single source with a page number [CM92, page 123f.] The statement in this last sentence is even supported by multiple sources [Cho+05; TBF05].

3.6 Sections

Of course it is also possible to define deeper levels of sections. Let's have a look at some subsections and subsubsections. However, when writing you thesis, try to avoid deeply nested structures.

3.6.1 Subsection 1

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Subsubsection 1

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all

14 3 Examples

letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Subsubsection 2

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.6.2 Subsection 2

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.6.3 Subsection 3

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Appendix A

Appendix 1

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Bibliography

- [BM92] Besl, P. J. and McKay, N. D. "Method for registration of 3-D shapes". In: *Sensor fusion IV: control paradigms and data structures*. Vol. 1611. International Society for Optics and Photonics. 1992, pp. 586–606.
- [CM92] Chen, Y. and Medioni, G. "Object modelling by registration of multiple range images". In: *Image and vision computing* 10.3 (1992), pp. 145–155.
- [Cho+05] Choset, H. M., Hutchinson, S., Lynch, K. M., Kantor, G., Burgard, W., Kavraki, L. E., and Thrun, S. *Principles of robot motion: theory, algorithms, and implementation*. Cambridge: MIT press, May 2005. ISBN: 978-0-262-03327-5.
- [TBF05] Thrun, S., Burgard, W., and Fox, D. *Probabilistic Robotics*. Cambridge: MIT press, Aug. 2005. ISBN: 978-0-262-20162-9.