

AEMaaCS DAM Architect & Librarian Best Practices

DAM Architects, Librarians, Asset Stewards – SHRSS Volume

1. Role & Responsibilities

As DAM architect/librarian for SHRSS you:

- Own the **structure, governance, and metadata** of Assets and Content Fragments.
- Ensure the repository scales and remains **searchable, consistent, and legally compliant**.
- Partner with authors and engineering to support reliable **Jobs/Events/News/Locations** experiences.

Use the **Consolidated All-Roles Volume** for shared platform concepts.

2. Information Architecture (IA) for Assets & CFs

2.1 Folder Design Principles

- Design for:
 - **Findability** (how humans search).
 - **Scalability** (tens/hundreds of thousands of assets).
 - **Permission boundaries** (who should access what).
- Keep **CFs and media separate**:
 - CFs under structured trees (e.g., Content Fragments by domain).
 - Media (images, videos, docs) under Media or domain-specific subfolders.

References

- [Assets as a Cloud Service documentation](#)

2.2 SHRSS Overlay – Folder IA

- Typical structure:
 - Assets > Files > SHRSS > Content Fragments > Jobs/Events/News/Locations/...
 - Assets > Files > SHRSS > Media > ...
- For Jobs:
 - Use region/country/property folders so recruiters and authors can quickly find relevant jobs.
- For Events:
 - Group by brand or property, depending on how events are used.
- For News:
 - Group by brand/property or central editorial; keep cross-brand content in shared locations.

3. Content Fragments as Structured Data

3.1 CF Model Governance

- Keep CF model changes **versioned and documented**:
 - Changing field names or types affects queries, index rules, and front-end.
- Avoid frequent field model changes once live:
 - Add new optional fields instead of repurposing existing ones.

References

- [Content Fragment Models](#)

3.2 SHRSS Overlay – CF Domains

- **Jobs CF model**
 - Fields split into:
 - Workday/system fields (IDs, URLs, location).
 - Author-only fields (image, hot flag, overrides).
 - DAM governance:
 - Document which fields are overwritten by sync vs controlled by authors.
- **Events CF model**
 - Emphasis on:
 - Date/time, status, location reference.
 - Promotional media fields.
- **News CF model**
 - Metadata fields (publish date, category, hero image) drive lists and cards.
- **Location CF model**
 - Mirrors DPLT structure; do not modify core fields without alignment with integration owners.

4. Metadata & Taxonomy

4.1 Metadata Schemas

- Use **metadata schemas** for:
 - Asset types (images, videos, docs).
 - Domain-specific needs (e.g., Job imagery, Event hero images).
- Enforce:
 - Required fields (license, rights, expiry).
 - Controlled vocabularies via dropdowns tied to tag trees.

References

- [Managing Metadata for Assets](#)

4.2 Tags & Taxonomy

- Design tag hierarchies around:
 - **Business concepts:** brand, property, department, event type.
 - **Cross-domain reuse:** tags that unify Jobs/Events/News/Locations.

4.3 SHRSS Overlay – Tags

- Ensure there is a **single source of truth** for:
 - Job categories and departments → align with Workday.
 - Properties and locations → align with DPLT.
 - News categories and event types → align with marketing taxonomy.
- Anti-pattern:
 - Ad-hoc tags like “new-event-2025” created only for one use; prefer using start/end dates, status, or existing categories.

5. Lifecycle & Governance

5.1 Asset Lifecycle

- Define policies for:
 - **Retention:** how long to keep assets and CFs.
 - **Archival:** where to move expired materials.
 - **Deletion:** when to safely delete unused assets.

5.2 SHRSS Overlay – Jobs/Events/News Lifecycle

- Jobs:
 - Workday may expire jobs; ensure CFs are either archived or clearly marked as expired.
 - Don’t manually delete active jobs; coordinate with Workday owners.
- Events:
 - Past events:
 - Archive CFs or tag as “past” based on business rules.
- News:
 - For compliance or brand tracking, keep historical news CFs and pages but ensure old news is clearly dated.

6. Supporting Performance & Indexing

6.1 Repository Hygiene

- Avoid:

- Huge “flat” folders (e.g., thousands of CFs under a single node).
- Excessive nesting (folders 12+ levels deep).
- Design folder hierarchies that:
 - Keep **node counts per folder moderate**.
 - Map to query constraints (e.g., Jobs per region/country/property).

6.2 SHRSS Overlay – Index-Friendly Design

- For Jobs:
 - Regions/country/property folders support:
 - Path constraints for region-specific queries.
 - Better index density and smaller result sets.
- For Events & News:
 - Consider grouping by **year** or **month** to avoid unbounded lists in a single folder.

7. Collaboration with Authors & Engineering

- Provide **DAM usage guides**:
 - Where to upload images.
 - Required metadata before publishing.
- Work with engineering to:
 - Ensure new search/list components have supporting metadata and tags.
- Work with authors to:
 - Clean up legacy content when IA or taxonomies change.

8. DAM SHRSS Overlay Summary

For SHRSS DAM roles:

- Treat CFs as **structured data** with strong governance over models.
- Align tags and metadata with **Workday and DPLT** taxonomies.
- Support performance by designing folder structures and lifecycles that keep the repository clean and index-friendly.

Use alongside:

- The **Consolidated All-Roles Volume**.
- The **Author Volume** (to ensure authoring patterns align with IA).
- The **Indexing & Performance Volume** (for how DAM choices influence query/index behavior).