

While the mouse waits, the eyes travel.

First entries favor gaze; nearby visit pairs have little median lag.


2,650 trials · 47 participants · strict result rectangles · first mousemove through final press

Exploratory timing and sequence analysis

01 FIRST ENTRY TO A RESULT

66.5% gaze arrives first


95% CI 63.4–69.4% · 8,175 jointly visited trial–AOIs



Median first-entry difference: cursor 0.94 s later. Ties at the first mousemove count as same onset.

02 THE RECORDED EYE PATH IS BUSIER

Rank changes per minute of common signal coverage



03 WHEN THE CURSOR RESTS IN AN AOI

23.8% gaze is on another AOI

95% CI 22.2–25.2% · 57.5 minutes observed overlap


Same AOI 25.9% · Different AOI 23.8%

Gaze off AOIs 17.1% · No matched fixation 33.2%

Rest = <5 px per 100 ms, scrolling excluded. Cursor held ≤2 s; without the cap: 27.6%.

04 ONE OBSERVED TRIAL, TWO PATHS

p021-b1-t6 · 29.65 s · same time and rank scales



Solid: observed occupancy. Dashed: nearby AOI changes. Unknown spans stay on the “Unobserved” row.

05 ZOOM INTO THE WAIT

Gaze: 3 → 2 → 3 → 1

Cursor: remains on AOI 1 for 4.0 s





Illustration selected by a fixed rule from 63 qualifying pauses.

06 FIRST ARRIVAL: GAZE OFTEN LEADS

Cursor first entry – gaze first entry, for jointly visited AOIs




Outer bars include tails beyond ±10 s. The 0–0.5 s bin includes tied onsets; see panel 01.

Visits: ≥100 ms observed occupancy; same-AOI gaps ≤100 ms merged. AOI position is 1-based and includes ads/widgets. Timing ≠ proof of following.

07 NEARBY VISITS: LITTLE MEDIAN LAG

One-to-one, same-AOI pairs within ±2 s · 10,321 matched pairs



Without pairs starting at the first mousemove: gaze first 55.3% [53.2–57.1%], median +0.049 s. Unmatched: 50,622 gaze, 4,729 cursor visits.