Announcements:

- Today, course evals, quiz 4, Four-Color Theorem
- Exam review: Wed., plas review session next week
- Final exam: Thurs 12/14, 8:00-11:00am, 132 Berier Hall

Start of class: course evals (ices.citl.illinois.edu)
(optional, but appreciated; or do it on own time)

Quiz will start at 10:10!

Last time: gave Kempe's "proof" of the 4-color theorem.
But, there was a subtle flaw!

Recall:

G_{ij} = induced subgraph of $G \setminus v$ consisting of vertices of color i or j

P_{ij} = path from v_i to v_j in G_{ij} (if it exists/makes sense)

H = component of $G_{2,4}$ containing v_2

H' = component of $G_{2,3}$ containing v_5

Kempe obtained a proper 4-coloring of G by

- Swapping colors $2 \leftrightarrow 4$ on H
- Swapping colors $2 \leftrightarrow 3$ on H'
- Color v color 2

However, this doesn't work for the possibility on the right:





History of four-color theorem

1852: problem first stated (Francis Guthrie)

1878: Cayley announces problem to London Mathematical Society

1879: Kempe publishes "proof"

1890: Heawood finds error in Kempe's proof, proves 5-color thm.

Kempe gave us the following set of unavoidable configurations:



• 3

reducible



• 4

reducible



• 5

not obviously reducible

Since we can't reduce • 5, we replace it with many more configurations: 3 unavoidable set containing • 3, • 4, and hundreds/thousands of configurations, e.g. →



1910s – 1960s: More configurations were found

Theorem [Appel & Haken (with Koch), 1976, @ UIUC!]:
Every planar graph is 4-colorable.

Method of proof:

- Found an unavoidable set of 1936 configurations
- For each configuration, check that each proper 4-coloring the ring leads to a way to color the interior
- Used 1200 hours of computer time to check all these cases

Very controversial at first, but has come to be accepted

1981: Error found (Schmidt)

1989: Appel & Haken published book with detailed explanation and fixing errors

1996: Simplified proof using only 633 configurations

2005: Gonthier and Werner "formalized" a proof of the Four-Color Theorem using the Coq proof assistant