PROGRAMMING IN VISUAL BASIC


CMPT 110

CHAPTER 2 – VISUAL BASIC CONTROLS, AND EVENTS SCHNEIDER, 10TH ED.

- 2.1 AN INTRODUCTION TO VISUAL BASIC
- 2.2 VISUAL BASIC CONTROLS
- 2.3 VISUAL BASIC EVENTS



- TO UNDERSTAND THE CONCEPT OF A "CONTROL OBJECT" AS IT PERTAINS TO WINDOWS AND PROGRAMMING IN VISUAL BASIC.
- TO LEARN HOW TO LAUNCH THE VISUAL STUDIO INTEGRATED DEVELOPMENT ENVIRONMENT AND CREATE A NEW PROJECT.
- TO FAMILIARIZE YOURSELF WITH THE **LABEL, TEXTBOX, BUTTON**, AND **FORM CONTROL OBJECTS**AND THE **PROPERTIES** ASSOCIATED WITH THEM.
- TO UNDERSTAND THE IMPORTANCE OF PREPARING A "REQUIREMENTS DEFINITION" FOR GATHERING INFORMATION THAT WILL BE NEEDED IN A PROJECT AND HOW TO CREATE ONE.
- TO BE ABLE TO DESIGN SIMPLE WINDOWS INTERFACES USING THE BASIC CONTROL OBJECTS.





EVENT-DRIVEN AND OOP

VISUAL BASIC HAS BEEN DESCRIBED AS
AN "EVENT-DRIVEN" AND AN "OOP LANGUAGE".

WHAT DO THESE TERMS MEAN?



EVENT-DRIVEN AND OOP

AN "EVENT-DRIVEN" PROGRAMMING LANGUAGE IS ONE WHERE PROGRAMS ARE WRITTEN TO RESPOND TO ACTIONS TAKEN IN A WINDOWS ENVIRONMENT. THESE ACTIONS, CALLED "EVENTS," INCLUDE ALL THE TYPICAL THINGS THAT A USER CAN DO IN A WINDOW WITH A KEYBOARD AND MOUSE, INCLUDING:

- CLICK ON A MOUSE BUTTON.
- CLICK ON A VIRTUAL BUTTON IN A WINDOW.
- SCROLL HORIZONTALLY OR VERTICALLY THE TEXT IN A WINDOW.
- ENTER DATA THROUGH AN INPUT FIELD.
- DISPLAY TEXT OR IMAGES IN A WINDOW.
- CLICK ON RADIO-BUTTONS OR CHECK BOXES.



- AN "OBJECT-ORIENTED" PROGRAMMING LANGUAGE [COVERED IN THE LAST PPT] IS ONE WHERE PROGRAMS ARE WRITTEN TO CREATE AND MANIPULATE VIRTUAL REPRESENTATIONS OF REAL-WORLD COLLECTIONS OF OBJECTS. THE OBJECTS THAT WE MAY WISH TO REPRESENT (OR "MODEL") MAY BE AS COMPLEX AS A PERSON OR AS SIMPLE AS A CHECK-BOX IN A WINDOW.
- HOW THESE OBJECTS ARE TO BE REPRESENTED IN A COMPUTER PROGRAM MUST USUALLY BE
 DEFINED BY A PROGRAMMER SUCH AS YOU. YOU MUST DECIDE ON WHAT CHARACTERISTICS OR
 PROPERTIES ARE NECESSARY TO DESCRIBE SUFFICIENTLY ANY MEMBER BELONGING TO A PARTICULAR
 COLLECTION OF OBJECTS SO THAT IT CAN BE MODELED SATISFACTORILY IN A COMPUTER PROGRAM.
- IN "PROGRAMMER-SPEAK," THE MEMBERS ARE CALLED "INSTANCES" AND THE COLLECTION IS CALLED A "CLASS," AND SO YOU WILL FIND PROGRAMMERS TALKING ABOUT "INSTANCES OF A CLASS"

 RATHER THAN MEMBERS OF A COLLECTION.




EVENT-DRIVEN AND OOP

UNDERSTANDING THE CONCEPTS OF "EVENT" AND "OBJECT" ARE CENTRAL TO WRITING PROGRAMS IN VISUAL BASIC, SO YOU WILL FIND MUCH OF STUDY GUIDE AND THE TEXTBOOK DEVOTED TO HOW TO WRITE PROGRAMS THAT RESPOND TO EVENTS AND HOW TO MANIPULATE OBJECTS.

WHEN PROVIDING VISUAL BASIC PROGRAMS AND SOURCE CODE AS EXAMPLES IN POWERPOINTS, THE FOLLOWING CONVENTIONS WILL BE ADOPTED:

- THIS POWERPOINT WILL USE VISUAL BASIC CLASS NAMES, SUCH AS "BUTTON" AND "TEXTBOX" WHEN REFERRING TO OBJECTS SUCH AS "BUTTON" AND "TEXT BOX."
- TWO IMPORTANT OBJECT CLASSES IN VISUAL BASIC ARE "TEXTBOXES" AND "LISTBOXES." THE TEXTBOOK SUGGESTS USING A LISTBOX FOR DISPLAYING OUTPUT. FOR NOW THIS STUDY GUIDE WILL USE THE TEXTBOX FOR THIS PURPOSE. WE WILL INTRODUCE THE LISTBOX LATER. IF YOU ARE UNFAMILIAR WITH WINDOWS, YOU SHOULD REVIEW THE RELEVANT SECTIONS IN APPENDIX B OF THE TEXTBOOK. NOTEPAD MAY ALSO BE USEFUL TO YOU IN CREATING TEST FILES FOR LATER ASSIGNMENTS IN THE COURSE.
- IN THIS POWERPOINT, WORDS AND PHRASES IN ITALICS ARE TO BE REPLACED BY VISUAL BASIC IDENTIFIERS AND VALUES TO CREATE INSTANCES OF THE DESCRIPTION PROVIDED IN ITALICS.

INTERFACE DESIGN





INTERFACE DESIGN

in·ter·face

/'in(t)ər fās/ •0

noun

- a point where two systems, subjects, organizations, etc., meet and interact. "the interface between accountancy and the law"
- COMPUTING
 a device or program enabling a user to communicate with a computer.

verb

- interact with (another system, person, organization, etc.).
 "his goal is to get people interfacing with each other"
- COMPUTING connect with (another computer or piece of equipment) by an interface.



THE USER INTERFACE (UI)

User interface

From Wikipedia, the free encyclopedia

For the boundary between computer systems, see Interface (computing). For other uses, see Interface.

The user interface (UI), in the industrial design field of human—computer interaction, is the space where interactions between humans and machines occur. The goal of this interaction is to allow effective operation and control of the machine from the human end, whilst the machine simultaneously feeds back information that aids the operators' decision-making process. Examples of this broad concept of user interfaces include the interactive aspects of computer operating systems, hand tools, heavy machinery operator controls, and process controls. The design considerations applicable when creating user interfaces are related to or involve such disciplines as ergonomics and psychology.






VISUAL STUDIO - THE IDE

INTEGRATED DEVELOPMENT ENVIRONMENT: ALLOWS THE AUTOMATION OF MANY OF THE COMMON PROGRAMMING TASKS IN ONE ENVIRONMENT

- WRITING THE CODE
- CHECKING FOR SYNTAX (LANGUAGE) ERRORS
- COMPILING AND INTERPRETING(TRANSFERRING TO COMPUTER LANGUAGE)
- DEBUGGING (FIXING RUN-TIME OR LOGIC ERRORS)
- RUNNING THE APPLICATION



VB COMPILING AND EXECUTION



13

PROJECT AND SOLUTION CONCEPTS

USER CREATES A NEW PROJECT IN VISUAL STUDIO

- A SOLUTION AND A FOLDER ARE CREATED AT THE SAME TIME WITH THE SAME NAME AS THE PROJECT
- THE PROJECT BELONGS TO THE SOLUTION
- MULTIPLE PROJECTS CAN BE INCLUDED IN A SOLUTION

SOLUTION

- CONTAINS SEVERAL FOLDERS THAT DEFINE AN APPLICATION'S STRUCTURE
- SOLUTION FILES HAVE A FILE SUFFIX OF .SLN

PROJECT: CONTAINS FILES FOR A PART OF THE SOLUTION

- PROJECT FILE IS USED TO CREATE AN EXECUTABLE APPLICATION
- A PROJECT FILE HAS A SUFFIX OF .VBPROJ
- EVERY PROJECT HAS A TYPE (CONSOLE, WINDOWS, ETC.)
- EVERY PROJECT HAS AN ENTRY POINT: A SUB PROCEDURE NAMED MAIN OR A FORM



END PREAMBLE



THE BASICS OF VISUAL BASIC



VISUAL BASIC

- PROGRAMMING FOR THE WINDOWS USER INTERFACE (OR ANY GUI) IS EXTREMELY COMPLICATED.
- VISUAL BASIC PROVIDES A CONVENIENT METHOD FOR BUILDING A GUI.
- VISUAL BASIC CAN INTERFACE WITH CODE WRITTEN IN C, FOR EFFICIENCY (FRONT-END).
- THE INSTRUCTIONS EXECUTED IN THE A VB PROGRAM ARE CONTROLLED BY EVENTS.



WHAT VISUAL BASIC ISN'T

- VISUAL BASIC IS NOT A POWERFUL PROGRAMMING LANGUAGE THAT ENABLES YOU TO DO ANYTHING YOU WANT.
- VISUAL BASIC IS NOT ELEGANT OR FAST.
- VISUAL BASIC IS NOT A REPLACEMENT FOR A LANGUAGE SUCH AS C.
- VISUAL BASIC IS NOT LIKE MOST COMMON COMPUTER LANGUAGES.




WHEN YOU PROGRAM IN VB

- YOU DRAW PICTURES OF YOUR USER INTERFACE.
- YOU DRAW BUTTONS, TEXT BOXES, AND OTHER USER-INTERFACE ITEMS.
- YOU ADD LITTLE SNIPPETS OF CODE TO HANDLE THE USER INTERACTION.
- YOU ADD INITIALIZATION CODE, USUALLY AS THE LAST STEP.
- IF YOU LIKE, YOU CAN CODE MORE COMPLEX FUNCTIONS. (BUT MANY DO NOT.)

CONTROL OBJECTS

CONTROL OBJECTS

- A CONTROL IS A TYPE OF VIEW IN A USER INTERFACE THAT SENDS A MESSAGE TO ANOTHER OBJECT WHEN A USER MANIPULATES IT IN A CERTAIN WAY, SUCH AS TAPPING A BUTTON OR DRAGGING A SLIDER. A CONTROL IS THE AGENT IN THE TARGET-ACTION MODEL.
- A STORES THE INFORMATION NECESSARY FOR SENDING THE MESSAGE: A REFERENCE TO THE OBJECT TO RECEIVE THE MESSAGE (THE TARGET) AND A SELECTOR THAT IDENTIFIES THE METHOD TO INVOKE ON THE TARGET (THE ACTION).
- WHEN A USER MANIPULATES THE CONTROL IN A SPECIFIC WAY, IT SENDS A MESSAGE TO THE APPLICATION OBJECT,
 WHICH THEN FORWARDS THE ACTION MESSAGE TO THE TARGET.





CONTROL OBJECTS

TO KEEP THINGS SIMPLE, THE EXAMPLES IN THIS PPT AS WELL AS YOUR PROGRAMS WILL INITIALLY EMPLOY ONLY FIVE CLASSES OF OBJECTS:


- LABEL OBJECTS PROVIDE YOU WITH A WAY TO PLACE TITLES IN YOUR WINDOW. THE ACTUAL TITLE DISPLAYED IS A PROPERTY OF THE LABEL OBJECT AND IS PROVIDED AS PART OF THE PROGRAMMING.
- TEXTBOX OBJECTS ALLOW YOU OR ANOTHER USER TO ENTER DATA INTO A PROGRAM OR TO DISPLAY OUTPUT SO THAT THE USER CAN OBSERVE THE RESULT.
- BUTTON OBJECTS PROVIDE A VIRTUAL BUTTON FOR YOU OR ANOTHER USER TO CLICK ON IN ORDER TO INITIATE SOME ACTION. THE EFFECT OF THE ACTION IS USUALLY DESCRIBED BY A CAPTION ON THE BUTTON. THE TEXT OF THIS CAPTION IS A PROPERTY OF THE BUTTON OBJECT AND IS PROVIDED BY THE PROGRAMMER IN THE DEVELOPMENT OF THE APPLICATION.
- LISTBOX OBJECTS ALLOW YOU TO DISPLAY A LIST OF VALUES AS OUTPUT.
- FORM OBJECTS ARE USED TO REPRESENT THE ENTIRE INPUT/OUTPUT INTERFACE WINDOW. MOST APPLICATIONS REQUIRE ONE OR MORE FORM OBJECTS, DEPENDING ON WHETHER A SINGLE WINDOW IS NEEDED TO COLLECT ALL THE INPUT AND DISPLAY ALL THE OUTPUT.A COMBINATION OF OBJECTS SUCH AS LABELS, TEXTBOXES, AND BUTTONS IS PLACED ON EACH FORM OBJECT.




- THESE ARE THE COMPONENTS OF THE FORM THAT YOU (THE PROGRAMMER) DEEM NECESSARY TO CONVEY WHAT TO DO TO
 THE USER AND PROVIDE A MEANS FOR THE USER TO SUPPLY ANY REQUIRED INPUT AND OBSERVE ANY RESULTING OUTPUT.
- BECAUSE INSTANCES OF ALL OF THESE TYPES OF OBJECTS EXCEPT FORMS PROVIDE THE USER WITH THE ABILITY TO AFFECT
 THE BEHAVIOR OF A PROGRAM, VISUAL BASIC PROGRAMMERS REFER TO THESE OBJECTS AS "CONTROL OBJECTS" OR SIMPLY
 "CONTROLS." THE "TOOLBOX" WINDOW OF THE IDE PROVIDES THESE AND MANY MORE CONTROL OBJECTS FOR YOU TO
 USE AS A PROGRAMMER IN IMPLEMENTING YOUR VISUAL BASIC PROGRAMS. TO DISPLAY THE TOOLBOX, CHECK THE TAB
 LABELLED "TOOLBOX" ON THE UPPER LEFT SIDE OF THE WINDOW.
- TO BE SURE YOU CAN GET STARTED AND TO FAMILIARIZE YOURSELF WITH THESE CONTROLS, YOU SHOULD PERFORM THE WALK-THROUGHS PROVIDED IN SECTION 2.2 OF THE 10TH EDITION OF THE TEXTBOOK (VB CONTROLS **EMAILED TO YOU IN PDF FORM**). BE SURE YOU ACTUALLY DO THEM RATHER THAN JUST READING THAT SECTION OF THE TEXT. IN GENERAL, YOU SHOULD MAKE IT A PRACTICE TO ENTER AND RUN MOST, IF NOT ALL, PROGRAMMING EXAMPLES THAT THIS STUDY GUIDE SUGGESTS YOU EXAMINE. YOU CANNOT LEARN HOW TO PROGRAM WITHOUT ACTUALLY "DOING IT." LIKE ANY NATURAL LANGUAGE WHERE YOU MUST SPEAK AND WRITE IN THE LANGUAGE IN ORDER TO LEARN IT, SO IT IS THE CASE THAT YOU CANNOT LEARN A PROGRAMMING LANGUAGE WITHOUT ACTUALLY WRITING PROGRAMS AND RUNNING THEM. ALSO, JUST WRITING THE ASSIGNMENT PROGRAMS IS CERTAINLY NOT ENOUGH PRACTICE!



THE VB INTERFACE










TYPES OF CONTROLS



26

HOW YOU DEVELOP A VISUAL BASIC PROGRAM

HOW YOU DEVELOP A VISUAL BASIC PROGRAM


- DESIGN THE INTERFACE FOR THE USER.
- DETERMINE WHICH EVENTS THE CONTROLS ON THE WINDOW SHOULD RECOGNIZE.
- WRITE THE EVENT PROCEDURES FOR THOSE EVENTS.



2.2 VISUAL BASIC CONTROLS

- STARTING A NEW VISUAL BASIC PROGRAM
- TEXT BOX CONTROL
- BUTTON CONTROL
- LABEL CONTROL
- LIST BOX CONTROL
- NAME PROPERTY / FONTS / AUTO HIDE
- POSITIONING AND ALIGNING CONTROLS
- MULTIPLE CONTROLS
- SETTING TAB ORDER


VISUAL STUDIO OPENING SCREEN



30


START A NEW PROJECT

31






NEW PROJECT DIALOG BOX




INITIAL VISUAL BASIC SCREEN



33



TOOLBOX



4 WAYS TO PLACE A CONTROL FROM THE TOOLBOX ONTO THE FORM DESIGNER

- DOUBLE-CLICK
- DRAG AND DROP
- CLICK, POINT, AND CLICK
- CLICK, POINT, AND DRAG



INTERFACE DESIGN

- AN IMPORTANT TASK IN WRITING MOST PROGRAMS IS TO DEFINE A SUITABLE INPUT-OUTPUT INTERFACE. IT
 PROVIDES THE MEANS FOR USERS OF YOUR PROGRAM TO COMMUNICATE WITH IT IN A MEANINGFUL WAY.
 HENCE, WE OFTEN REFER TO THIS INTERFACE AS THE "USER INTERFACE" OF OUR PROGRAM. EVEN THOUGH YOU
 MAY NOT HAVE WRITTEN A PROGRAM PREVIOUSLY, IF YOU HAVE USED A COMPUTER YOU WILL BE FAMILIAR WITH
 DEALING WITH USER INTERFACES SINCE THAT IS THE PURPOSE OF A WINDOW. YOU CAN PROBABLY RECALL SOME
 EXAMPLES OF PROGRAMS WITH WINDOWS INTERFACES (ALSO CALLED "GRAPHICAL USER INTERFACES" OR
 "GUIS") THAT WERE EASY TO USE AND SOME THAT WERE DIFFICULT. FINDING THE RIGHT COMBINATION OF
 BOXES, LABELS, TEXT, PICTURES ALL TYPICAL COMPONENTS OF A WINDOW IS CENTRAL TO THE DESIGN OF A
 GOOD (THAT IS, "USER-FRIENDLY") USER INTERFACE.
- IN VISUAL BASIC AND MANY OTHER LANGUAGES, EACH OF THE COMPONENTS OF A GUI IS IMPLEMENTED AS AN
 INSTANCE OF SOME CLASS OF OBJECTS. THAT IS, EACH TYPE OF COMPONENT CAN BE DESCRIBED BY A NUMBER
 OF PROPERTIES. FOR EXAMPLE, A VIRTUAL BUTTON (THAT IS, SOMETHING IN A WINDOW YOU CAN CLICK ON TO
 MAKE SOMETHING HAPPEN) MIGHT HAVE PROPERTIES THAT RELATE TO ITS APPEARANCE, SUCH AS ITS SIZE,
 COLOR, AND THE TEXT OF THE LABEL APPEARING ON IT.



INTERFACE DESIGN

- IN VISUAL BASIC, THE TYPES OF COMPONENTS YOU MIGHT WISH TO INCLUDE IN A WINDOW ARE REPRESENTED AS CLASSES OF OBJECTS. THUS THERE ARE THE BUTTON CLASS FOR BUTTON OBJECTS AND THE TEXTBOX CLASS FOR TEXT FIELDS.
- TO AID PROGRAMMERS IN WRITING THEIR PROGRAMS, SUPPLIERS OF PROGRAMMING SOFTWARE OFTEN PROVIDE A WINDOW-BASED PROGRAM CALLED AN INTEGRATED DEVELOPMENT ENVIRONMENT OR IDE. THIS PROGRAM PROVIDES A NUMBER OF TOOLS THAT ALLOW PROGRAMMERS NOT ONLY TO WRITE AND EDIT PROGRAMS BUT ALSO TO CREATE THE USER INTERFACES FOR INTERACTING WITH THE PROGRAM. AS WELL, OTHER TOOLS ARE PROVIDED TO SAVE PROGRAMS AND USER INTERFACES AND OTHERWISE MANAGE THE DEVELOPMENT OF A TYPICAL PROGRAMMING PROJECT.



- FOR VB, MICROSOFT PROVIDES SUCH AN INTEGRATED ENVIRONMENT, CALLED "MICROSOFT VISUAL STUDIO," OR MORE SIMPLY "VS IDE." TO LAUNCH THE VS IDE FOR VISUAL BASIC:
 - CLICK ON START (LOWER LEFT-HAND CORNER).
 - CLICK ON "ALL PROGRAMS."
 - CLICK ON THE "MICROSOFT VISUAL STUDIO 2012" FOLDER.
 - CLICK ON "VISUAL STUDIO 2012" TO LAUNC
- A WINDOW WILL APPEAR, CALLED THE **VISUAL STUDIO IDE START PAGE**. THIS IS THE STARTING POINT FOR DEVELOPING NEW PROGRAMS AS WELL AS EDITING EXISTING ONES. THIS WINDOW IS NOT EXCLUSIVELY FOR THE DEVELOPMENT OF VB PROGRAMS. INSTEAD, YOU CAN CHOOSE THE DESIRED PROGRAMMING LANGUAGE FROM A LIST OF CHOICES. FOR THIS COURSE, WHEN YOU START A NEW PROJECT, YOU SHOULD ALWAYS SELECT "NEW PROJECT," AND SINCE YOU WILL ALWAYS BE CONSTRUCTING PROGRAMS THAT ALLOW THE USER TO INTERACT WITH THE PROGRAM VIA A WINDOW, YOU SHOULD CHOOSE "WINDOWS FORMS APPLICATION" AS YOUR TEMPLATE.H.



A NOTE ON "REQUIREMENTS"

Software Requirements¹

Requirements are descriptions of the services that a software system must provide and the constraints under which it must operate

Requirements can range from high-level abstract statements of services or system constraints to detailed mathematical functional specifications

Requirements Engineering is the process of establishing the services that the customer requires from the system and the constraints under which it is to be developed and operated

Requirements may serve a dual function:

- As the basis of a bid for a contract
- As the basis for the contract itself



A NOTE ON "REQUIREMENTS"

Software Refuirements

Requirements are descriptions of the services that a software system must pro

tem constraints to detailed mathematical functional specifications


blects' section of customer requires from the system and the constraints under which it is to be

developed and operate Study Guide

- As the lamportant for HW2)
 As the basis for the contract itself



RUNNING CODE SNIPPETS WITH ONLINE COMPILERS



ONLINE COMPILERS ARE ESSENTIALLY LANGUAGE TRANSLATORS



Visual Basic Version of Hello, World

Visual Studio 2012 Other Versions ▼

The following console program is the Visual Basic version of the traditional "Hello, World!" program, which displays the string "Hello, World!".

```
' A "Hello, World!" program in Visual Basic.

Module Hello
Sub Main()
MsgBox("Hello, World!") ' Display message on computer screen.
End Sub
End Module
```



Visual Basic Version of Hello, World

Visual Studio 2012 Other Versions ▼

The following console program is the Visual Basic version of t

```
' A "Hello, World!" program in Visual Basic.

Module Hello
Sub Main()
MsgBox("Hello, World!") ' Display message
End Sub
End Module
```

The important points of this program are the following:

- Comments
- The Main procedure
- Input and output
- Compilation and execution



```
' A "Hello, World!" program in Visual Basic.

Module Hello
Sub Main()
MsgBox("Hello, World!") ' Display message on computer screen.
End Sub
End Module
```

Comments

The first line of the example contains a comment:

```
VB
' A "Hello, World!" program in Visual Basic.
```

The single quotation mark (') means that the rest of the line is a comment and will be ignored by the compiler. You can make an entire line a comment, or you can append a comment to the end of another statement, as follows:

```
MsgBox("Hello, World!") ' Display message on computer screen.
```



```
' A "Hello, World!" program in Visual Basic.

Module Hello
Sub Main()
MsgBox("Hello, World!") ' Display message on computer screen.
End Sub
End Module
```

The Main Procedure

Every Visual Basic application must contain a procedure called Main. This procedure serves as the starting point and overall control for your application. It is called when your module is loaded.

There are four varieties of Main:

- Sub Main()
- Sub Main(ByVal cmdArgs() As String)
- Function Main() As Integer
- Function Main(ByVal cmdArgs() As String) As Integer

The most common variety of this procedure is Sub Main(). Unless you are creating a Windows Forms application, you must write the Main procedure for applications that run on their own. For more information, see Main Procedure in Visual Basic.



```
' A "Hello, World!" program in Visual Basic.

Module Hello
Sub Main()
MsgBox("Hello, World!") ' Display message on computer screen.
End Sub
End Module
```

Input and Output

Ĵ.

This example uses the standard Visual Basic run-time library, which is available through the Microsoft. Visual Basic namespace. If you compile the program in the integrated development environment (IDE), you can use all the procedures and properties of Microsoft. Visual Basic without having to import it. If you compile from the command line, you must use the Imports Statement (.NET Namespace and Type) in your source code, or the /imports (Visual Basic) command-line compiler option, to make the Microsoft. Visual Basic members available to your program.

The Main procedure calls the MsgBox function to display a message box containing the string "Hello, World!":

```
VB

MsgBox("Hello, World!") ' Display message on computer screen.
```



```
' A "Hello, World!" program in Visual Basic.

Module Hello
Sub Main()
MsgBox("Hello, World!") ' Display message on computer screen.
End Sub
End Module
```

Compilation and Execution

เรี

You can compile the "Hello, World!" program using either the Visual Studio integrated development environment (IDE) or the command line.

To compile and run the program from the command line

- 1. Create the source file using any text editor and save it with a file name such as Hello.vb.
- 2. To invoke the compiler, enter the following command:

```
vbc Hello.vb
```

If your source file does not include an **Imports** statement for the Microsoft.VisualBasic namespace, you can include the **/imports** command-line compiler option in the vbc command:

```
vbc Hello.vb /imports:Microsoft.VisualBasic
```

- 3. If your program does not contain any compilation errors, the compiler creates a Hello.exe file.
- 4. To run the program, enter the following command:



49

```
' A "Hello, World!" program in Visual Basic.

Module Hello
Sub Main()
MsgBox("Hello, World!") ' Display message on computer screen.
End Sub
End Module
```

Compilation and Execution

Ĵ

You can optionally include the /main command-line compiler option in the vbc command to specify the namespace and module supplying Main.

To compile and run the program from the IDE

- 1. Create a Visual Basic console application project.
- 2. Copy the code into the project.
- Choose the appropriate Build command from the Build menu, or press F5 to build and run (corresponding to Start in the Debug menu).



.NET

APIs

.NET Core

.NET Framework

ASP.NET

Xamarin

Azure

Docs / .NET / Visual Basic Guide / Program structure and code conventions

Filter

Main Procedure

References and the Imports Statement

Namespaces

Naming Conventions

Coding Conventions

Conditional Compilation

How to: Break and Combine Statements in Code

How to: Collapse and Hide Sections of Code

How to: Label Statements

Special Characters in Code

Comments in Code

Keywords as Element Names in Code

Me, My, MyBase, and My Class

Limitations

> Language Features

CONTRA

Visual Basic Coding Conventions

07/20/2015 • 6 minutes to read • Contributors 🙈 🛣 🔕 🛣 🚳



Microsoft develops samples and documentation that follow the guidelines in this topic. If you follow the same coding conventions, you may gain the following benefits:

- Your code will have a consistent look, so that readers can better focus on content, not layout.
- Readers understand your code more quickly because they can make assumptions based on previous experience.
- You can copy, change, and maintain the code more easily.
- You help ensure that your code demonstrates "best practices" for Visual Basic.

Naming Conventions

- For information about naming guidelines, see Naming Guidelines topic.
- Do not use "My" or "my" as part of a variable name. This practice creates confusion with the My objects.
- You do not have to change the names of objects in auto-generated code to make them fit the guidelines.

Layout Conventions

https://docs.microsoft.com/en-us/dotnet/visual-basic/programming-guide/program-structure/coding-conventions



IMPORTANT NOTES

- STUDY CHAPTERS 2 AND 3 OF SCHNEIDER, 10TH ED. (EMAILED TO YOU ALREADY).
- KNOW THE STUDY GUIDE IN DETAIL.
- KNOW THE PPTS IN DETAIL.
- LET US LOOK AT THE DIFFERENCES BETWEEN THE SCHNEIDER EDITIONS...

CONTENTS

| SECTION 1: PROBLEM SOLVING | | | |
|--|--|------|--|
| 1.2 Programming Tools | | 5 | |
| SECTION 2: FUNDAMENTALS OF PROGRAM | MMING IN VISUAL BASI | C 15 | |
| 2.1 VISUAL BASIC OBJECTS | | 17 | |
| 2.2 VISUAL BASIC EVENTS | | 27 | |
| 2.3 Numbers | | 34 | |
| 2.4 Strings | | 42 | |
| 2.5 INPUT AND OUTPUT | | 49 | |
| 2.6 BUILT-IN FUNCTIONS | | 58 | |
| SUMMARY | | 67 | |
| PROGRAMMING PROJECTS | Concepts and Visual Bas | | |
| SECTION 3: GENERAL PROCEDURES | • | 71 | |
| 3.1 SUB PROCEDURES, PART I | | 73 | |
| 3.2 Sub Procedures, Part II | David I. Schneider | 80 | |
| 3.3 FUNCTION PROCEDURES | ** * * * * * * * * * * * * * * * * * * | 87 | |
| 3.4 Modular Design | | 93 | |
| SUMMARY | Posewa | 97 | |
| PROGRAMMING PROJECTS | Constant Political Politic | 97 | |
| SECTION 4: DECISIONS | | 101 | |
| 4.1 RELATIONAL AND LOGICAL OPERATORS | | 103 | |
| 4.2 IF BLOCKS | | | |
| 4.4 SELECT CASE BLOCKS | | | |
| 4.4 A Case Study: Weekly Payroll | | | |
| SUMMARY | | | |
| PROGRAMMING PROJECTS | | 126 | |
| | | | |
| SECTION 5: REPETITION | | | |
| 5.1 Do Loops | | | |
| 5.2 PROCESSING LISTS OF DATA WITH DO LOOPS | | | |
| 5.3 FORNEXT LOOPS | | | |
| 5.4 A Case Study: Analyze a Loan | | | |
| SUMMARY | | | |
| PROGRAMMING PROJECTS | | 153 | |
| SECTION 6: ARRAYS | | 159 | |
| 6.1 Creating and Accessing Arrays | | | |
| 6.2 Using Arrays 171 | | | |
| 6.3 CONTROL ARRAYS 179 | | | |
| 6.4 SORTING AND SEARCHING | | 184 | |
| 6.5 Two-Dimensional Arrays | | 196 | |
| 6.6 A CASE STUDY: CALCULATING WITH A SPREADS | HEET | 200 | |

Chapter 1 An Introduction to Computers

| and Problem Solving | 1 |
|--|--|
| 1.1 An Introduction to Computing and Visual Basic 2 1.2 Program Development Cycle 5 | Chapter 4 Decisions |
| 1.3 Programming Tools 7 Chapter 2 Visual Basic, Controls, and Events 2.1 An Introduction to Visual Basic 2015 16 | 4.1 Relational and Logical Operators 114 4.2 If Blocks 122 4.3 Select Case Blocks 144 |
| 2.2 Visual Basic Controls 18 | 4.4 Input via User Selection 160 |
| 2.3 Visual Basic Events 37 Summary 52 | Summary 174 Programming Projects 175 |
| Chapter 3 Variables, Input, and Output | 53 Chapter 5 General Procedures |
| 3.1 Numbers 54 3.2 Strings 72 3.3 Input and Output 93 Summary 109 Programming Projects 110 | 5.1 Function Procedures 180 5.2 Sub Procedures, Part I 197 5.3 Sub Procedures, Part II 213 5.4 Program Design 224 5.5 A Case Study: Weekly Payroll 228 |
| DAVID L SCHNEIDER | Summary 236 Programming Projects 236 |
| An Introduction to Programming Using | Chapter 6 Repetition 6.1 Do Loops 242 6.2 For Next Loops 257 6.3 List Boxes and Loops 273 |
| Visual Basic* | Summary 284 Programming Projects 285 |

Chapter 7 Arrays

7.1 Creating and Using Arrays 2947.2 Using LINQ with Arrays 321

113

179

241

293



