如何上传文件夹到GitHub

- **如何上传文件夹到GitHub**
  - 1. 如果没有账号要先创建账号(有账号跳过此步骤)
  - 2. 建立一个仓库(有仓库跳过此步骤)
  - 3. 复制仓库地址
  - 4. 以下为本地操作
    - 4.1 在本地新建一个空文件夹
    - 4.2 上传文件
    - 4.2.1 在空文件夹内，右键选择Git Bash Here
    - 4.2.2 弹出Git Bash框
    - 4.2.3 克隆远程仓库
    - 4.2.4 把需要上传的文件夹放入到远程仓库文件夹内
    - 4.2.5 上传

---

1. 如果没有账号要先创建账号(有账号跳过此步骤)

2. 建立一个仓库(有仓库跳过此步骤)

3. 复制仓库地址



4. 以下为本地操作

4.1 在本地新建一个空文件夹



空文件夹可以省掉很多麻烦

4.2 上传文件

4.2.1 在空文件夹内，右键选择Git Bash Here



4.2.2 弹出Git Bash框

4.2.3 克隆远程仓库

github仓库地址



在克隆仓库时，输入一下命令来连接github仓库上的url：

```
1 | git clone + "你的仓库地址"
2 | git clone https://github.com/andyluoanwei/re-ository.git     //我输入的是我刚复制自己的地址
```

MINGW64:/d/GitHub repository

```
Andy@Andy MINGW64 /d/GitHub repository
$ git clone https://github.com/andyluoanwei/andy-repository.git
Cloning into 'andy-repository'...
fatal: unable to access 'https://github.com/andyluoanwei/andy-repository.git/':
OpenSSL SSL_read: Connection was reset, errno 10054

Andy@Andy MINGW64 /d/GitHub repository
$ git clone https://github.com/andyluoanwei/andy-repository.git
Cloning into 'andy-repository'...
remote: Enumerating objects: 17, done.
remote: Counting objects: 100% (17/17), done.
remote: Compressing objects: 100% (11/11), done.
remote: Total 17 (delta 4), reused 16 (delta 3), pack-reused 0
Receiving objects: 100% (17/17), 15.80 KiB | 1.13 MiB/s, done.
Resolving deltas: 100% (4/4), done.

Andy@Andy MINGW64 /d/GitHub repository
$
```

此电脑 › andy2 (D:) › GitHub repository

在 GitHub repository...

名称	修改日期	类型	大小
andy-repository	23/12/2022 上午10:26	文件夹	

此电脑 › andy2 (D:) › GitHub repository › andy-repository ›

在 andy-repository ...

名称	修改日期	类型	大小
.git	23/12/2022 上午10:26	文件夹	
2022-12-03	23/12/2022 上午10:26	文件夹	
.gitattributes	23/12/2022 上午10:26	文本文档	1 KB
.gitignore	23/12/2022 上午10:26	文本文档	3 KB
LICENSE	23/12/2022 上午10:26	文件	35 KB
README.md	23/12/2022 上午10:26	Markdown File	1 KB

```
+        data_list = json.loads(resp.text)['list']
+        # 解析到的数据写入MySQL存储
+        for index in data_list:
+            title1 = index['prodName']
+            low_price1 = index['lowPrice']
+            high_price1 = index['highPrice']
+            avg_price1 = index['avgPrice']
+            unit_info1 = index['unitInfo']
+            place1 = index['place']
+            pub_date1 = index['pubDate']
+            # 获取到的数据写入列表
+            sql = "insert into vegetable(title, low_price, high_price, avg_price, unit_info, place, pub_date) values (%s,%s,%s,%s,%s,%s,%s)"
+            params = [(title1, low_price1, high_price1, avg_price1, unit_info1, place1, pub_date1)]
+            # 执行sql语句
+            self.cursor.executemany(sql, params)
+            # 提交
+            self.db.commit()
+            data_csv = [title1, low_price1, high_price1, avg_price1, unit_info1, place1, pub_date1]
+            print(data_csv)
+            # write.writerow(data_csv)
+
+
+if __name__ == '__main__':
+    s = Vegetable_Price()
+    with ProcessPoolExecutor(max_workers=1) as p:
+        # 遍历网页抓取页数
+        print('解析代码数据结果: ')
+        for num1 in range(1, 11):
+            p.submit(s.get_data_index(num1))
+            # p.submit(s.get_data_index, num1,)
+
+        p.shutdown()
```

克隆成功！！！

4.2.4 把需要上传的文件夹放入到远程仓库文件夹内



4.2.5 上传

依次输入以下命令：

> cd andy-repository　　//根据自己的远程仓库名输入
> git init
> git add .
> git commit -m “你的提交信息”
> git push

- **命令解释：**

命令	描述
cd + "远程仓库名"	进入到远程仓库内(根据自己的仓库名输入)

命令	描述
git init	初始化Git
git add + "提交文件夹或文件" / git add .	将文件区的文件添加到暂存区("."是当前目录下的所有文件，也可以只输入文件夹名称)
git commit -m "提交的信息"	将暂存区的文件添加到本地仓库
git push	提交到远程仓库(可能需要输入账户和密码)

```
MINGW64:/d/GitHub repository/andy-repository

Andy@Andy MINGW64 /d/GitHub repository
$ ls
andy-repository/

Andy@Andy MINGW64 /d/GitHub repository
$ cd andy-repository/

Andy@Andy MINGW64 /d/GitHub repository/andy-repository (readme-edits)
$ git init
Reinitialized existing Git repository in D:/GitHub repository/andy-repository/.git/

Andy@Andy MINGW64 /d/GitHub repository/andy-repository (readme-edits)
$ ls
2022-12-03/  20221208/  LICENSE  README.md
```

```
MINGW64:/d/GitHub repository/andy-repository
fatal: pathspec '20221208.' did not match any files

Andy@Andy MINGW64 /d/GitHub repository/andy-repository (readme-edits)
$ git add 20221208

Andy@Andy MINGW64 /d/GitHub repository/andy-repository (readme-edits)
$ ls
2022-12-03/  20221208/  LICENSE  README.md

Andy@Andy MINGW64 /d/GitHub repository/andy-repository (readme-edits)
$ git commit -m "20221208 字体反爬程序"
[readme-edits 09fabb1] 20221208 字体反爬程序
 13 files changed, 9714 insertions(+)
 create mode 100644 20221208/demo1.py
 create mode 100644 20221208/file
 create mode 100644 20221208/font_parsing.xml
 create mode 100644 20221208/mark
 create mode 100644 "20221208/\345\255\227\344\275\223\345\217\215\347\210\254/.idea/15\343\2
00\201\345\255\227\344\275\223\345\217\215\347\210\254.iml"
 create mode 100644 "20221208/\345\255\227\344\275\223\345\217\215\347\210\254/.idea/misc.xml
"
 create mode 100644 "20221208/\345\255\227\344\275\223\345\217\215\347\210\254/.idea/modules.
xml"
 create mode 100644 "20221208/\345\255\227\344\275\223\345\217\215\347\210\254/.idea/workspac
e.xml"
 create mode 100644 "20221208/\345\255\227\344\275\223\345\217\215\347\210\254/demo1.py"
 create mode 100644 "20221208/\345\255\227\344\275\223\345\217\215\347\210\254/demo2.py"
 create mode 100644 "20221208/\345\255\227\344\275\223\345\217\215\347\210\254/test.py"
 create mode 100644 "20221208/\345\255\227\344\275\223\345\217\215\347\210\254/txt"
 create mode 100644 "20221208/\345\255\227\344\275\223\345\217\215\347\210\254/\345\256\236\3
44\271\240\345\203\247.xml"

Andy@Andy MINGW64 /d/GitHub repository/andy-repository (readme-edits)
$ git push
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 8 threads
Compressing objects: 100% (18/18), done.
Writing objects: 100% (18/18), 37.06 KiB | 4.63 MiB/s, done.
Total 18 (delta 3), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (3/3), completed with 1 local object.
To https://github.com/andyluoanwei/andy-repository.git
   f57c036..09fabb1  readme-edits -> readme-edits
```


Search or jump to...
Pull requests
Issues
Codespaces
Marketplace
Explore
andyluoanwei / andy-repository
Private
Unwatch 1
Fork 0
Star 0
Code
Issues
Pull requests
Actions
Projects
Security
Insights
Settings
readme-edits
2 branches
0 tags
Go to file
Add file
Code
Your readme-edits branch isn't protected
Protect this branch from force pushing or deletion, or require status checks before merging. Learn more
Protect this branch
andyluoanwei 20221208 字体反爬程序
09fabb1 2 minutes ago
4 commits
2022-12-03
1
last week
20221208
20221208 字体反爬程序
2 minutes ago
.gitattributes
hello
last week
.gitignore
hello
last week
LICENSE
hello
last week
README.md
Update README.md
last week
README.md
andy-repository
print("hello world")
About
No description, website, or topics provided.
Readme
GPL-3.0 license
0 stars
1 watching
0 forks
Releases
No releases published
Create a new release
Packages
No packages published
Publish your first package
Languages
Python 100.0%

上传成功！！！