
#### Detection in Visual Search

datascience@berkeley

Which data features are the focus?

#### datascience@berkeley





Money GDP per person in US dollars (purchasing power adjusted) (log scale)

#### Preattentive


200-250 milliseconds


## Color/Hue






# Shape







## Line Orientation




### Curvature




#### Intersection



## Both Hue and Shape





#### **Preattentive Attributes**

- Hue
- Shape
- Orientation
- Curvature
- Intersection
- Length
- Width
- Closure
- Size
- Density
- Color intensity

- Terminators (Ts)
- 3-D depth cues
- Stereoscopic depth
- 3-D orientation
- Lighting direction
- Flicker
- Direction of motion
- Velocity of motion
- Number estimation
- Artistic properties

# What is it good for?

- Target detection
- Boundary detection
- Counting or estimation

#### datascience@berkeley




Diagram Source: Healey, Booth, & Enns, 1995






Figure 4: Outgoing Reference Package Blueprint Analysis.

Source: Abdeen, H., Ducasse, S., Pollet, D., Alloui, I., & Falleri, J. R. (2014). The Package Blueprint: Visually analyzing and quantifying packages dependencies. *Science of Computer Programming*, 89, 298-319.




Source: Chen, Y., Wang, L., Dong, M., & Hua, J. (2009). Exemplar-based visualization of large document corpus (infovis2009-1115). IEEE Transactions on Visualization and Computer Graphics, 15(6).

## How would you group these?



## Integral and Separable Dimensions

Integral




Separable

# Tips for Visual Detection

- Possible data features to encode: target, boundaries, rapid count
- Identify any conflicting dimensions
- Check for intended or unintended attention

#### datascience@berkeley



Money GDP per person in US dollars (purchasing power adjusted) (log scale)

# Berkeley school of information