SECTION INDEX	
A/C/HEATER/VENTILATION	1424
A/C REFRIGERANT CAPACITIES	
ABS/BRAKES	
AIR BAG SYSTEM	
AIR CLEANER	
BACK WINDOW	
· CAB	
CENTER CONSOLE	
CLEAR COAT IDENTIFICATION.	
COOLING	
CRUISE CONTROL SYSTEM	
ELECTRICAL	1433
EMISSION SYSTEM	
ENGINE OIL COOLER	
ENGINE/TRANS	
ENGINE/TRANS MOUNTS	
EXHAUST	
FRAME.	
FRONT BUMPERFRONT DOOR.	
FRONT DRIVE AXLE.	
FRONT FENDER	
FRONT LAMPS.	
FRONT SEAT.	
FRONT STEERING LINKAGE/GEAR.	
FRONT SUSPENSION	
FUEL TANK	
GRILLE	
НООО	1423
INFORMATION LABELS	1422
INSTRUMENT PANEL	1434
PAINT CODE LOCATION	1422
PICKUP BED.	1444
QUARTER GLASS.	1443
	1447
REAR DOOR	
REAR LAMPS	
REAR SUSPENSION	
SEAT BELTS	
SPECIAL CAUTIONS	
STEERING PUMP	
STEERING WHEEL/COLUMN	1431
SUNFOOF	
TALGATE	
UNDERHOOD DIMENSIONSWHEEL	
WNDSHIELD	
YTH VON HELD	1434

SPECIAL CAUTIONS

SUPPLEMENTAL RESTRAINT SYSTEM SRS

Refer to Procedure Explanation 29 for Supplemental Restraint/Air Bag Special Cautions.

PAINT CODE LOCATION

Paint code located on left lock pillar.


CLEAR COAT IDENTIFICATION

All colors are clear coat.

INFORMATION LABELS

Illustration Located in Next Column

1 Label, Emission		
4 Cyl 2.4L Eng	01 11298-75560	1.54
3	02 11298-75600	1.54
2.7L Eng 2WD		
Regular Cab, Xtra Cab	01 11298-75570 02 11298-75610	1.54 1.54
Double Cab	01 11298-75580	1.54
4WD	02 11298-75620	1.54



	Regular Cab		11298-75610	
	Xtra Cab		11298-75580 11298-75610	
	6 Cyl 2WD	uz	11230-73010	
	PreRunner Model	01	11298-62710 11298-62750	
	S-Runner Model	01	11298-62700	
	4WD		11298-62710	
2	Label, Vacuum Routing	02	11298-62750	
	4.Cv/			
	4 Cyl 2.4L Eng	01	17792-75330 17792-75340	
	2.7L Eng	01	17792-75320	
	6 Cyl		17972-75350 17792-62250	
_	•	02	17792-62280	
3	Label, Timing Belt Replace	ment		
4	6 Cyl Label, Spark Plug Caution		13564-10010	
	6 Cyl		11289-62020	
5	Label, Diff1 Lock Caution Label, Tire Pressure		41991-35020	
•	2WD			
	4 Cyl 2.4L Eng		42661-04010	
	2.7L Eng			

2WD 4 CM 2.4L Eng 42661-04010 2.7L Eng 42661-04010 2.7L Eng 42661-04030 Double Cab 42661-04040 6 CM PreRunner Model Xtra Cab 42661-04030 Double Cab 42661-04030 Double Cab 42661-04020 4WD Regular Cab, Xtra Cab 42661-04020 4WD Regular Cab, Xtra Cab 42661-04030 Double Cab 42661-04030 Double Cab 42661-04030 Double Cab 42661-04040 7 Label, Child Lock Caution Double Cab 8 Label, Transfer Information 4WD wi2-4 Selector 36369-35400 wi2-4 Selector 36369-35390 Label, Air Bag 74599-06010 Label, Air Bag 74599-06010 Service Page 74699-06010 Service Page


FRONT BUMPER

1.3
1.0
1.6
#1.0
#1.9

NOTE: All Parts in this section are included in overhaul unless noted of herwise

Illustration Located in Next Column

1	Filler, Bumper			
ľ	Gray	52119-AD010	1.3	106.10
	Paint to Match	52119-AD010	1.3	106.10
2	Clip, Bumper Cover (8) Brkt, Otr Bumper	52161-02020		1.69
3	Brkt, Otr Bumper	R 52133-AD010		13.12
	•	L 52134-AD010		13.12
4	Brkt, Ctr Bumper	52533-AD010		17.12
5	Bar, Bumper			
	Chrome	52101-AD030	#1.9	249.80
	Gray	52101-AD020	#1.9	199.83
ĺ	Paint to Match	52101-AD900	#1.9	139.90
,		alance Panel & Signal Lamps		
6	Brkt, Bumper Mtg	R 52145-AD010		8.29
		L 52146-AD010		8.29
7	Bushing, Mounting	R/L 90540-08018		3.94



	Brace, Fender/Apron-See Reinforcement, Bumper #w/Bumper Assy		#.3	183.84
10	Bracket, Bumper	R 52141-AD020 L 52142-AD020	IOH	28.27 28.27
12	Panel, Valance 2WD w/PreRunner Model w/o PreRunner Model 4WD Grommet, Valance	53901-AD030 53901-AD010 53901-AD030 RAL 90189-06214	.7 .7 .7	128.09 128.09 128.09 .60
13	Clip, Valance	R/L 52161-02020		1.69

.80 .80 .80 .80

1.60 1.54 1.60 0.00 5.23

1.69 1.37 1.94


1.74

1.74 1.74

.77

GRILLE

Refinish Grille Assy	1.0
Refinish Lower FillerR/L	.5
R&I Grille Assy	#.7
#Includes R&I/R&R Park Lamps	




1 Grille Assy w/S-Runner Model				
Black (Code 209)		53100-04270-C1	#.7	
Red (Code 3L5) w/o S-Runner Model		53100-04270-D2	#.7	157.46
Chrome		53100-04240	#.7	221.27
Black (Code 209)		53100-04250-C0	#.7	
Gray `		53100-04230	#.7	102.49
Red				
Code 3L5		53100-04250-D0	#.7	157.46
Code 3P1		53100-04250-D1	#.7	157.46
Silver (Code 1C8)		53100-04250-B0	#.7	157.46
#Includes R&I/R&R	Park !	Lamps		
2 Clip, Upper Grille (7)		90467-12040		.66
3 Clip, Lower Grille	B/I	53145-12010		2.63
4 Emblem (Adhesive)¶		75311-04040	.2	21.92
¶Included w/Grille A	SSV	70077 01010		
5 Filler, Lower (P)		52512-35050	#.1	14.03
o timer, zerrer (r)		52513-35060	#.1	14.03
(P) Paint to Match		020.2.0000		. 1100
#w/Grille Removed				
" II. SI IIIC I KIIIO TCG				

FRONT LAMPS

н	-/	۱Ŋ	LA	M	۲
	_				_


Aim Lamps	HVL	.4 #1.0	
NOTE: R&R Does Not include			
Illustration i	Located in Next Column		
Headlamp Assy Lens & Housing¶	R 81110-04110 L 81150-04110 R 81130-04110	#1.0 #1.0 #1.0	178.34 178.34 157.09
- ··			



	L 81170-04110	#1.0	157.09
#Includes R&I/R	&R Grille & Park Lamps		101100
3 Bulb, Headlamp()	R/L 90084-98033	#2	21.46
#Included in R&	R Lens & Housing		
4 Cover, Socket¶			11.00
¶Included w/Hea	dlamp Assv		
5 Bolt, Mtg	R/L 90119-06506		.66
6 Nut, Retainer (2/Side)	R/L 90179-06274		.57

PARK LAMP


Refinish Park Lamp AssyR/L	.3
R&I Park Lamp AssyR/L	#.2
#Included in R&I/R&R Fender	



i Lainp Assy, raik				
Chrome	R	81610-04080	#2	57.67
	- 1	81620-04080	#2	57.67
Black (Code 209)	Ř	81610-04090-C0	#2	57.67
Diack (Code 203)	- 7			
^	F	81620-04090-C0	#2	57.67
Gray	R	81610-04070	#.2	57.67
	L	81620-04070	#.2	57.67
Red				
Code 3L5	B	81610-04090-D0	#2	57.67
0000 020	ï	81620-04090-D0	#2	57.67
Code 3P1	-			
Code 3F1	Ŗ	81610-04090-D1	#2	57,67
	Ļ	81620-04090-D1	#2	57.67
Silver (Code 1C8)	R	81610-04090-B0	#2	57.67
, ,	L	81620-04090-B0	#.2	57.67
#Included in R&VI	R&R Fei	nder		
2 Bulb, Park Lamp¶		90080-81059	2	3.97
3 Socket, Bulbfi		81615-04010		15.92
				15.52
¶Included w/Park L				
4 Bolt, Mtg	R/L	93560-54012		.49
5 Retainer Assy	R	53137-04010		3.06
•	i i	53138-04010		3.06
6 Bolt, Mtof	R/Ī	90168-40122		.57
¶Included w/Retain		30 100 TO 122		.51
ijiriciuded w/netam	ui mssy			

SIGNAL LAMP


1 Lamp Assy, Park Chrome



1 Lamp Assy, Signal	R 81510-04080	#2	47.70
• • •	L 81520-04080	#2	47.70
2 Lens & Housing¶	R 81511-04080	#.2	43.04
	L 81521-04080	#2	43.04
#Included in R&R	or O/H Front Bumper	-	
3 Bulb, Signal¶	R/L 90084-98062	#2	3.80
#Included in R&R	Lens & Housina		
4 Socket, Built/	R/L 90069-81003		7.56
¶Included w/Signal			

HOOD

OSE Procedure Explanations 4 and 20 with the following te	tt.
Refinish Hood Outside	2.5
Add for Underside	1.2
Refinish HingeR/L	2
R&I Hood Assy	.4



11	Panei, Hood	53301-04051	.7	257.91
1 2	Seal Assy, Front Hood	53183-04010	.2	35.35
13	Seal Assy, Front Hood Clip, Seal (10)	90467-08011-83		.33
1	¶Included w/Front Hoo	d Seal Assv		
14	Seal Assy, Rear Hood	53381-AD010	.2	27.98
Lŝ	Clip, Seal¶ (6)	90467-08011-83		.33
ľ	¶Included w/Rear Hood	d Seal Assy		
l٩		R/L 90541-15004		3.89
1 7	Hinge Assy, Hood	R 53410-35010	#.2	22.58
1'	Timge Assy, Flood	L 53420-35010	#.2	22.58
1	#w/Hood & Fender Re	L 33420-33010	#.2	22.30
١.	Pad, Hood Hinge	anoveu		
۱°	Front	R/L 53498-50010		.80
1		R/L 53497-AC010		
Į.	¶Included w/Hood Hing			1.05
٦				40.50
1.3	Rod, Hood Prop Grommet, Prop Rod	53441-04030	.1	10.52
Lin	Grommet, Prop Rod	90480-15028		1.83
111	Holder, Prop Rod	53452-90351	_	3.60
112	Latch Assy	53510-35180	.2	38.50
113	Spring, Latch/Cable¶	90506-20008		2.11
114	Spring, Latch Safety	90506-07021		1.46
1	¶Included w/Latch Ass			
	Cable, Release	53630-04020	.7	22.89
116	Clip, Cable	90467-11061		.63
17	Handle, Hood Release			i
J	Bluish Gray	53601-01020-B2	#.3	37.55
1	Charcoal	53601-01020-B4	#.3	39.75
1	Moon Mist	53601-01020-B3	#.3	36.52
1	Oak	53601-01020-E3	#.3	37.55
1	#Included in R&R Rel	ease Cable		


COOLING

4 CYL

Use Procedure Explanations 5 and 28 with the following text.


Refinish Radiator Support	1.5
Refinish Upper Tie Bar	.5
Refinish Side Support PanelR/L	.5
Refinish Lower Tie Bar	.5
Add to R&R Radiator Support Assy	
To R&I/R&R Base Model Mechanical Componentsm	#.1
#Includes R&I/R&R Vapor Canister	
uil AIC	44

Muutu nan nadialui Suppoit Assy	
To R&I/R&R Base Model Mechanical Componentsm	#.1
#Includes R&I/R&R Vapor Canister	
w/ A/Cm	#.4
#Includes R&VR&R A/C Condenser & Receiver/Drie	er
w/Auto Trans	.:
w/Skid Plate	
To Aim Lamps	.4
Evacuate & Recharge Systemm	1.4
Recover Refrigerantm	.3
•	



To 5-01	53201-04080	#7.3	279.9
From 5-01	53201-04081	#7.3	279.94
2002	53201-04081	#7.3	279.94
#Includes R&I/R&	R Headlamp Assemblies an	d Grille, R&	R
	d, Windshield Washer Rese		
	verflow Tank, Battery & Tra		
	ood Prop Rod & Disconnect		
	Wiring &/or Harness as Nec		
Bar, Upper Tief	53216-04022	1.5	94.9
Panal Cida Cumandill	D 50011 04000	0.0	100.0

4 Bar, Lower Tie[] 5 Bracket, Mountingf] §[Included w/Radiato	L 53212-04902 57104-35020 R 57211-04010 L 57212-04010		.0	108.21 129.84 9.20 9.20
6 Brace, Latch Support	53217-35020		.2	29.07
	29	22		




7 Radiator			
2.4L Eng			
Man Trans	16410-0C013	1.1	362.96
Auto Trans	16410-00023	1.3	345.02
2.7L Eng			
Man Trans	16410-0C031	1.1	
Auto Trans	16410-0C041	1.3	372.56
8 Cap, Radiator	16401-0C010		13.91
9 Hose, Upper Rad			
2.4L Eng	16571-0C011	#.6	
2.7L Enğ	16571-0C021	#.6	15.74
10 Hose, Lower Rad			
2WD _			
2.4L Eng	16572-0C011	#.9	
2.7L Enğ	16572-0C031	#.9	15.74
4WD °			
Man Trans	16572-0C021	#.9	
Auto Trans	16572-0C031	#.9	15.74
#R&R Both 1.1			
11 Housing, Outlet 12 Housing, Thermostat	16331-0W010	.7	23.95
12 Housing, Thermostat	16321-0W010	1.0	26.61
13 T hermosta t	90916-03120		12.86
14 Gasket, Thermostat	16325-76010		4.29
15 Shroud, Fan			
2WD			
2.4L Eng	16711-0C011	#.3	95.28
2.7L Eng	16711-0C031	#.3	95.28
4WD _			
Man Trans	16711-0C021	#.3	95.28
Auto Trans	16711-0C031	#.3	95.28
16 Shroud, Lower Fan	16712-00011	#.3	26.84
17 Clip, Lwr Fan Shroud	R/L 90468-06092	#.3	.10
#R&R Complete		_	
18 Blade, Fan	16361-75020	#.6	
19 Clutch, Fan	16210-75060	#.6	
20 Pulley, Fan	16371-75030	#.6	76.34
#R&R Complete			
21 Belt, Drive-See Electrica			
22 Pump Assy, Water	16100-79255	m #1.6	111.62
23 Gskt, Water Pump¶	16124-75030	m #1.6	8.40

22 Pump Assy, Water		#1.6	
23 Gskt, Water Pump¶		#1.6	8.40
¶Included w/Water Pu			
	moved, Includes R&R Fan, C		
	ering Belt & Alternator Belt, ı	w A/C A	ldd .2
	16470-0C011	.3	68.56
25 Cap Assy, Coolant Tank	16405-0C010		5.60
26 Hose, Inlet¶ (a)	16472-00021		2.89
27 Hose, Outlet (a)	16472-0C010		8.09
¶Included w/Coolant T			
(a) Included w/Coolan	t Tank Ćap Assv		
	90480-25025		7.49
29 Pipe, By-Pass	16268-75080		34.10
	6 CYL		
Refinish Radiator Support		1.5	
Refinish Upper Tie Bar		.5	
Refinish Side Support Page	lR/L	.5	
Refinish Lower Tie Bar		.5	
Add to R&R Radiator Support		.5	
10 H&VH&H Base Model Me	echanical Componentsr	#.5	
1 #Includes R&I/R&R V	lapor Canister & Eng Oil Cog	ier	

To R&I/R&R Base Model Mechanical Componentsm	#5
#Includes R&I/R&R Vapor Canister & Eng Qil Cool	
w/ A/C	
#Includes R&I/R&R A/C Condenser & Receiver/Drie	
w/Auto Trans	2
w/Skid Plate	.2
To Aim Lamps	.4
Evacuate & Recharge System m	1.4
Recover Refrigerantm	.3

COOLING Cont'd

6 CYL Cont'd




1 Support Assy, Radiator

2001			
To 5-01	53201-04080	#7.3	279.94
From 5-01	53201-04081	#7.3	279.94
2002	53201-04081	#7.3	279.94
Machidos D218	20D Haadlama Aanomblica one	Critto De	C

Radiator, Shroud, Windshield Washer Reservoir, Air cleaner Assy, Coolant Overflow Tank, Battery & Tray, Engine Front Cover, Latch, Hood Prop Rod & Disconnect & Connect Hood Release Cable, Wiring May Harmes as Necessary

	mining ordi marriess as nede	ooai y	
2 Bar, Upper Tie¶	53216-04022	1.5	94.95
3 Panel, Side Support¶	R 53211-04902	2.0	108.21
	L 53212-04902	2.0	108.21
4 Bar, Lower Tie¶	57104-35020	2.5	129.84
5 Bracket Mounting	R 57211-04010	.3	9.20
,	L 57212-04010	.3	9.20
¶Included w/Radiat	or Support Assy		1
6 Brace Latch Support	53217-35020	2	29.07




044-07073		30—⊜	
7 Radiator			
Man Trans	16410-0C031	1.0	383.4
Auto Trans	16410-0C041	1.2	372.5
8 Cap, Radiator	16401-0C010		13.9
9 Hose Upper Rad	16571-07030	#.6	13.2
10 Hose, Lower Rad			
Man Trans	16572-07030	#.9	12.6
Auto Trans	16572-07040	#.9	13.2
#R&R Both Upper &	Lower 1.1		
11 Housing, Outlet	16331-62040	.7	28.0
12 Gskt, Housing	16341-62040		2.7
13 Housing, Thermostat	16321-62020	1.0	52.3
14 Thermostat	90916-03075		21.7
15 Gasket, Thermostat	16325-62010		4.5
16 Shroud, Fan			
Man Trans	16711-07020	#.3	95.2
Auto Trans	16711-07030	#.3	95.2
17 Shroud, Lower Fan	16712-07010	#.3	26.8
#R&R Complete			
18 Clip, Lwr Fan Shroud	R/L 90468-06092		.1
19 Blade, Fan	16361-62010	.3	92.6
20 Pulley/Clutch Assy			
2WD	40007 00000		
Man Trans	16307-62030	#1.2	283.3
Auto Trans	16307-62011	#1.2	432.2
4WD	16307-62011	#1.2	432.2
21 Clutch, Fan¶ 2WD			
Man Trans	16210-62030	#1.2	124.7
Auto Trans	08921-04950	#1.2	123.4
4WD	08921-04950	#12	123.4
22 Pulley, Outer[16371-62010	#12	29.7
23 Pulley, Inner	16372-65010	#12	35.6
filncluded w/Pulley/CI	itch Acev	#1.4	33.0
prioraded wit uney/Or	uicii rissy		

_		#Han Complete, int	ciudes nom ran biade, wi i	AVU AUU .4	
-	24	Pump, Water	16100-69395-83	m #2.6	125.24
			over Removed, Includes R		
			ower Steering & Alternator	Belt, w/ A/C	Add .5
	25	Belt, Drive-See Electrical S			
	26	Tank Assy, Coolant	16470-0C011	.3	68.56
	27	Cap Assy, Coolant Tanks	16405-0C010		5.60
	28	Hose, Inlet¶ (a)	16472-0C021		2.89
	29	Hose, Outlet (a)	16472-0C010		8.09
-		¶Included w/Coolant	Tank Assy		
		(a) Included w/Coola	nt Tank Ćap Assy		
	30	Grommet, Tank Hose	90480-25025		7.49
		Pipe, By-Pass	16268-62060		47.33

#DED Complete Includes DED For Blade and AIC Add. A

ENGINE OIL COOLER

6 CYL



1 Cooler, Eng Oil 2WD				
PreRunner Model S-Runner Model	15710-62060 15710-62050	m	#1.2 #1.2	451.10 511.0
4WD	107 10 02000			
Man Trans	15710-62040		#1.2	570.9
Auto Trans	15710-62060	m	#1,2	451.10
2 Valve, Relief 2WD				
PreRunner Model	15695-62030		#1.2	9.9
S-Runner Model 4WD	15695-62020	m	#1.2	7.9
Man Trans	15695-62010		#1.2	10.3
Auto Trans	15695-62030	m	#1.2	9.9
#R&R Complete				
3 Seal, Cooler	90210-22001			3.5
4 O-Ring, Cooler	90301-67004			3.4
5 Hose, Cooler Inlet	15778-62030	m	#.3	23.8
6 Hose, Cooler Outlet #R&R Both .4	15777-62020	m	#.3	9.5


A/C REFRIGERANT CAPACITIES

A/C R-134a Refrigerant Capacity 2001-02: 19.4-23.0 Ozs (1.21-1.43 Lbs)


A/C /HEATER/VENTILATION

Use Procedure Explanation 6 with the following text.

Evacuate & Recharge System Recover Refrigerant... NOTE: R&I/R&R Does Not include recover, evacuate and recharge



1	Condenser #ncludes R&I Grill	88461-04030 m e & R&R Latch Support Brace	#1.7	181.37
2	Bracket Assy, Condenser	R 88463-04020 L 88463-04030	#	17.12 16.06
	#Included in R&R (#	10.00
3	Bolt, Mounting Bracket®	R/L 90099-04465		7.70
4	Bushing, Cond Mtg	R/L 90099-32128		.86
5	Plate, Mounting	R 88688-04100		3.01
		L 88688-04090		3.01
6	Collar, Mounting Bushing[R/L 88895-89102		.33
7	Insulator, Lower¶	R/L 88467-35010		13.75
	¶included w/Conder	nser Bracket Assv		
8	Clip, Front Evaporator Pip	xe 88718-35090		1.49
ĺ	,,			



88472-04020

9.37

10 Brkt, Receiver/Drier 88
#w/Receiver/Drier Removed


	4 Cyl	88320-35540		#1.1	974.79
	6 Cýl	88320-04010		,#1.1	861.23
۱,	#Includes R&R Engine	Under Cover & Fan S	nrouc	ı	
12	Brkt, Compressor	88431-34020		#.2	90.49
	4 Cyl 6 Cyl	88431-0C020		#.2	100.16
	#w/Compressor Assy F			# .E	100.10
13	Pulley, idler				
10	4 Cyl	88440-04030	m	.6	35.76
	6 Cýl	88440-04040	m	.6	32.52
14	Clutch Assy, Compressor				
	4 Cyl	88410-34020		#1.1	
	_6 Cýl _	88410-35340	m	#1.1	218.79
15	Stator, Clutch[
	4 Cyl	88411-04010		#1.1	0.00
40	6 Cýl	88411-0C010	m	#1.1	45.26
16	Rotor, Clutch¶ 4 Cyl	88412-95.100	200	#1.1	127.59
	6 Cyl	88412-35090		#1.1	204.12
17	Hub, Clutch(i	88403-30290		#1.1	94.54
"	flincluded w/Compressor			,,,,,	04.0
	#R&R Complete, Includ	les R&R Engine Unde	r Cov	er & Fa	an
	Shroud, Included in F	&R Compressor			
18	Belt, Drive	99364-20870-78		.5	23.81
19	Pipe, Condenser	88716-04103	m	#.1	32.72
20	Pipe, Front Evaporator	88716-04280	m	#.1	37.01
	#w/Grille Removed				
	Pipe, Rear Evaporator	88716-04270	m	1.0	25.69
22	Hose, Discharge	*****			
	4 Cýl	88711-04100	m	#.5	
-	6 Cýl	88711-04110	m	#.5	35.87
23	Hose, Suction	88712-04100		#.5	60.96
	4 L N1	00/12-04100	m	#.5	DU.90

88712-04100 88712-04110

60.96 46.61


24 Label, A/C Caution-See Information Labels Section

#R&R Both .8



5	Evaporator Assy	88510-04190		#1.0	355.07
	#Includes R&R Glove I	Box, Glove Box Reinf	& Inst	Panel	Finisher
6	Core, Evaporator¶	88501-04030	m	#1.2	320.73
	Case, Upper Evaporator	88502-04010	m	#1.2	10.31
8	Case, Lower Evaporator	88502-04021	m	#1.2	12.21
9	Gskt, Outer Case				
	Factory Installed	88578-04220	m	#1.2	1.55
	Dealer Installed	88578-04120	m	#1.2	8.46
Ø	Gskt, inner Case[]				
	Factory Installed	88578-04230		#1.2	1.55
	Dealer Installed	88578-04130	m	#1.2	8.46
11	Valve, Expansion[]	88515-20100	m	#1.2	67.59
2	Pipe LiquidII	88710-04120	m	#1.2	40.73
3	Switch, Pressure	88645-34010	m	#1.2	32.44
-	¶Included w/Evaporator	Assv			
	#5050 L		A	n n	-1

#R&R Complete, Includes R&R Glove Box, Glove Box Reinf & Inst Panel Finisher




34 Heater Assy	8/150-04060		#4.0	523.69
#Includes R&R Evaporat	or Assy, Glove Bo	x, Glov	e Box	Reinf &
Inst Panel Finisher, w/	A/C Add 1.0	•		
35 Core, Heater¶	87107-0C010	m	#4.2	280.94
36 Pipe, No. 1 Heater	87156-04010	m	#42	9.23
37 Pipe, No. 2 Heater	87156-04020			9.23
38 Duct, Upper Air¶	87211-04040		#4.2	58.36
39 Motor, Upper Servof	87106-04020		#4.2	125.86
	87106-04030	m	#4.2	125.86
41 Cable, Water Valve	87286-04010			13.20
¶Included w/Heater Assy				
42 Duct, Lower Air				
2 Door	87211-04080		#42	36.30
_4 Door	87211-04070		#42	
43 Duct Assy, Blower	87211-04061	m	#42	63.42
#R&R Complete, include	s R&R Evaporato	r Assy, (Glove	Вох,
Glove Box Reinf & Inst	Panel Finisher, w	/ A/C Ac	td 1.0	
44 Resistor¶	87138-35040	m	.5	13.32
¶lincluded w/Blower Duct A	lssy			
	87130-04050	m	1.0	447.96
46 Fan/Motor, Blower¶	87103-04030	m	.7	110.97
	87106-04010	m	.5	131.58
¶Included w/Blower Assy				

FRONT FENDER

Use Procedure Explanations 7 and 28 with the following text.

SHEET METAL	
Refinish Fender OutsideR/L	2.0
Add to Edge FenderR/L	.5
Refinish Anron Assv 8/	1.0
R&I Fender AssyR/L	12




	©			01. 07	020	
1	Fender Assy w/Wheel Opening Flares	Ь	53801-04060		1.5	255.01
	w/w/icei Opei iii g riales	7	53802-04080		1.5	255.01
	w/o Wheel Opng Flares	Ř	53801-04050		1.5	255.01
_		Ĺ	53802-04070		1.5	255.01
2	Brkt, Front Fender	Ŗ	53803-35010 53804-35020			24.75
	¶Included w/Fender A	leev.	53804-35020			24.75
3	Bumper, Fender	R/L	53384-AD010			5.63
4	Brkt, Fender Bumper	ΪŘ				3.94
_		L	53385-20020			3.94
5	Seal, Rear Fender	R/L				.54
6	Retainer, Filler	Ŗ	52522-35050 52523-35050			1.46
7	Spacer, Fender	R/L	53878-34010			1.46 12.06
8	Seal. Fender		30070 04010			12.00
	4 Cyl					
	2.4L Eng	R/L	53738-04010		2	24.09
	2.7L Enğ Right					
	Front		53738-04040		2	15.69
	TIOIL		33730-04040		-2	13.09

Rear	53738-04030	.2	15.06
Left	53738-04020	.2	27.47
6 Cyl			
Right			
Front	53738-04040	.2	15.69
Rear	53738-04030	.2	15.06
Left	53738-04020	.2	27.47
9 Retainer, Fender Seal (9/Side)	R/L 90080-46327		.86
10 Liner, Fender	R 53875-04050	.3	67.51
	L 53876-04050	.3	67.51
11 Grommet, Liner (9/Side)	R/L 90189-06157		.63
12 Apron			
Right			
w/ABS			
w/Cruise Control	53701-04220	#6.5	247.04
w/o Cruise Control	53701-04250	#6.5	247.04
w/o ABS			
w/Cruise Control	53701-04230	#6.5	247.04
w/o Cruise Control	53701-04240	#6.5	247.04
Left	01 53702-04201	#6.5	246.70
	02 53702-04320	#6.5	215.18
#w/Necessary Bolte	ed Parts & Assemblies Remo	ved, incl	udes
R&R Fender/Apro	n Brace, w/Side Support Par	nel Remo	ved,

#w/Necessary Bolted Parts & Assemblies Removed, Includes
R&R Fender/Apron Brace, w/Side Support Panel Removed,
Deduct 1.5

13 Brace, Fender/Apron R 53705-35020 .4 20.46
L 53706-35010 .4 20.46


EXTERIOR TRIM	
Refinish Wheel Opening Flare	.7
Refinish Wheel Opening MldgR/L	.5
R&I Wheel Opening FlareR/L	#.4
R&I Wheel Opening MidgR/L #Includes R&VR&R Mudguard	#.4
#Includes R&VR&R Mudguard	
R&I MudguardR/L	2



12	Mast, Antenna		86309-AA040	.2	30.42
10	Antenna Assy Bezel, Antenna¶ Nut, Antenna¶ filncluded w/Ante	R R	86392-04020 86396-16020	.0	8.29 9.29
	4WD	R L	76621-04040	.2 .2 .2 .2 .2 .2	67.59 67.59 37.98
	2.7L, 3.4L Eng	Ŕ	76622-04050 76621-04040 76622-04040	.2 .2 2	67.59 67.59 67.59
8	Mudguard 2WD 2.4L Eng		76621-04050	.2	67.59
5 6 7	Blue (2/Side) Red (4/Side) Grommet, Flare	R/L	90904-67036 90904-67037 90179-06314		1.06 1.06 .66
·	Clip, Flare		53851-35061 90904-67036		12.35
4	#Includes R&I/F				10.00
	Paint to Match	R L	75872-04010 75871-04010 75872-04010	#.4 #.4 #.4	137.55 137.55 137.55
3	Black		75871-04010	#.4	137.55
2	Seal, Moulding Flare, Wheel Opening	L	75872-35900 75696-35010	#.4	156.19 11.20
	Paint to Match	Î.	75872-35900 75871-35900 75871-35900	#.4 #.4 #.4	156.19 156.19 156.19
1	Midg, Wheel Opening		75871-35900	4.4	156 10
	044-07021				

Illustration Located in Next Column

2	L	82741-35080 82602-60060	m m	101.92 15.55




Cover, Upper Block w/DRL	L 82661-3D100
w/o DRL	L 82661-3D090
Cover, Lower Block	L 82663-35070

AIR BAG SYSTEM


NOTE 1: R&R Does Not include disable and enable or diagnose Air Bag System.

NOTE 2: Refer to Procedural Explanation 30 for Supplemental Restraint/Air Bag System Component Inspection and Replacement Information.

NOTE 3: For Air Bag System Service procedures, refer to Manufacturer's Service Repair Manual or Mitchell's Air Bag Service and Repair Manual.




1	Module, Univer Air Bag				
	Charcoal	45130-04060-B0	m	#.2	572.28
	Oak	45130-04060-E0	m	#.2	572.28
	#Included in R&R Steen	ing Wheel			
2	Module, Pass Air Bag	73960-04020	m	#4.8	610.31
	#Includes R&I Instrume	nt Panel			
3	Cover, Air Bag Module				
	Charcoal	50540-04040-B1	m		166.25
	Oak	50540-04040-E0	ភា		167.28
4	Cable, Spiral¶	84306-0C010	m	.7	218.32
	¶Included w/Combination		Steeni	ng	
	Wheel/Column Section				




5 Control Unit, Air Bag	01 89170-04030 02 89170-04040	m	.5	508.16 508.16
6 Sensor, Air Bag	R 89173-39275 L 89174-39145	m	.5 .5	54.79 54.79

UNDERHOOD DIMENSIONS

Illustration Located in Next Column






1 Sensor, Front ABS 2WD						
4 Cyl						
2.4L Eng		89542-3		m	.7	176.34
2.7L Eng		89543-3 89542-0		m	.7 .7	176.34 176.34
2.7L City		89543-0		m	.7	176.05
6 Cyl	_					
PreRunner Model		89542-0 89543-0		m	.7	176.34 176.05
S-Runner Model		89542-0		m	.7 .7 .7	176.34
	L	89543-3	35100	m	.7	176.34
4WD		89542-0		m	.7	176.34
2 Rotor, Front ABS Sensor	L	89543-	MU10	, m	.7	176.05
2WD¶						
w/PreRunner Model		43515-3		m		19.55
4WD ¶w/o Pre Runner Mo		43515-0		m		19.55
3 Clamp, Front Sensor		88266-1				7.82
••		88266-				7.82
4 Actuator Assy, ABS						
2WD 4 Cyl						
2.4L Eng		44050-	04020	m	1.9	959.18
2.7L Enğ		44050-	04010	m	1.9	959.18
6 Cyl PreRunner Model		44050-	M010	m	1.9	959.18
S-Runner Model		440504		m	1.9	959.18
. 4WD		44050-	04010	m	1.9	959.18
5 Control Unit, ABS¶ 2WD						- 1
4 Cyl						1
2.4L Eng		895414		m	.6	417.02
2.7L Eng		895414	04010	m	.6	417.02
6 Cyl PreRunner Model		89541-	14010	m	.6	417.02
S-Runner Model		89541-		m	.6	417.02
4WD		89541-	04010	m	.6	417.02
¶Included w/ABS Ad	ctuator		34010			14 00
6 Brkt, Actuator 7 Bushing, Mounting (3)		44591- 44546-				14.98 1.69
7 Bushing, Mounting (3) 8 Sensor, Deceleration						
4WD		89440-		m	.5	769.73
9 Brkt, Sensor 10 Cyfinder, Brake Master		89439- 47201-		m	.7	14.60 242.65
11 Booster, Brake		# E017	.500		••	L-12.00
2WD						- 1
4 Cyl 2.4L Eng		44610-	04100	m	#1.6	581.51
2.7L Eng		44610-			#1.6	581.51
6 Cyl		44040				-04
PreRunner Model S-Runner Model		44610- 44610-		m	#1.6 #1.6	581.51 581.51
3-munifier ividuel		44010	J+100	m	#1.0	301.31


4WD #Includes R&F	44610-04110 Brake Master Cylinder	m #1.6	581
1/6	12	```	
13			
()			
	13	./// 	0
Mire, Rear ABS Sens 2WD	or	044-0566	О


01	89516-	35040	m	.5	88.68
02	89516-	35070	m	.5	90.77
01	89516-	35010	m	.5	67.19
				5	90.77
-	00010	00000	•••		00.,,
Δ1	90516	26010			67.19
				.2	
				.2	90.77
				۵.	88.68
			m	.5	90.77
01	89516-	35010	m	.5	67.19
02	89516-	35080	m	.5	90.77
R	89545-	35020	m	.5	176.34
ï					176.34
R/Ī					42.58
Quar A	via Cha	Accv A			
ROUI M	AIC CING	i Assy i	· booking	, iate,	, rar 1
	01 02 01 02 01 02 01 02 R L R/L	02 89516- 01 89516- 02 89516- 01 89516- 02 89516- 02 89516- 02 89516- 02 89516- R 89546- R/L 43517-	2 85516.35070 01 89516.35080 01 89516.35080 01 89516.35080 01 89516.35080 01 89516.35090 02 89516.35070 01 89516.35070 01 89516.35070 01 89516.35070 01 89516.35080 02 89516.35080 02 89516.35070 01 89546.35080 02 89546.35020 03 89546.35020	02 89516-35070 m 01 89516-35010 m 02 89516-35080 m 01 89516-35080 m 01 89516-35080 m 02 89516-35080 m 02 89516-35070 m 01 89516-35070 m 01 89516-35010 m 02 89516-35010 m 02 89546-35020 m 04 89546-35020 m 05 89546-35020 m	02 89516-35070 m .5 01 89516-35010 m .5 02 89516-35080 m .5 01 89516-35010 m .5 01 89516-35080 m .5 01 89516-35080 m .5 01 89516-35070 m .5 02 89516-35070 m .5 02 89516-35090 m .5 02 89516-35090 m .5 02 89516-35090 m .5

LOAD-SENSING PROPORTIONING VALVE NOTE: R&R Does Not include bleed brake system.



5						1
4	1	Brkt, Lower Shackle				- 1
4 I		2WD				ı
4 I		w/PreRunner Model	47933-35091	m	#.4	5.54
5		w/o PreRunner Model	47933-35101	m	#.4	6.17
		4WD	47933-35091	m	#.4	5.54
	2	Shackle, Lwr Sensing Spring				i
5		2WD				
š		w/PreRunner Model	47936-35050	m	#.4	7.12
1		w/o PreRunner Model	47936-26020	m	#.4	6.37
2		4WD	47936-35050	m	#.4	7.12
2	3	Bushing, Lwr Shackle (2)	47924-35010	m	#.4	2.06
-	4	Collar, Lower Shackle	90387-08099	m	#.4	4.40
	5	Retainer, Shackle	90201-08062	m	#.4	2.01
	6	Retainer, Shackle Shackle, Upr Spring	47935-35030	m	#.4	5.06
вl		#R&R Complete				l
8	7					l
		2WD				- 1
вΙ		w/PreRunner Model	47920-3 5110	m	.4	73.82
В		w/o PreRunner Model	47920-35120	m	.4	73.82
В		4WD_	47920-35110	m	.4	73.82
ì	8	Valve, Proportioning				l
		2WD _			_	
		w/PreRunner Model	47910-35320	m	.5	144.18
2		w/o PreRunner Model	47910-35330	m	.5	144.18
2	_	_4WD	47910-35320	m	.5	144.18
_	9		47931-35100	m	#.1	14.43
2	10	Plate, Mounting	47937-60010	m	#.1	8.17
222	١	#R&R Complete, w/Prop	ortioning Valve Hemo	ved]
2	11					1
		2WD				
8		w/PreRunner Model	47352-35290	m		5.46
ğ	12	Tube, Rear Brake				
		2WD	17004 04040			4 00
3		w/o PreRunner Model	47324-04040	m		4.09
ō	_			_		
5		CRUISE CON	ITROL SYS	11:	W	





_	b Cyl	88200-04030	m	0	1242.33
2	Cable, Actuator	70450 05000			00.40
	4 Cyl	78150-35030	m	#.4	68.48
	6 Cyl	00704 05000			75 40
	2WD	83731-35230	m	#.4	75.48
	4WD _	00704 00040			10.11
	Man Trans	83731-60040	m	#.4	42.44
_	Auto Trans	83731-35230	m	#.4	75.48
3	Cover, Actuator				
	4 Cyl	88212-33010		#.2	28.69
	6 Cýl	88212-35110		#.2	13.18
		uise Control Actuator			
4	Module, Cruise Control				
	4 Cyl				
	2.4L Eng				
	Man Trans	88240-04040	m	.5 .5	382.20
	Auto Trans	88240-04010	m	.5	397.60
	2.7L Eng	88240-04020	m	.5	397.60
	6 Cyl				
	2WD				
	PreRunner Model	88240-04030	m	.5	397.60
	S-Runner Model	88240-04050	m	.5	382.20
	4WD				
	Man Trans	88240-04050	m	.5	382.20
	Auto Trans	88240-04030	m	.5	397.60
5	Switch, Cruise Control Se				221100
J	flincluded w/Steering	Wheel Assy			
	III Sidded Wolceling	TTTOOL TOO			

FRAME

2WD W/PRERUNNER

Use Procedure Explanation 9 with the following text.

Add to R&R Frame w/ A/C.....w/Auto Trans 11 26 26

-25

	Frame Assv			
	Regular Cab	51001-04290	29.0	3139.47
	Xtră Cab 4 Cyl	51001-04310	30.0	3111.98
	6 Cýl Double Cab	51001-04320		
	4 Cyl 6 Cyl	51001-04330 51001-04340	30.0 30.0	3186.20 3139.47
•	Crossmember, Front¶	51021-35060	#2.0	68.48
	#w/Front Bumper	Removed		
3	Brkt, Front Cab Mtof	R 51701-35130		63.73
	5 ,	L 51702-35130		39.75
ļ	Crossmember, No. 1¶	51201-04010		692.33
	Crossmember, No. 2	51202-04010		631.60
	Crossmomher No. 30	51203-04011		96 97

044-06535


Illustration Located in Next Column

1 Actuator, Cruise Control

						101017	ATACOMA	2001-02
7 Brixt, No. 3 Crossmember¶	R 51025-04010 L 51026-04010	116.78 120.21	#w/Necessary Bo 13 Brkt, Front Leaf Springf	Ited Parts & Assemblies R	emoved	22 Brkt, Rear Bed Mtg(L 48506-35040 B 51744-35020	45.76 13.15
8 Crossmernber, No. 4¶ 4 Cyl		,	14 Brkt, Rear Leaf Spring	R 48404-35040 L 48407-35030 R 48405-35040	37.55 45.44	23 Brkt, Brake Cable¶	R 51744-35020 L 51745-35010 L 46454-35140	13.15 13.15 5.46
Regular Cab Xtra Cab, Double Cab	51204-04030 51204-04040	225.51 256.66	15 Brkt, Fuel Tank Mtg¶	L 48406-35020 L 57683-35010	45.44 7.23	¶included w/Fram 24 Hook, Transport		
6 Cyl 9 Crossmember, No. 5 []	51204-04040 51205-04020	256.66 254.78	16 Support, Susp Arm	R 51501-35150 L 51502-35150	331.24		L 51964-35050 R 51961-35051	8.83 8.83 54.59
10 Crossmember, Rear	51209-04010 ed Parts & Assemblies i	#.3 287.87	17 Brict, Ctr Cab Mtgfj 18 Brict Boar Cab Mtgfj	R/L 51703-35170 R/L 51705-35110	54.59 43.21	25 Hook, Tow 26 Stopper, Spare Wheel 27 Cover, Front I.wr Eng	R/L 51933-35160 51405-35071	51.10 .4 218.61
11 Brkt, Front Leaf Spring¶	R 48404-35040	37.55 37.55	18 Brkt, Rear Cab Mtg¶ 19 Brkt, Front Bed Mtg¶	R 51742-35070 L 51743-35080	31.41 32.50	28 Cover, Rear Lwr Eng	51406-04010	.3 101.92
12 Brkt, Rear Leaf Springf	L 48407-35030 R 48405-35040	45.44	20 Reinf, Bed Mtg Brkt¶	R 51767-35060	15.98		WHEEL	
13 Brkt, Fuel Tank Mtg/	L 48406-35020 L 57683-35010	45.44 7.23	21 Brkt, Shock Mtg¶	L 51768-35080 R 48505-35060	15.98 27.29	Use Procedure Explanati	on 10 with the following text.	
14 Support, Susp Arm	R 51501-35080 L 51502-35080	304.74 304.74	22 Brkt, Rear Bed Mtg¶	L 48506-35050 R 51744-35020	42.93 13.15			
15 Brkt, Eng Mounting¶ 4 Cyl	R/L 51401-35320	43.21	23 Brkt, Exhaust Mtg¶ fincluded w/Frame	L 51745-35010 R 51398-35020	13.15 17.32		STEEL WHEEL	
6 Cÿl 16 Support, Stabilizer¶	R/L 51401-35310 R 51591-35060	43.21 22.66	¶Included ŵ/Frame 24 Hook, Transport	Assy R 51093-35010	17.95	Add to R&I Spare Wheel	& Tire Assy	5 2
17 Brkt, Ctr Cab Mtgf	L 51592-35020 R/L 51703-35170	22.66		L 51094-35010	17.95 17.95	•	,	
18 Brkt, Rear Cab Mtg/[Regular Cab, Xtra Cab			6 Cvl	51441-35230	.3 18.61	1000	1	
Double Cab	R/L 51705-35110 R 51705-35170 L 51706-35050	36.61 31.58	26 Stopper, Spare Wheel w/Alloy Wheels	R/L 51933-35200	58.36			
19 Brkt, Front Bed Mtg¶ Regular Cab, Xtra Cab	R 51742-35070	31.41		4WD			6)	
Double Cab	L 51743-35080 R 51742-35140	32.50 24.55	Add to R&R Frame w/ A/C		7	1000	2—0	
20 Reinf, Bed Mtg Brkt¶	L 51743-35130	33.75 33.75		·····				
Regular Cab, Xtra Cab	R 51767-35060	15.98		10 00			\mathbb{T}^3	
Double Cab	L 51768-35080 R/L 51767-35070 B 48505-35050	15.98 10.26	1/	19 20 ²¹ 22				
21 Brkt, Shock Mtg¶	R 48505-35050 L 48506-35040	29.44 45.76	14 17 1	A 19 A 20			4_10	
22 Brkt, Rear Bed Mtgf	R 51744-35020 L 51745-35010	13.15 13.15	3 14 17	77	10			9
23 Brkt, Brake Cable¶ ¶Included w/Frame A		5.46	1 2 6	A	TAMB (9)	2 5	6	
24 Hook, Transport	R 51963-35070 L 51964-35050	2 8.83 2 8.83 2 54.59	1	6 23	21 12		(4)	W. To
25 Hook, Tow 26 Stopper, Spare Wheel	R 51961-35051	2 54.59		Alex 1	3		7	10
w/Alloy Wheels 27 Cover, Front Lwr Eng	R/L 51933-35160 51405-35071	51.10 <i>A</i> 218.61	2 6	11			(£ 3)	60
28 Cover, Rear Lwr Eng	51406-04010	.3 101.92		7 6		U	044-	-06528
W/O	2WD PRERUNNER		4	5 7		Wheel, Steel		
Add to R&R Frame	· ············		6 7 −24 🕥		26 26	15x6" 1 Type 1	42601-04170	.3 118.05
w/ A/Cw/Auto Trans			€_25	2	8	2 Type 2 3 15x7"	42601-04180 42601-0W020	.3 121.26 .3 130.25
was sule mana		а		27	04406535	4 16x7" Chrome	42601-04200	.3 138.08
1-	2021 22	a a a	1 Frame Assy • Regular Cab			Painted Cap, Center	42601-04190	.3 143.40
18	19-11-1	23	Man Trans	51001-04280	29.0 3139.47	5 Type1 ∣6 Type2	42603-04060 42603-35680	46.38 35.35
3 16 17	11	12	Auto Trans Xtra Cab	51001-04290	29.0 3139.47	7 Type 3 Chrome	42603-04090	
		1	4 Cyl Man Trans	51001-04300	30.0 3186.20 30.0 3111.98	Painted 8 Type 4	42603-04070 42603-35740	76.68 60.25 37.55
The state of the s	8 50	21 14	Auto Trans 6 Cyl	51001-04310 51001-04320	30.0 3139.471	9 Stem, Valve 10 Nut, Lug	90942-05009 90942-01104	7.72 2.88
2-10-7	7	5 14	Double Cab 2 Crossmember, Front¶	51001-04340 51021-35060	30.0 3139.47 #2.0 68.48		LLOY WHEEL	
	g 🐟 g 13	-	#w/Front Bumper 3 Brkt, Front Cab Mtgf	R 51701-35150	39.75		& Tire Assy	2
5	•		4 Crossmember, No. 1¶	L 51702-35130 51201-04010	39.75 692.33		-	
4 5 6		36	5 Crossmember, No. 20 6 Crossmember, No. 30	51202-04010 51203-04011	631.60 96.97		<u>_1</u>	
25	_	26 ₂₆	7 Brkt, No. 3 Crossmember¶	R 51025-04010 L 51026-04010	116.78 120.21			
25		044 00570	8 Crossmember, No. 4¶ 4 Cyl					5/1/1
24 🛷 24		044-06536	Régular Cab Xtra Cab	51204-04030 51204-04040	225.51 256.66			
1 Frame Assy			6 Cyl 9 Crossmember, No. 5 ¶	51204-04040 51205-04020	256.66	2 3		
Regular Cab Man Trans	51001-04230	24.0 2714.49	10 Crossmember, Rear	51209-04010 Ited Parts & Assemblies R	254.78 #.3 287.87	5	5 4— (2)	ø
Auto Trans Xtra Cab	51001-04240	24.0 2779.25	11 Brkt, Front Leaf Spring¶	R 48404-35040 L 48407-35030 R 48405-35040	37.55 37.55		~ · 69	
4 Cyl Man Trans	51001-04250	25.0 3111.98	12 Brkt, Rear Leaf Spring¶	R 48405-35040 L 48406-35020	45.44 45.44		044	-06529
Auto Trans 6 Cyi	51001-04260 51001-04270	25.0 3111.98 25.0 3111.98 25.0 3186.20	13 Brkt, Fuel Tank Mtg¶ 14 Support, Susp Arm¶	L 57683-35010 R 51501-35080	7.23 304.74	Wheel, Alloy	A0044 04070	3 070.54
2 Extension, Frame[] 3 Brkt, Front Cab Mtg[]	R/L 51110-35030 R 51701-35150	16.40 39.75	15 Brid. Ena Mountina®	L 51502-35080	304.74	1 16x6-1/2" 2 16x7"	42611-04070	.3 376.51
4 Crossmember, No. 1¶	L 51702-35130 51201-35270	39.75 29.33	4 Cyl 6 Cyl	R/L 51401-35320 R/L 51401-35310	43.21 43.21	Standard Offset	42611-35170 42611-0C020	.3 390.05 .3 386.70
5 Brkt, No. 1 Crossmember(H 57107-35090 L 57108-35090	100.00 100.00	16 Support, Stabilizer¶	R 51591-35060 L 51592-35020	22.66 22.66	Cap, Center 3 Type 1	42603-AC030	20.29
6 Crossmember, No. 2¶ 7 Brkt, Front Eng Mtg¶	51202-35330	470.20	17 Brkt, Ctr Cab Mtg¶ 18 Brkt, Rear Cab Mtg¶	R/L 51703-35170	54.59	4 Type 2 5 Stem, Valve	42603-0C030 90942-05009	50.47 7.72
4 Cyl 6 Cyl	R/L 51401-35330 R/L 51401-35340	35.67 35.67	Regular Cab, Xtra Cab Double Cab	R/L 51705-35110 R 51705-35170	43.21 36.61	6 Nut, Lug	90942-01058	5.89
8 Crossmember, No. 3¶ 9 Brkt, Rear Eng Mtg¶	51230-04011	196.57	19 Brkt, Front Bed Mtg[]	L 51706-35050	31.58	SPARE V	VHEEL & HARDWA	ME
4 Cyl Man Trans	51431-35160	30.64	Regular Cab, Xtra Cab	R 51742-35070 L 51743-35080	31.41 32.50			
Auto Trans 6 Cyl	51431-35170 51431-35180	32.50 33.47	Double Cab	R 51742-35140 L 51743-35130	32.50 24.55 33.75	Hustra	tion Located in Next Column	
10 Crossmember, No. 4¶ Regular Cab	51204-04010	256.66	20 Reinf, Bed Mtg Brkt¶ Regular Cab, Xtra Cab		1	1 Wheel, Steel Spare		
Xtra Cab 11 Crossmember, No. 5¶	51204-04020 51205-04020	256.66 254.78	Double Cab	R 51767-35060 L 51768-35080 R/L 51767-35070	15.98 15.98 10.26	15x6"	42601-04170	118.05
12 Crossmember, Rear	51209-04010	#.3 287.87	21 Brkt, Shock Mtg¶	R 48505-35050	10.26 29.44			
ada2 a04							·	4407

WHEEL Cont'd

SPARE WHEEL & HARDWARE Cont'd



			ļ	1'9	1 ((()	
	15x7"	42601-04130	133.79			1 `
	16x7"	42601-0C010	140.16	044-05952		-
2	Wheel, Alloy Spare					
	2WD (16x6-1/2")	42611-04070	376.51		D 10001 05001	
3	Hanger, Spare Wheel		0,0.01	w/ABS	R 43201-35081	m
	2WD		j		L 43202-35071	m
	w/PreRunner Model	51900-04040	164.08	w/o ABS	R 43201-35071	m
	w/o PreRunner Model	51900-04030	123.98		L 43202-35061	m
	4WD	51900-04040	164.08		de Complete, Includes R&R R	iotor, H
1	Jack	31000 04040	104.00	Bearings, Se	ensor Rotor & Splash Shield.	R&R B
7	2WD		1	14 Joint Assy, Upper Ba	all¶ R/L 43310-39016	m
	w/PreRunner Model	09111-04020	133.95		(a) RVL 43324-39015	m
				flincluded w/Kr	nuckle Accu	
	w/o PreRunner Model	09111-04030	101.37			
_	4WD	09111-04020	133.95		Upper Ball Joint Assy	
5	Wrench, Lug	09150-AD020	21.92		te Complete, R&R Both Sides	i 3.4
	Handle, Jack			16 Sensor, Front ABS-S	ee ABS/Brakes Section	
6	Regular Cab	09113-04020	23.86	17 Caliper, Brake	R 47730-04040	m
- 7	Xtra Cab, Double Cab	09115-60030	14.12		L 47750-04040	·m
8	Extension, Jack Handle			#R&R Both Si	des .8, w/Rotor Removed De	duct 3
	Xtra Cab, Double Cab	09114-04030	13.40	18 Pad Set, Brake	04465-04050	m
9	Lever, Jack Handle				r Each Caliper Removed	114
	Xtra Cab, Double Cab	09116-04020	33.95	19 Hose, Brake	R/L 90947-02B41-2	_
10	Bag, Tool		30,00		moved Deduct .2	m
	Xfra Cab, Double Cab	09120-04030	20.03	#W/Cauper ne	TROVEG DEGUCT .2	
11	Bracket, Jack Handle	00120 0 1000	20.00			
	Regular Cab	58706-35010	18.66			
12	Holder, Jack Handle	30,000 33010	10.00			
	Regular Cab	58707-34010	7.74	26-	-0D	- 25
	· rogular our	OO O O TO 10	1.14		~ ~	

FRONT SUSPENSION

Use Procedure Explanation 11 with the following text.

2WD W/PRERUNNER


R&I Suspension (One Side)	R/Lm	#3.4
O/H Suspension (Includes R&I)		
One Side	R/Lm	#4.9
Both Sides	m	#9.0
#w/Steering Gear Removed Deduct .8		
Adjust Front Alignment	m	1.5
Bleed Brake System	m	.3
NOTE 4. DOUBLE OALD Noticeled		


NOTE 1: R&I/R&R or O/H Does Not include alignment or bleed brake system.

NOTE 2: All Parts in this section are included in overhaul unless noted

Illustration Located in Next Column

						- 1
Rotor, Brake	R/I	43512-0	4020	m	#6	99.33
		100120	1020		".0	30.00
		40000	1050			
				m_	#3.4	143.47
#Includes R&R Rotor	, Kni	uckie, Be	earing & Seal,	R	kR Both	Sides
6.6						
Stud. Luafi (6/Side)	R/I	90942-0	2049	m		2.94
						7.27
finclined w/Hub Assv		300000				1.21
		00312-0	5001	m	#2.4	13.98
						5.17
				m	#3.4	58.25
	e Al	3S/Brake	es Section			- 1
w/o ABS	R/L	90560-5	2001	m	#3.4	11.09
Nut. Adjusting	R/I	43521-3	5010	m	#3.4	13.18
						13.89
Shield Splach						54.29
Silicia, Spiasii						
	Ĺ	4//04-3	2031	m	#3.4	26.89
Knuckie Assy						
	#R&R Both Sides 1.0 Hub Assy #Includes R&R Rotor 6.6 Stud, Lugfl (6/Side) Cap, Greasefl #Included w/Hub Assy Seal, Oil Ring, Snap Bearing, Aule Rotor, Front ABS Sensor-Se Spacer, Hub wio ABS Nut, Adjusting	#R&R Both Sides 1.0 Hub Assy R/L #Includes R&R Rotor, Knu 6.6 Stud, Lugff (6/Side) R/L Cap, Greaseff R/L #Included w/Hub Assy Seal, Oil R/L Ring, Snap R/L Rotor, Front ABS Sensor-See AI Spacer, Hub w/o ABS R/L AU, Grease Retainer R/L Shield, Splash R L	#R&R Both Sides 1.0 Hub Assy R/L 43502-0 #Includes R&R Rotor, Knuckle, Bi 6.6 Stud, Lugff (6/Side) R/L 90942-0 Cap, Greaseff R/L 90339-3 #Included w/Hub Assy Seal, Oil R/L 90312-9 Ring, Snap R/L 90369-5 Rotor, Front ABS Sensor-see ABS/Brake Spacer, Hub Wo ABS R/L 43521-3 Cap, Grease Retainer R/L 43442-3 Shield, Splash R/L 47703-0 L 47703-0 L 47704-3	#R&R Both Sides 1.0 Hub Assy R&R Rotor, Knuckie, Bearing & Seal, 6.6 Stud, Lugff (6/Side) R/L 90942-02049 Cap, Greaseff R/L 90339-33003 #included wi/Hub Assy Real, Oil R/L 90312-95001 Ring, Snap R/L 90521-99114 Bearing, Axte R/L 90369-54001 Rotor, Front ABS Sensor-See ABS/Brakes Section Spacer, Hub w/o ABS R/L 90560-52001 Nut, Adjusting R/L 43521-33010 Cap, Grease Retainer R/L 43442-33050 Shield, Splash R47703-04030 L 47703-04030	#R&R Both Sides 1.0 #Includes R&R Rotor, Knuckle, Bearing & Seal, R& 6.6 Stud, Lugfl (6/Side) R. R. 90942-02049 M. 20094 M. 200	#R&R Both Sides 1.0 Hub Assy RI 43502-04050 m #3.4 #Includes R&R Rotor, Knuckle, Bearing & Seal, R&R Both 6.6 Stud, Lugff (6/Side) RI 90942-02049 m Cap, Greaseff RI 90339-33003 #Included w/Hub Assy Seal, Oil RI 90312-95001 m #3.4 Ring, Snap RI 903521-99114 m #3.4 Rearing, Axie RI 90369-54001 m #3.4 Rotor, Front ABS Sensor-See ABS/Brakes Section Spacer, Hub W/O ABS RI 90560-52001 m #3.4 Nut, Adjusting RI 43521-35010 m #3.4 Cap, Grease Retainer RI 43442-35050 m #3.4 Sheld, Splash R 47703-04030 m #3.4





#.5 #.5

36.95

47.33

m #1.0

	ļ							
		er Assy, Shock						
		lar Cab	R/L	48510-0	9270	m	#1.0	152.1
1	Xtra (
ı	w/O	ff Road Pkg		48510-A			#1.0	95.9
١		Off Road Pkg	R/L	48510-0	9280	m	#1.0	44.2
		le Cab						
		ff Road Pkg		48510-A			#1.0	112.2
ı	1 5 W/O	Off Road Pkg	H/L	48510-8	0012	m	#1.0	112.2
	21 Busnir	ng, Shock Mtg	D/I	00000 0	0040		#4.0	40.0
	W/OII	Road Pkg Off Road Pkg		90903-8			#1.0	13.2
3	w/oc	¶included w/Shock	Abcorb	90389-1	4048	m	#1.0	13.2
		hock Mtg		90080-1	0404			0.5
	23 Spring	nock wilg	HVL	90080-1	0124			3.5
į		lar Cab	D	48131-0	42E0	-	#1.0	80.2
	negu	iai Cau		48131-0			#1.0	80.2
۱	Xtra (ah .	L	40131-0	4500	111	#1.0	00.2
ì		ff Road Pkg						
۱	4(В	48131-A	D070	m	#1.0	79.2
۱	1 '`	231		48131-A			#1.0	79.2
ij	60	Δd		48131-A			#1.0	79.2
	"	ייעי		48131-A			#1.0	79.2
į	win	Off Road Pkg	_	-0101-A	2030	***	π 1.U	1 3.2
ì	4(B	48131-0	1360	m	#1.0	80.2
	, ,	/y'	41	7010170	1000	111	# I.U	JU.2


		$\overline{}$	48131	-04380	m	#1.0	80.29
	6 Cyl			-04390		#1.0	80.29
	00).			-04400		#1.0	80.29
	Double Cab	_					
	w/Off Road Pkg						
	4 Cv1	R	48131	-AD121	m	#1.0	77.53
	,	Ĺ	48131	-AD131	m	#1.0	77.53
	6 Cyl	R	48131	-AD160	m	#1.0	83.75
	,	L	48131	-AD170	m	#1.0	83.75
	w/o Off Road Pkg						
	4 Cyl			-04430		#1.0	65.28
	-			-04440		#1.0	65.28
	6 Cyl			-04450		#1.0	65.28
	-			-04460		#1.0	65.28
24	Mount, Upper Shock			-35010		#1.0	59.95
	#R&R One Side Cor						
25	Arm, Upper Control			-35050		#1.6	199.71
		L	48630	-35030	m	#1.6	199.71
26	Bolt, Upr Cont Arm			-14105		#1.6	8.35
	#R&R One Side Cor	nplete	e, R&R	Both Si	des 3.0		
27	Washer, Upr Cont Arm						
	(2/Side)	R/L	90209	-14010			3.53
28	Arm Assy, Lower Control						
	Regular Cab, Xtra Cab	_					
	Japan Built			3-35120		#2.8	330.57
				-35120		#2.8	330.57
	Non-Japan Built			3-04011		#2.8	223.09
	0 11 01			-04011		#2.8	223.09
	Double Cab			35120		#2.8	330.57
				-35120		#2.8	330.57
	#w/Steering Gear Re						
29	Bushing, Front Arm			-35040	m	#.2	43.21
30	Bushing, Rear Arm¶	H/L	48061	-35050	m	#.2	43.56
	¶included w/Lower C						
	#w/Lower Control A						00.00
31	Joint, Lower Ball			-39556	m	#1.1	98.00
	4FD 0 FD FD AM Cides 0			-39436		#1.1	98.00
20	#R&R Both Sides 2.	u, IIIC	iuded	ııı nord L	.uwer con	u'Oi Al	111
32	Bolt, Lwr Control Arm	O.	onner	-11283	٠		4.20
33	(2/Side)	r/L	annar	F11203	m		4.20
သ	Cam, Toe Adjust (2/Side)	D/	49400	-35050	m		11.96
3/1	Plate, Toe Adjust	TVL	+0+05	-33030	111		11.86
J4		D#	49450	-35020	m		15.75
35	(2/Side) Bumper, Front Spring			-35150	m m		15.75 21.95
35	Bumper, Rear Spring			-35040	m		15.63
	Bar, Stabilizer	100		-04110	m	#.9	136.64
J,	#Includes R&R Bus	hinge					
38	Link, Stabilizer			-35040	new, mor n	#.4	45.76
30	LIN, SADIIZEI			1-35020	m	#.4	45.76 45.76
	#R&R Both Sides .6					#. 4	40.70
20				-35090		# 4	11.70
	Bushing, Stabilizer Bar			1-35090 1-35100	m	#.4 #.4	11.72
₩	Brkt, Stabilizer Bar			-35100	m		9.12 9.12
	#R&R One Side Cor						
	O/H	· prett	, nan	Jour Of	110		ACC 111
	GH						

2WD W/O PRERUNNER

R&I Suspension One Side	
O/H Suspension (Includes R&I)	
One Side	R/Lm 3.8
Both Sides	7.4
Adjust Front Alignment	
Bleed Brake System	m .3

NOTE 1: R&I/R&R or O/H Does Not include alignment or bleed brake

NOTE 2: All Parts in this section are included in overhaul unless noted otherwise.



1 Cap, Grease 2 Cap, Adjusting 3 Nut, Axle 4 Washer, Lock	R/L R/L	43514-35010-86 43525-22010 90170-19185 90214-20007	m		4.57 1.74 2.09 .83
5 Rotor, Brake	RAL	43512-04010	m	#1.1	71.48
#R&R Both Sides 2.0)				
6 Hub Assy					

		TOYOTA TACOMA 2001-02
WABS R/L 43502-09020 m #1.5 140.55 Wo ABS R/L 43502-09010 m #1.5 134.50	#Included in R&R Lower Control Arm, R&R Both Sides 1.4	
#Includes R&R Rotor, R&R Both Sides 2.8 7 Stud, Lugfi (5/Side) R/L 90942-02047 m 3.8 8 Bearing Kitfi R/L 04421-35020 m #1.7 62.5	w/o S-Runner Model 48811-04090 m #.9 153.50	28—27
#Includes R&R Rotor 9 Rotor, Front ABS Sensor¶-Serviced wHub Assy ¶included wHub Assy	#Includes R&R Bushings, Retainers & Brackets, Not Included in OH	29—0 41
10 Seal, Oil R/L 90311-50005 m #1.4 6.78 #Included in R&R Hub, R&R Both Sides 26	33 Link, Stabilizer RVL 48820-35021 m #.4 45.76 #R&R Both Sides .6, Not Included in OVH 34 Bushing, Link (2/Side)	26
11 Shield, Splash w/ABS R 47703-04020 m #2 47.9	w/S-Runner Model R/L 90948-01080 m 2.49 w/o S-Runner Model R/L 90948-01061 m 3.77	25—39—
L 47704-04020 m #2 47.94 w/o ABS R 47703-04010 m #2 47.94 L 47704-04010 m #2 47.94		40
#WHUD Hemovea, included in H&H Steering Knuckle 12 Knuckle	W/S-Hunner Model	2-1
w/ABS R 43211-35190 m #2.0 146.70 L 43212-35150 m #2.0 146.70 w/o ABS R 43211-35180 m #2.0 146.70	#R&R One Side Complete, R&R Both Sides .6, Not Included in	24 38
L 43212-35140 m #2.0 146.70 #Includes R&R Rotor, Hub, Bearings, Seals & Splash Shield,	4WD	32-00-33
R&R Both Sides 3.8 13 Caliper, Brake R 47730-04030 m #5 334.10 L 47750-04030 m #5 334.10	O/H Suspension (Includes R&I)	30 + 31 - 6) - 37
#R&R Both Sides .8, w/Rotor Removed Deduct .3 14 Pad Set, Brake 04465-04040 m #1.0 36.95	000 Sido 04.0 1	044-06541
#Deduct 5 for Each Caliper Removed 15 Sensor, Front ABS-See ABS/Brakes Section 16 Hose, Brake RI, 99947-02839-40 m #.3 54.93	Both Sides	9
#wfCaliper Removed Deduct 2	NOTE 1: R&I/R&R or Q/H Does Not include alignment or bleed brake system.	22 Absorber Assy, Shock Regular Cab R/L 48510-09270 m #1.0 152.11 Xtra Cab
23 22 30 - 21	NOTE 2: All Parts in this section are included in overhaul unless noted	w/Off Road Pkg R/L 48510-A9050 m #1.0 95.92 w/o Off Road Pkg R/L 48510-09270 m #1.0 152.11 Double Cab
20 00 24	otherwise.	w/Off Road Pkg R/L 48510-A9160 m #1,0 112.24 w/o Off Road Pkg R/L 48510-80012 m #1,0 112.24
	[_21-e] 10	23 Bushing, Shock[WOF Road Pkg R/L 90903-89012 m #1.0 13.27 W/O Off Road Pkg R/L 90389-14048 m #1.0 13.20
30	20-	¶Included w\(\tilde{S}\)hock Absorber Assy 24 Bolt, Shock Mounting R/L 90080-11283 4.20
37	18	Regular Cab Man Trans R 48131-04020 m #1.0 83.48
2 0 36 5 34 5 18	5	£ 48131-04040 m #1.0 83.48 Auto Trans R 48131-04030 m #1.0 83.48 £ 48131-04050 m #1.0 83.48
35— 29	17 13 6	Xtra Cab w/Off Road Pkg
32		Man Trans 4 Cyl R 48131-AD010 m #1.0 85.05 L 48131-AD020 m #1.0 85.05 6 Cyl R 48131-AD010 m #1.0 85.05
33	160 40 6 6 1	L 48131-AD040 m #1.0 85.05
31 28	15 12	Auto Trans R 48131-AD030 m #1.0 85.05 L 48131-AD050 m #1.0 85.05 w/o Off Road Pkg
27	3 2 1	Man Trans 4 Cyl R 48131-04050 m #1.0 83.48 48131-04070 m #1.0 83.48
044-06539	7	6 Cyl R 48131-04050 m #1.0 83.48 L 48131-04320 m #1.0 86.86
17 Absorber, Shock wS-Runner Model R/L 48510-A9140 m #.7 26.18 w/o S-Runner Model R/L 48511-80083 m #.7 26.18	, [Auto Trans 4 Cyl R 48131-04050 m #1.0 83.48 L 48131-04080 m #1.0 86.07
#R&R Both Sides 1.2, Included in R&R Lower Control Arm 18 Spring, Coil	1 Cap, Grease	6 Cyl R 48131-04070 m #1.0 83.48 L 48131-04080 m #1.0 86.07 Double Cab
w/S-Runner Model R 48131-AD060 m #1.8 72.17 L 48131-AD110 m #1.8 72.17 w/o S-Runner Model	4 Rotor, Brake R/L 43512-04020 m #.6 99.33 #R&R Both Sides 1.0	w/Off Road Pkg R 48131-AD140 m #1.0 83.75 L 48131-AD150 m #1.0 83.75
Regular Cab R 48131-04190 m #1.8 67.52 L 48131-04200 m #1.8 67.52	5 Caliper, Brake R 47730-04040 m #.5 380.28	w/o Off Road Pkg R 48131-04410 m #1.0 77.53 L 48131-04420 m #1.0 77.53 26 Mount, Upper Shock R/L 48609-35010 m #1.0 59.95
L 48131-04220 m #1.8 71.14 19 Insulator, Upper Spring R/L 48157-35010 m #1.8 9.97	#Deduct .5 for Each Caliper Removed	#14.R One Side Complete, R&R Both Sides 1.8 27 Arm, Upper Control
#R&R One Side Complete, Included in R&R Lower Control Arm, R&R Both Sides 3.4 20 Arm Assy, Upper Control	9 High Appro 110110760 Deduct .2	28 Bolt, Upr Cont Arm R/L 90105-14105 m #1.6 8.35 #R&R One Side Complete, R&R Both Sides 3.0
w/S-Runner Model R 48066-35120 m #1.8 365.96 L 48067-35050 m #1.8 365.96	#Includes R&R Rotor, R&R Both Sides 6.6	29 Washer, Upr Cont Arm (2/Side) R/L 90209-14010 3.53 30 Arm Assy, Lower Control
w/o S-Runner Model R 48066-35140 m #1.8 369.11 L 48067-35070 m #1.8 369.11 #R&R Both Sides 3.4, w/Knuckle Removed Deduct 1.3	10 Sensor, Front ABS-See ABS/Brakes Section	Japan Built R 48068-35120 m #2.8 330.57 L 48069-35120 m #2.8 330.57 Non-Japan Built R 48068-04011 m #2.8 223.09
21 Shaft Assy, Upr Armf R/L 04485-35070 m #2.0 54.24 #R&R Both Sides 3.8 22 Bushing Upr Control Armfl (a)	12 Ring, Snap R/L 90521-99114 m #3.4 58.25 13 Bearing, Axle R/L 90369-54001 m #3.4 58.25 14 Rotor, Front ABS Sensor-See ABS/Brakes Section	Ł 48069-04011 m #2.8 223.09 #w/Steering Gear Removed Deduct .8, R&R Both Sides 4.8
#R&R Both Sides 3.8 22 Bushing, Upr Control Armf[(a) (2/Side) R/L 48632-35070 m 20.41 23 Retainer, Bushingf[(a)	w/o ABS R/L 90560-52001 m #3.4 11.09	32 Bushing, Rear Arms RL 48061-35050 m #.2 43.56
(2/Side) R/L 90948-02162 m 7.54 (a) Included w/Upper Arm Shaft Assy 24 Joint, Upper Bailf! R 43350-39105 m #1.6 47.76	17 Seal, Inner R/L 90316-69001 m #3.4 33.10 18 Shield, Splash R 47703-04030 m #3.4 54.29	#wl.ower Control Arm Assy Renoved 33 Joint, Lower Ball R 43330-39556 m #1.1 98.00 L 43340-39436 m #1.1 98.00
L 43360-3995 m #1.6 47.76 filncluded w/Upper Control Arm Assy #w/Knuckle Removed Deduct 1.3	w/ABS R 43201-35081 m #3 4 406 951	#R&R Both Sides 2.0 34 Bott, Lower Cont Arm
25 Arm Assy, Lower Control R 48068-35110 m #2.0 140.70 L 48069-35110 m #2.0 140.70 m #2.0 140.70		(2/Side) R/L 90080-11283 m 4.20 35 Cam, Toe Adjust (2/Side) R/L 48409-35050 m 11.86
#R&R Both Sides 3.8, w/Knuckle Removed Deduct 1.5 26 Bushing, Lwr Cont Armf] R/L 48654.35080 m #2.2 29.38 #Included in R&R Lower Control Arm, R&R Both Sides 4.2	#R&R One Side Complete, Includes R&R Rotor, Hub Seals, Bearings & Splash Shield, R&R Both Sides 6.6	36 Piate, Toe Adjust (2/Side) RJL 48452-35020 m 15.75 37 Bumper, Front Spring RJL 48304-35150 m 21.95
27 Arm, Lwr Ball Joint¶ R/L 48627-35040 m #1.2 42.58 ¶Included w/Lower Control Arm Assy	21 Cover, Dust¶ (a) R/L 43324-39015 m #1.8 6.74 ¶Included w/Knuckle Assy	38 Bumper, Rear Spring R/L 48305-35040 m 15.63 39 Bar, Stabilizer 48811-04110 m #.9 136.64
#Included in R&R Lower Control Arm, R&R Both Sides 22 28 Joint, Lower Ball R 43330-39865 m #1.1 62.81 L 43340-39445 m #1.1 62.81	(a) Included w/Upper Balf Joint Assy #Included in R&R Knuckle, R&R Both Sides 3.4	#Includes R&R Bushings, Links & Brackets, Not Included in OH 40 Link, Stabilizer R 48820-35040 m #.4 45.76 L 48810-35020 m #.4 45.76
#WKnuckle Removed Deduct .8, R&R Both Sides 2.0 29 Bumper, Front Spring R/L 48304-04080 m 22.92 30 Bumper, Rear Spring R/L 48332-04030 m 6.92		#R&R Both Sides .6, Not Included in O/H 41 Bushing, Stabilizer R.4 48815-35090 m #.4 11.72 42 Bracket, Stabilizer R 48824-35100 m #.4 9.12
31 Rod, Strut R 48660-35020 m #.8 54.24		L 48829-35070 m #.4 9.12

FRONT SUSPENSION Cont'd

4WD Cont'd

#R&R One Side Complete, R&R Both Sides .6, Not Included in

FRONT DRIVE AXLE

R&I Axie Shaft Assy B/I m #2.0R/Lm #2.6

1 Differential Assy				
4 Cyl				
Man Trans				
3.909 Axle Ratio	41110-34101		#3.2	
4.300 Axle Ratio	41110-34241	m	#3.2	1242.08
Auto Trans	4440.04004			4040.00
4.100 Axle Ratio	41110-34261		#3.2	1242.08
4.555 Axle Ratio	41110-3D321	m	#3.2	923.38
6 Cyl	4440.04404			
3.909 Axle Ratio	41110-34101		#32	1242.08
4.100 Axle Ratio	41110-34261	m	#3.2	1242.08
2 Carrier, Differential	41101-35131		и	291.14
3 Actuator, Vacuum 4 Housing, Otr 9	41400-34012	m	#	271.62
4 nousing, out	R 41435-35010	m		59.62
5 Shaft, Innerfi	L 41320-35040 R 41306-35030	m		123.06
5 Shart, milety	L 41337-35020	m		100.34 102.86
¶Included w/Differen		111		102.00
#Not Included in O				
6 Mount, Front Differential	R 52380-04010	-	#1.8	87.08
o mount, mont billeratual	L 52380-04020		#1.8	88.68
#R&R Both 2.0, Not	Included in O/H		#1.0	00.00
7 Stopper, Upper 8 Stopper, Lower 9 Mount, Rear Differential	R/L 41653-35010	m	#	14.12
8 Stopper, Lower	R/L 41653-35010 R/L 41654-26010	m		
9 Mount, Rear Differential	52380-35010	m	#	53.96
10 Nut, Rear Mount	41655-35010	m	#	6.37
#Not Included in O/	TH .			
11 Axle Assy, Front Drive	R/L 43430-04020	m	#2.0	350.22
#w/Knuckle Remov				
12 Joint/Shaft, Outer¶	R/L 43460-09101	m	#2.6	459.10
13 Joint, Inner¶	R/L 43040-04010		#2.6	299.09
14 Boot Kit, Axle¶	R/L 04438-04021		#2.6	31.96
13 Joint, Inner[] 14 Boot Kit, Axlef[15 Boot Kit, Inner[](a)	R/L 04438-04011	m	#2.6	19.93
* Iffincluded w/i-ront Di				
(a) Included w/Axle E				
16 Seal, Outer Axle	R/L 90080-30028		#2.6	12.35
17 Seal, Inner Axle	R/L 41336-04010	m	#2.6	5.37
#R&R One Side Co	mpiete			

,	#w/Knuckle Removed Deduct 1.7	<u> </u>				
	NOTE: All Parts in this section are included in overhaul unless noted	١		12- © —13		•
	otherwise.		וֹו	[©] (Q)—13	11	
			••		044-042	12
	3	2 Hous	ing, Shaft¶			
	4 2 3	w/ w/	PreRunner Mode o PreRunner Mod	del 44240-04010	m 4.3 m 4.3	53 37
		4Wi 3 Valve 2Wi	Assy, Control	44203-35040	m 4.3	53
	5 4	w/	PreRunner Mode o PreRunner Mod		m 3.4 m 3.4	81 81
	5—	4WI 4 Valve	, Control¶ (a) (b	44210-35021)	m 3.4	81
	5—00	2W w/: 4W	PreRunner Mode	44201-35021 44201-35021	m #3.4 m #3.4	53 53
	7—6	5 Hous 2W	i ng, Valve¶ (a) (D	b)	W 110.4	•
	17	w/ 4W		44022-35031	m #3.4 m #3.4	17 17
	13		(b) w/o PreRun	Control Valve Assy ner-Serviced w/Control Valve	Assy	
	15 11	6 Rack 2WI	#R&R Comple , Steering¶	ie		
	12	w/ w/	PreRunner Mode o PreRunner Mod	el 44204-35050 del 44204-04010	m 4.3 m 4.3	24 24
	6 16 044-07022		Inner Tie¶	44204-35050	m 4.3	24
	3 10 044-07022		D PreRunner Mode o PreRunner Mod	el P/L 45503-39075	m #2.3 m #2.3	13
1	Differential Assy 4 Cyl Man Trans	4W	D	del RVL 45503-39066 RVL 45503-39075 Steering Gear & R&R Boot	m #2.3	13
	3.909 Axle Ratio 41110-34101 m #3.2 1242.08	8 Boot, 2W	Rack[
	4.300 Axle Ratio 41110-34241 m #3.2 1242.08 Auto Trans 4.100 Axle Ratio 41110-34261 m #3.2 1242.08	w/	PreRunner Mode o PreRunner Mod	del R 45535-04010	m .3 m .3 m .3 m .3	1
	4.555 Axle Ratio 41110-3D321 m #3.2 923.38 6 Cvl	_4W		L 45535-07010 P/L 45535-35030	m .3 m .3	1
	3.909 Axle Ratio 41110-34101 m #3.2 1242.08 4.100 Axle Ratio 41110-34261 m #3.2 1242.08	2WI		•		
3.	Carrier, Differential 41101-35131 291.14 Actuator, Vacuum 41400-34012 m # 271.62		PreRunner Mode o PreRunner Mod D		m m	2
	Housing, Otr¶ R 41435-35010 m 59.62 L 41320-35040 m 123.06		Left Pressure		118	4
: ر	R 41306-35030 m 100.34 L 41337-35020 m 102.86 Included wDifferential Assy	w/ w/	PreRunner Mode o PreRunner Mod	del 44419-04010	m m	2
6	#Not Included in O/H Mount, Front Differential R 52380-04010 m. #1.8 87.08	4WI	¶Included w/Sta	44419-35050 eering Gear Assy	m	2
	L 52380-04020 m #1.8 88.68 #R&R Both 2.0, Not Included in O/H	11 End, 2WI	D	D 45040 00005	#5	_
7 :	Stonner Unner R/I 41653-35010 m # 14.19		PreRunner Mode	L 45047-39175	m #.3 m #.3	3
9	Mount, Rear Differential 52380-35010 m # 53.96 Nut, Rear Mount 41655-35010 m # 6.37	w/ 4WI	o PreRunner Moo D	del R/L 45046-39285 R 45046-39295 L 45047-39175	m #.3 m #.3 m #.3	533
1.	#Not Included in C/H Axle Assy, Front Drive R/L 43430-04020 m #2.0 350.22	12 Read	#Includes R&F ket, Rack Mount	7 Boot	111 #20	٠
	#WKnuckle Removed Deduct 1.7 Joint/Shaft, Outer¶ R/L 43460-09101 m #2.6 459.10	2WI	D '	•		
3.	Joint, Inner R/L 43040-04010 m #2.6 299.09 Boot Kit Axieti	w/	PreRunner Mode o PreRunner Mod	del 45515-04010	m	2
5	Boot Kit, Inner¶ (a) P/L 04438-04011 m #2.6 19.93 ¶Included w/Front Drive Axie Assy	4WI 13 Bush 2WI	ing, Rack Moun	45515-35010 ting	m	3
	(a) Included w/Axle Boot Kit Seal, Outer Axle R/L 90080-30028 m #2.6 12.35	w/	PreRunner Mode o PreRunner Mod		m m	2
7	Seal, Inner Axle R/L 41336-04010 m #2.6 5.37 #R&R One Side Complete	4W(45517-35010	m	<u> </u>
Г	FRONT STEERING LINKAGE/GEAR		ST	EERING PUM	P	
L	HON STEERING LINKAGE/GEAR			4.07/1		

	(b) w/o PreRunner-Se #R&R Complete	rvice	d w/Control Valve A	ssy		
6	Rack, Steering¶ 2WD					
	w/PreRunner Model		44204-35050	m	4.3 4.3	244.50
	w/o PreRunner Model 4WD		44204-04010 44204-35050	m	4.3	244.50 244.50
7	Rod, Inner Tie¶ 2WD					
	w/PreRunner Model	R/L	45503-39075	m	#2.3	132.8
	w/o PreRunner Mode/ 4WD	RL	45503-39066 45503-39075	m	#2.3 #2.3	112.3 132.8
8	#Includes R&I Steen Boot, Rack[]	ing G	ear & R&R Boot &	Tie Ro	d End	
	2WD w/PreRunner Model	D/I	45535,35030	m	2	16.00
	w/o PreRunner Model	Ř	45535-35030 45535-04010 45535-07010	m	.3 .3 .3	16.23 16.23
	4WD	R/L	45535-35030	m	.s .3	10.83 16.23
9	Tube, Right Pressure¶ 2WD					
	w/PreRunner Model		44418-35050	m		41.67
	w/o PreRunner Model 4WD		44418-04010 44418-35050	m		27.72 41.62
0	Tube, Left Pressure¶ 2WD					
	w/PreRunner Model w/o PreRunner Model		44419-35050 44419-04010	m		23.12 18.49
	4WD	_	44419-35050	m		23.12
1	¶Included w/Steering End, Tie Rod	Gear	Assy			
	2WD w/PreRunner Model	R	45046-39295	m	#.3	37.69
	w/o PreRunner Model	L	45047-39175 45046-39285	m	#.3 #.3	37.69 50.22
	4WD	R	45046-39295 45047-39175	m	#.3 #.3	37.69
	#Includes R&R Boot		40047-39175	m	#.3	37.69
2	Bracket, Rack Mounting 2WD					
	w/PreRunner Model w/o PreRunner Model		45515-35010 45515-04010	m		35.35 20.78
_	4WD		45515-35010	m		35.35
3	Bushing, Rack Mounting 2WD					
	w/PreRunner Model w/o PreRunner Model		45517-35010 45517-04010	m		21.60 16.40
	4WD		45517-35010	m		21.66
	STEE	RI	NG PUMP			
			CYL			
_						
	Illustration	Uma	ated in Next Column			
	moorallo		noo ni rione ooloiini			
1	Pump Assy 2WD					
	w/PreRunner Model		44320-04043	m	1.3	372.96
	w/o PreRunner Model 4WD		44320-04020 44320-04043	m	1.3 1.3 1.3	372.96 372.96
2	Housing, Front Pump¶		44302-04010	m	2.8	184.22
4	Housing, Rear Pump¶ Reservoir, Pump¶		44324-04010	m		44.18
	2WD w/PreRunner Model		44306-04020	m	1.5	156.19
	w/o PreRunner Model		44306-04010	m	1.5	156.19
-						

10

•0

8

5--5


6

4

3

8

0 ada



2WD w/PreRunner Model

14 Hose, Return (a) (b) (c) 4WD Man Trans 15 Hose/Tube, Return (a) (b) (c)


4WD Man Trans

w/o PreRunner Model

Auto Trans 44420-04040 ¶4WD Man Trans-Serviced by Components

, n Trans (a) Included w/Return Hose/Tube Assy (b) 2WD-Serviced w/Return Hose/Tube Assy

(c) 4WD Auto Trans-Serviced w/Return Hose/Tube Assy



44420-04040 44420-04020

44412-04010

.6 .6 124.32

.6 125.10

24.86

.6 139.36

m

R&I Steering Gear AssyO/H Steering Gear Assy (Includes R&I)......

NOTE 1: R&I/R&R or O/H Does Not include adjust wheel alignment. NOTE 2: All Parts in this section are included in overhaul unless noted

Illustration Located in Next Column


1 Gear Assy, Steering 2WD w/PreRunner Model


860.25 813.09 860.25 44250-35042 m m m 1.9 1.9 1.9 44250-04011 44250-35042 reRunner Model


1	Pump Assy 2WD w/PreRunner Model w/o PreRunner Model 4WD	44320-04043 44320-04020 44320-04043	m m	1.3 1.3 1.3	372.96 372.96 372.96
3	Housing, Front Pump¶ Housing, Rear Pump¶ Reservoir, Pump¶ 2WD	44302-04010 44324-04010	m	2.8	184.22 44.18
	w/PreRunner Model w/o PreRunner Model	44306-04020 44306-04010	m m	1.5 1.5	156.19 156.19


										TOYOTA T	ACOMA	20	01	-02
2WD PreRunner Model S-Runner Model 4WD 2 Housing, Front Pumpf 3 Housing, Rear Pumpf 4 Reservoir, Pumpf 5 Cap, Reservoirf 6 Bracket, Front Pumpf fincluded wPump Assy #wPump Removed 7 Pulley, Pump	44320-04052 44320-04052 44320-04052 44302-04020 44306-35240 44305-50010 44341-04010	m m m m m	1.5 1.5 1.5 3.0 1.7 #2	372.96 372.96 372.96 184.22 44.18 156.19 22.38 34.38	8 6 1	3	10	1:	\$ ⁶	15 18 14 13 1		≻4 ¬	-3	
8 Bracket, Pump Mtg 9 Bracket, Adjusting 10 Belt, Steering Pump 11 Hose Tube Assy, Steering (a) 2WD	44443-34030 44446-35010 90080-91126-83		.5	65.96 14.46 7.88	12	9	<i>[</i>	•	•	16-69		₽-8 Ø~-	-9 c	7 ₩
S-Runner Model ¶2WD PreRunner Model- (a) 4WD-Serviced by Con 12 Hose, Return ¶ (b) 2WD		m nts	1.2	328.09	2 13			? — 14	l.	17	19 1	 0 %	*	-21
PreRunner Model 4WD 13 Hose/Tube, Steering¶ (b) 2WD_	44412-04020 44412-04020	m	.8 .8	17.58 17.58	16	<i>y</i>				27 28	23 - 6	<u></u> 2	2	
PreRunner Model 4WD #Included w/Steering Hos (b) 2WD S-Runner Model	l-Serviced w/Steering H			330.14 330.14 ssy		-17	15	-065	46		24	* •	₽.	_
STEERING W			_	noted	18- 1 Cover, Upper Column		044	000	10	29—8]—26	(199)	L 2:	5
otherwise.		aui t	JI II COS	noteu	Charcoal Oak 2 Cover, Lower Column	45286-04030-B1 45286-04031-E0	m	#.5 #.5	33.47 33.47	. 044-06547		l		
WHE	EL & TRIM				Charcoal Oak #R&R Complete	45287-04030-B1 45287-04031-E0	m m	#.5 #.5	43.56 43.56	6 Lever, Tilt 7 Bushing, Lever (2)	45880-35030 90389-08120	m		31.87 5.89
· ———					3 Tube, Column 4 Housing, Strg Lock	45870-04030	m	3.0	81.08	8 Link, Lever 9 Shaft, Pivot 10 Pawl, Lever	45885-35010 45856-42010 45890-35010	m m		1.31 2.37
3	2				Man Trans Auto Trans Lock Set, Complete	45280-35290 45280-35300	m	1.8 1.8	183.31 183.31	11 Bolt, Pivot (2) 12 Spring, Tension	45855-35010			13.60 3.63
	4				Regular Cab, Xtra Cab w/Stepside Bed w/o Stepside Bed	69005-35472 69005-35840	m		146.31 302.40	Type 1 (2) Type 2 Type 3	90506-25006 90507-16024 90905-07012			5.20 3.42 1.37
	\		5		Double Cab 5 Cylinder, Lock¶	69005-35850 69057-35070	m	#.8	149.48 80.70	13 Tube, Lower Column 14 Housing, Strg Lock Man Trans	45870-04050 45280-35310	m	3.0 1.8	96.48 183.31
0	/ أ الا		<u></u>	7	flincluded w/Complete Lo 6 Switch, Ignition #R&R Complete, Includ	84450-41010		#.8 ousing	74.14	Auto Trans Lock Set, Complete	45280-35320	m	1.8	183.31
		7			7 Switch, Unlock Warning Man Trans	84052-20030 84052-35020	m	1.0 1.0	29.32 22.44	Regular Cab, Xtra Cab w/Stepside Bed _w/o Stepside Bed	69005-35472 69005-35840	m m		146.31 302.40
		7		ļ	Auto Trans 8 Solenoid, Interlock Auto Trans	85432-35020	m	1,0	56.13	Double Cab 15 Cylinder, Lock¶ <i>¶Included w/Complete Lo</i>	69005-35850 69057-35070 nck Set	m m	#.8	149.48 80.70
6		8			9 Clamp, Housing 10 Bott, Shear (2) 11 Shaft, Upper Steering 12 Bushing, Shaft 13 Shaft intermediate	45271-12050 45897-12020 45210-35200	m	3.0	11.40 2.77 176.05	16 Switch, Ignition #R&R Complete, Include	84450-41010	m Lock He	#.8 ousing	74.14
044-06545 L		-		J	12 Bushing, Shaft 13 Shaft, Intermediate 2WD	45273-16020	m		3.77	17 Switch, Unlock Warning Man Trans Auto Trans	84052-20030 84052-35020	m m	1.0 1.0	29.32 22.44
Wheel Assy, Steering W/Cruise Control Leather					w/o PreRunner Model 14 Yoke, Steering	45260-35090	m		211.06	18 Solenoid, Interlock Auto Trans 19 Clamp, Housing	85432-35020 45271-12050	m		56.13 11.40
Charcoal Oak Urethane Man Trans	45100-0C100-B0 45100-0C100-E0	m m	.5 .5	923.55 923.55	2WD w/PreRunner Model 4WD 15 Joint, Lower Steering 2WD	45290-35040 45290-35040	m m		258.07 258.07	20 Bolt, Shear (2) 21 Bearing, Lwr Shaft 2WD w/PreRunner Model	45897-12020	""		2.77
Charcoal Oak Auto Trans	45100-0C090-B0 45100-0C090-E0	m	.5 .5	475.94 475.94	w/PreRunner Model w/o PreRunner Model	45860-35171	m 		70.99	Regular Cab, Xtra Cab Double Cab w/o PreRunner Model	90363-18009 90363-18011 90363-18011	m m		5.03 5.03 5.03
Charcoal Oak w/o Cruise Control	45100-04150-B0 45100-04150-E0	m	.5 .5	475.94 475.94	2.4L Eng 3.4L Eng 4WD	45860-35230 45860-35240 45860-35171	m m		149.21 119.61 70.99	4WD 22 Shaft, Upper Steering 23 Bushing, Shaft 24 Shaft, intermediate	90363-18011 45210-35221	m	3.0	5.03 211.06
Leather Charcoal	45100-04160-B0	m		795.94 795.94	16 Cover, Inr Column Hole 2WD w/PreRunner Model	45026-35050	m		31.87	2WD	45273-16020	m		3.77
Oak Urethane Man Trans	45100-04160-E0	m			4WD 17 Cover Assy, Otr Column Hole 2WD	45026-35050	m		31.87	w/o PreRunner Model 25 Yoke, Steering 2WD	45260-35090	m		211.06
Charcoal Oak Auto Trans	45100-04120-B0 45100-04120-E0	m	.5 .5	346.33 346.33	w/PreRunner Model w/o PreRunner Model	45025-04021 45025-04030	m		75.08 70.99	w/PreRunner Model 4WD 26 Joint, Lower Steering	45290-35040 45290-35040	m		258.07 258.07
Charcoal Oak 2 Switch, Cruise Control¶	45100-04130-B0 45100-04130-E0 84630-0C010	m m m	5 5 5	346.33 346.33 82.05	4WD 18 Seal, Dust¶ ¶Included w/Outer Colun	45025-04021 45292-35090 nn Hole Cover Assy	m		75.08 11.32	2WD w/PreRunner Model	45860-35171	m		70.99
¶Included w/Steering Who 3 Cover, Steering Wheel	eel Assy	""	.o		COL	UMN TILT				w/o PreRunner Model 2.4L Eng 3.4L Eng	45860-35230 45860-35240	m m		149.21 119.61
Oak R/ 4 Module, Driver Air Baq-See Air	L 45186-06070-B1 L 45186-06070-E0 r Bag System Section			3.72 3.74	R&I Steering Column O/H Steering Column (Includes I]	4WD 27 Cover, Inr Column Hole 2WD	45860-35171	m		70.99
5 Switch Assy, Combination Fixed Column Tilt Column	84310-04210 84310-04220	m	1.0	226.98	Uhatration La	natad in Naut Calumn				w/PreRunner Model 4WD	45026-35050 45026-35050	m m		31.87 31.87
6 Switch, Headlamp¶ 7 Switch, Wiper¶	84140-02020	m	1.0	245.43 109.06		cated in Next Column				28 Cover Assy, Otr Column Hole 2WD WPreRunner Model	45025-04021	m		75.08 70.99
Fixed Column Tilt Column 8 Cable, Spiral¶-See Air Bag Sys	84652-02070 84652-02180 stem Section	m	1.0 1.0	81.28 130.09	1 Cover, Upper Column Charcoal Oak	45286-04040-B1 45286-04041-E0	m m	#.5 #.5	33.47 57.73	w/o PreRunner Model 4WD 29 Seal, Dust¶	45025-04030 45025-04021 45292-35090	m m		70.99 75.08 11.32
¶included w/Combination	Switch Assy MN FIXED				2 Cover, Lower Column Charcoal Oak	45287-04041-B1 45287-04041-E0	m	#.5 #.5	43.56 43.56	¶Included w/Outer Colum	n Hole Cover Assy			س
R&I Steering Column O/H Steering Column (Includes R		m m	2.3 3.0		#R&R Complete 3 Tube Assy, Upper Column 4 Bearing, Upr Shaft[45205-35300 90363-18009	m		45.13 5.03	Use Procedure Explanation 12 w		d.		
	.,		-10		¶included w/Upper Colum 5 Bracket, Pivot	nn Tube Assy 45819-35010	m		6.86	4	CYL			
										R&I Engine/Trans Assy 2WD		m	10.4	

ENGIN	E/TRANS Co	nt'd		Add to R&I Engine/Trans Assy w/ A/C		.4		5	10	
4	CYL Cont'd			w/Auto Trans		.4	an A	7 4		
4WD Add to R&I Engine/Trans /	Assy	13.9		18—[19—				ľ ď		
					10	<u> </u>	1 ²	3		
10				17—	9 11	12		2		
12—	13—6			5	Y I		044-06553	1-00		
	11	10	· y	4—		\ \ \	2 Stabilizer, Mount	R 12381-75020 L 12382-75010	#.7 #.7	16.58 16.58
	8 7			3—	13	,	#R&R One Side Com 3 Brkt, Engine Mount	olete, R&R Both Sides 1. R 12311-75050	#.2	47.64
	The state of the s	<i>в</i> в			10		#w/Mount Removed 4 Mount, Trans	L 12315-75050	#.2	52.36
3	5			6—82 8	4		2WD 2.4L Eng	12371-0C010	. <u>7</u>	56.83
2 1					8	11	2.7L Enğ 4WD Man Trans	12371-75090 12371-0C020	.7	56.47 88.92
							Auto Trans 5 Spacer, Trans Mount	12371-0C030	.7 .7	88.92 88.92
	4 Silal)	2 7	<i>23</i> − 23	_	2WD 2.7L Eng	12341-75020		45.76
	15	<u></u>		1 - 1				6 CYL		
16—								5©		
.0				04406551	2	90				
044-06548				1 Pulley, Crankshaft 13 2 Seal, Crankshaft 90	3408-62040 m = 3311-40022 m #		5	4—(
1 Pulley, Crankshaft #Includes R&R A		m #1.6	196.24	#Includes R&R Crankshaft I 3 Cover, Upr Front Timing 11	Pulley 322-62901 m #			3 ∧a		
2 Pulley, A/C Drive 3 Cover, Oil Pump 2.4L Eng	88451-34010 15115-75051	m 1.4 m	18.21 28.81	#w/ A/C Add .4 4 Gskt, Upr Timing Cover[11	329-20010 m	4.46	3			
2.7L Eng 4 O-Ring, Pump	15115-75020 15188-75021	m m	28.75 5.20	¶Cut to Fit 5 Cover, Upr Rear Timing 11 6 Cover, Lower Timing 11	323-62050 m 321-62900 m #	45.13 2.2 40.70	1 2	2—		
5 Pump, Oi! 2.4L Eng 2.7L Eng	15103-75010 15103-75020	m m	42.30 42.30	#Includes R&R Upper Timin 7 Gskt. Lwr Timing Cover 11	<i>g Cover, w/ A/C Add .4</i> \ 328-20020 m	4.46	044-06554		-1	
6 Seal, Crankshaft 7 Cover, Timing	90311-48014	m	7.15	8 Pump Oil 15 9 Belt, Timing 13 #Includes R&R Lower Timin	5100-62050 m 3568-69095 m #/ or Cover w/ A/C Add 4	178.64 2.4 45.67	1 Mount, Engine	R 12361-62140	#1.0	61.56
2.4L Eng 2.7L Eng 2WD	11301-75030 11301-75021	m#12.5	365.96 347.04	10 Sprocket, Camshaft Intake 13	3051-62030 m a	#.2 96.86	#w/ A/C Add 1.0, w/4 #w/4 WD Add .3	L 12361-62140	#1.0	61.56
4WD	11301-75021 11301-75021 ngine Under Cover, Fan, F	m#12.5 m#14.5 Pulley, Water F	347.04	Exh 13 #w/Timing Belt Removed	3528-62020 m i	#.2 61.22	2 Stabilizer, Mount	R 12381-62020 L 12382-62010		22.52 22.52 47.64 42.93
Cylinder Head, i 8 Gskt, Timing Cover	W/ A/C Add .4	-	•	12 Brkt. Uprildier Pullev 13	3503-62040 m 3584-62050 m 3505-62070 m	80.77 65.96 108.20	3 Brkt, Engine Mount #w/Mount Removed	R 12311-62070 L 12315-62070	#.2 #.2	47.64 42.93
2.4L Eng 2.7L Eng	R 11329-75010 L 11328-75010 R/L 11329-75021	m m m	7.74 7.74 9.03	14 Tensioner, Timing Belt 13 15 Cover Assy, Valve R 11	3540-62021 m 201-62040 m #3	35.12 2.8 175.08	4 Mount, Trans 2WD			
9 Cover Assy, Valve 10 Seal, Spark Plugf (4) w/Calif Emission	11201-75040 11193-76020	m 1.1	238.81	#R&R Complete 16 Gskt, Spark Plug Hole[]	202-62050 m #3	2.8 175.42	PreRunner Model S-Runner Model 4WD	12371-62130 12371-0C010	.7 .7	95.17 56.83
w/o Calif Emission #Included w/Valve	11193-15010	m m	2.15 7.40	(3/Side) R/L 11 ¶Included w/Valve Cover Ass		2.20	Man Trans Auto Trans	12371-07020 12371-62090	.7 .7	94.33 88.37
11 Gskt, Valve Cover 12 Cap Assy, Oil Filler 13 Gskt, Oil Cap¶	11213-75030 12180-0D010	m	13.10 9.12	18 Cap Assy, Oil Filler 12	213-62020 m 2180-0D010 0430-37140	20.86 9.12 1.57	5 Spacer, Trans Mount 2WD PreRunner Model	12341-75020		45.76
finctuded w/Oil Fili 14 Pan, Eng Oil	90430-37140 ler Cap Assy		1.57	¶Included w/Oil Filler Cap Ass 20 Pan, Eng Oil	sy			CLEANER		
2.4L Eng 2.7L Eng	12101-75041	m 3.6	113.26	2WD PreRunner Model 12 S-Runner Model 12	2101-62070 m : 2101-62080 m :	3.8 140.38 3.8 140.38		4 CYL		
2WD 4WD 15 Dipstick, Eng Oil	12101-75050 12101-75050 15301-75060	m 3.6 m 5.0	130.61 130.61 11.52	4WD 12	2101-62070 m :	5.4 140.38 23.75				
16 Tuibe, Eng Dipstick	11409-75041		12.32	21 Baffle, Eng Oil Pan 12 22 Dipstick, Eng Oil 15 23 Tube, Eng Dipstick 11	301-62070 452-62050	9.57 13.66	Illustration	Located in Next Column		
	1 EB	1		· ·	三图		1 Cleaner Assy, Air #Includes R&R Elem	17700-00020	#.5	306.66
		<u></u>					2 Element, Cleaner¶ 3 Cover, Cleaner¶	17801-35020-83 17705-0C020	.3 .3	14.87 54.24
(6)		J.		P			¶Included w/Air Cleans 4 Meter Assy, Air Flow	22250-0C010	m 1.2 m 1.2	567.45 115.18
18—				24	044-06552		5 Meter, Air Flow¶ ¶Included w/Air Flow N 6 Gskt, Air Flow Meter	22204-0C010 feter Assy 22275-0C010	m 1.2 m	7.54
17—				<u> </u>	044-00332		7 Duct, Intake Air 8 Duct, Fender Air	52810-35010 53807-35020	#.3 #.3	31.24 53.62
044-0655				24 Pan, Trans Oil 2WD 36 4WD 36	5106-34020 m 5106-35110 m	1.9 89.94 1.9 92.46	#R&R Complete 9 Hose Assy, Air 10 Hose, Air	17880-0C010 17881-0C010	.3 #.3	69.42 58.70
17 Pan, Trans Oil 2WD			,	ENGINE/TRA			11 Resonator, Intake Air¶ ¶Included w/Air Hose	17893-0C010	#.3	16.60
2.4L Eng 2.7L Eng	35106-30051 35106-34010	m 1.5 m 1.5 m 1.9	106.63 112.95	4 C			#R&R Complete 12 Connector Assy, Intake Air 13 Retainer, Connector (2)	17805-75171 17853-75020	#.4	245.76 6.37
4WD 18 Gskt, Trans Oil Pan 2.4L Eng	35106-35070 35168-22011	m 1.9 m	112.95 112.95 10.80				13 Retainer, Connector¶ (2) ¶Included w/Intake Air 14 Hose, Connector	Connector Assy 17882-75040	#.4	17.46
with the second	6 CYL		10.00	Illustrátion Located	d in Next Column		#R&R Complete 15 Tube, Air 16 Hose, Air Tube	17361-75010 17882-75050	#.3 #.3	20.81 9.37
				1 Mount, Engine R/L 12	2361-35090	#.7 51.41	#R&R Complete			0.01
1432		abor Times	Chawn	are for Replacement with New O	EN Undomonad David	- an Maur II	Indomesed Vobision			2 a04










	9	− €J	044-0	6556		
1 2	Cleaner/Meter Assy, Air Cleaner Assy, Air¶ #Includes R&R Ele	22020-07070 17700-07060		.4 #.5	289.85 333.30	
3	Element, Cleaner¶ (a) (a) Induded w/Air (17801-07020		.3	14.87	3
4	Meter, Air Flow[] ### Mincluded w/Air Cle	22204-07010	m	1.2	151.10	1
	Duct, Intake Air Duct, Fender Air #R&R Complete	52810-35010 53807-35020		#.3 #.3	31.24 53.62	0.1
7 8 9	Hose, Intake Air Connector, Air Intake Tube, Resonator Resonator, Intake Air	17881-62170 17659-62010 17893-62040 17894-62030		#.4 #.4 #.4	75.08 11.52 15.18 40.70	,
10	#R&R Complete	17094-02000		#. 4	40.70	10



					000	
khaust	R			m	1.2	157.88, 157.88
nifold	R/Ī				1.2	28.32
over					.8	216.25
over Pipe	R/L					7.80
rter, Frt Exhaust					.7	862.57
					_	7.74
rter, Ctr Exhaust					.8	1002.71
iter Pipe		90917-06	05/			7.46
er Model		17405-07	030		.8	219.60
Model					.8	360.87
					.8	219.60
ffler		90917-06	057			7.46
	over	nifold P/L over Pipe R/L ter, Fri Exhaust nt Pipe rter, Cri Exhaust tter Pipe er Model Model	L 17142-62 nifold RL 17173-62 over 17106-62 over 17106-62 over 1706-62 over 17106-62 over 17410-07 nt Pipe 90917-06 rder, Ctr Exhaust 17403-07 teer Pipe 90917-06 over Model 17405-07 17405-07 17405-07	L 17142-62110 nifold R/L 17173-62060 over 17106-62030 over 17106-62030 rer, Fri Exhaust 17410-07040 rter, Ctr Exhaust 17400-7040 rter Pipe 90917-06087 rer Model 17405-07030 17405-07040 17405-07030	L 17142-62110 m nifold R/L 17173-62060 over 17106-62030 over 17106-62030 refer, Fri Exhaust 17410-07040 rtfer, Ctr Exhaust 17403-07040 rter Pipe 90917-06057 er Model 17405-07030 r Model 17405-07040 r 17405-07030	xhaust R 17141-62110 m 1.2 nifold R/L 17173-62060 over 17106-62030 .8 over Pipe R/L 90917-06083 rter, Fri Exhaust 17410-07040 .7 nt Pipe 90917-06087 rter, Ctr Exhaust 17403-07040 .8 rter Pipe 90917-06057 er Model 17405-07030 .8

Al	_TERNATOR			
1-2-044-06550	3 4			
1 Alternator Assy 4 Cyl 6 Cyl	27060-75160 27060-62160	m m	.7 .7	492.81 492.81
2 Pulley, Alternator¶ 4 Cyl 6 Cyl	27411-42030 27411-42010	m m	.4 .4	29.78 29.78

¶Included w/Alternator Assy

Bracket, Alternator Mtg

150.13

150.13 150.13 4.40

90.85


59.27

59.05 59.27

.3 395.01

m m


ELECTRICAL




E>	CHAUST				EMIS	SION SYSTE	V
	4 CYL						
R&R Exhaust System Comple #Does Not Include R&	le R Exhaust Manifold o	or Shield	#1.3 d	,	Illustrat	ion Located in Next Column	1
Illustration L	ocated in Next Column	7			1 Valve, EGR 4 Cyl 2WD 4WD Man Trans	25620-75050	1
1 Manifold, Exhaust					Man Trans Auto Trans	25620-75040 25620-75050	
2.4L Eng 2.7L Eng	17141-75090 17141-75080	m	1.0 1.0	198.20 198.20	2 Gskt, EGR Valve (2) 3 Tube, EGR	25628-75010 25611-75021	
Shield, Manifold Heat		""	1.0		4 Gskt, EGR Tube	25634-75010	
2.7L Eng 3 Gasket, Manifold	17167-75100 17173-75020			66.59 35.84	5 Modulator, EGR Valve 4 Cyl		
4 Pipe/Converter, Frt Exhaust 2.4L Eng	01 17410-00030		.8	879.49	2WD 4WD	25870-75030	-
2.7L Eng	02 17410-0C031 01 17410-0C040		.8 .8	915.76 901.23	Man Trans Auto Trans	25870-75040 25870-75030	1
5 Gasket, Front Pipe	02 17410-0C041		.8	935.09	6 Bracket, Modulator 7 Canister, Vapor	25691-75031 01 77740-35470	

2 044-06561		
1 Battery N.A. 2 Tray, Battery¶ 74431-14030 #Order by Application	.2	0.00 30.41
3 Clamp, Hold-Down 74404-35140 4 Bolt, Hold-Down 74451-AD010 5 Terminal, Positive 90982-05035 6 Cover, Terminal 82821-35020 7 Cable, Battery	.2	14.20 5.83 14.40 10.29
4 Cyl 82122-04042 6 Cyl 82122-04052	.5 .5	144.65 246.21

1433





L 55046-04010-B2 L 55046-04010-E0

55545-04050-B0

55545-04050-E0

55477-35010 55477-04030

55408-04050 55408-04040

55408-04090

55408-04080 55405-04030

55524-04010

55434-04010-B1

55434-04010-E0 55522-35020 74102-04020-C0 74104-04040 55303-35030 55308-04020

55550-04040-B1

55550-04040-E0

55560-04020-B3 55560-04020-E0

55479-04050-B0

55479-04050-E0

55479-04060-B0 55479-04060-E0 R/L 90467-07041-B7 R/L 90467-07041-E0

Illustration Located in Next Column

84720-35080

84480-35030

84119-32090

84119-32090 84119-35010

84725-35010 84332-04030

R 55045-04010 55558-35010 55558-04010

R/L 90080-54012 90541-06018

2

2

Charcoal Oak
10 Finisher, Lower Inst Panel Charcoal Oak

11 Cover, Fuse Box Charcoal

Charcoal
Oak
12 Bezel, Cigarette Lighter
Japan Built
Non-Japan Built
13 Bezel, Ignition Switch
WClock
Man Trans
Auto Trans

Auto Trans

14 Finisher, Center Cluster

15 Cover, Switch Hole

Double Cab

16 Panel, Lower Ctr Finish

Oak
17 Cover, Radio Opng
18 Ashtray
19 Retainer, Ashtray
20 Stay, Instrument Panel
21 Striker, Glove Box
22 Finisher, Inst Panel
23 Reinf, Glove Box
Japan Built
Non-Japan Built
24 Box Assv. Glove

24 Box Assy, Glove Charcoal

Oak 25 Cushion, Glove Box¶

27 Panel, Lower Instrument Regular Cab, Xtra Cab Charcoal Cak

Oak
Double Cab
Charcoal
Oak
28 Clip, Lwr Inst Panel
Charcoal
Oak

29 Switch, Pattern Select 30 Switch, Clutch Cancel 4WD

w/Tachometer


32 Switch, Diff'l Lock 33 Switch, Hazard

w/o Tachometer ¶Order by Application

PL & Second Place of the Park of the Park

#Included in R&R Glove Box Assy

Charcoal Oak



2 23 - 24 26	31 — 32 29 30 42—4 43 44—3 49—48—3 044—06568	34 35 40 40 45 47 46 51	52 39 37	5 Odometer Wilachometer 4 Cyl 6 Cyl 6 Cyl 7 Gauge, Temp Wilachometer 9 Gauge, Temp Wilachometer 9 Lens, Side Indicator Wilachometer 9 Lens, Center Indicator Auto Trans 10 Lens, Signal Indicato 11 Board, Printed Circuit Wilachometer Wilacho
85.20	34 Indicator, Anti-Theft 35 Clock	83950-35020 83910-35020	44.18 223.69	
4.14 3.97	36 Knob, A/C /Heater Cont (3) 37 Plate, Control Unit w/ A/C	55905-35310	8.40	
4.00	w/ A/C w/o A/C 38 Cont Assy, A/C /Heater	55519-35350 55519-35340 55910-35240	31.21 31.21 .6 121.18	11-75
278.57 278.57	39 Knob, Heater Cont¶ ¶Included w/ A/C /Heate	55905-35320	5.06	15— 🦃
10.37 10.37	40 Knob, Ä/C Cont 41 Amplifier, A/C 2001	84661-35010	4.72	J-14
3.69 7.34	To 5-01 From 5-01 2002	88650-35120 88650-35121 88650-35121	391.20 244.58 244.58	
12.83	42 Housing, Cont Unit 43 Radio	55912-35030	24.24	
12.83	Regular Cab, Extra Cab AM-FM AM-FM-Cassette	86120-AD010 86120-AD030	#.5 237.88 #.5 295.45	1-2-
9.52 9.52 96.86	AM-FM-Cassette-CD Double Cab	86120-AD020 86120-AD040	#.5 414.75 #.5 414.75	6-
6.29	#Includes R&R Center 44 Bracket, Radio	R 86211-89111	7.97	
21.81	45 Lighter Assy, Cigarette 46 Element, Lighter	L 86212-89111 85500-12240	7.97 28.71	
21.81 17.52 52.36	47 Socket, Lighter¶ ¶included w/Cigarette Lighter	85520-28010 85510-16040 Jahter Assy	17.87 16.75	
37.24 24.04	48 Ring, Lighter w/Lamp	85515-35010	7.66	
10.26 94.00	w/o Lamp 49 Holder, Lighter	85533-26010 85513-02010	9.86 5.83	044~06570
23.49 23.61	50 Socket, Accessory (2) 51 Holder, Socket (2) 52 Switch, Pass Air Bag	85530-06010 85535-35010-B0	18.02 8.83	1 Console Assy, Front
134.41	Regular Cab, Xtra Cab	69006-35012	161.32	2WD w/Rear Console
134.10	INSTRUM	IENT CLUSTER		Charcoal Oak #Includes R&I
1.83 4.25	0000			w/o Rear Console Man Trans Charcoai
19.98 19.98			51	Oak Auto Trans Charcoal Oak 4WD
53.62 53.62	11 2		~ —3	w/Rear Console w/2-4 Selector Man Trans
50.47 50.47	7	4.0	ره (Charcoal Oak Auto Trans
.83 .86		6	7	Charcoal Oak w/o 2-4 Selector
		<u>.</u>	8	Man Trans Charcoal
		5 044-	-06569	Oak Auto Trans
46.36	1 Lens, Meter			Charcoal Oak

riegulai Cau, /	404.44	•
	134.41 134.10	3 3
	1.83 4.25	
	19.98 19.98	#2 #.2
11	53.62 53.62	2 2
7	50.47 50.47	2 2
	.83 .86	
1 Jane Meter		

46.38

53.62

105.37


105.37 70.68

53.62 40.69

	8	•	5	044-0	6569	
1 Lens, Met						
Man Tr		83852-	04110	m	#1.0	19.66
Auto Tr	ans	83852-	04140	m	#1.0	19.66
w/o Tach	ometer	83852-			#1.0	19.79
2 Housing,	Meter					
w/Tachor	neter	83841-	04450	m	#1.0	72.56
w/o Tach	ometer	83841-	04060	m	#1.0	70.68
3 Gauge, Fu	iel					
w/Tachor	neter	83882-	04450	m	#1.0	100.00
w/o Tach	ometer	83882-		m	#1.0	115.46
4 Speedom	eter					
USA						
w/Tach	ometer					

	2WD		83220-04130	m	#1.0	278.22		
	4WD		83220-04120	m	#1.0	264.42		
	_w/o Tachometer		83220-04140		#1.0	264.42		
	_Canada		N.A.	m	#1.0	0.00		
5	Odometer							
	w/Tachometer							
	4 Cv1		83293-04010	m	#1.0	145.97		
	6 Cýl		83293-04020	m	#1.0	145.97		
6	Tachometer		83881-04450	m	#1.0	492.14		
7	Gauge, Temp							
	w/Tachometer¶		83883-04450	m	#1.0	82.05		
	w/o Tachometer		83883-04530		#1.0	98.46		
	¶Order by Application					00.10		
R	Lens, Side Indicator							
U	w/Tachometer	Ω	83834-04100	m	#1.0	5.77		
	W laci officiel	- 7	83833-04100		#1.0	5.77		
	w/o Tachometer		83145-04120		#1.0			
	w/u rachometer					5.92		
	to a Contract	L	83145-04110	m	#1.0	5.92		
9	Lens, Center Indicator							
	Auto Trans		83832-04100		#1.0	5.92		
10	Lens, Signal Indicator (2)		83145-0W010	m	#1.0	5.92		
11								
	w/Tachometer		83861-04450		#1.0	70.99		
	w/o Tachometer		83861-04060		#1.0	70.68		
	#R&R Complete, No:	t Inck	uded in R&R Instr	ument :	Panel			
	<u>' ' ' </u>							
	CENT	-	CONSOL					
	CENT		CONSOL					


Use Procedure Explanation 14 with the following text.	
R&I Console Assy Rear Front #Includes R&I Rear Console	.3 #.5
9 10 7	



58802-35210-B0	#.8	47.50
	# R	
E0000 3E310 E0		47.58
	#.8	47.58
ole		
		82.89
58802-04140-E0	.8	82.89
		42.09
58802-35170-E0	- 8	42.24
50000 0 500 0 D0	40	70.34
		70.34
58802-35200-E0	#.8	70.34
58802.04130.B0	# 9	82.89
		82.89
30002 04130 E0	#.U	02.00
58802-35190-B0	#8	51.49
58802-35190-F0	#.8	51 49
55552 55.00 25	<i>"</i> .0	01.10
58802-04080-B0	# 8	42.09
58802-04080-E0	#.8	42.09
ole		
58802-04110-B0	.8	73.01
58802-04110-E0	.8	73.01
58802-04090-B0	.8	36.12
58802-04090-E0	.8	36.12
	_	
		73.01
58802-04100-E0	.8	73.01
	58802-04080-B0 58802-04080-E0 ole 58802-04110-B0 58802-04110-E0	58802-04140-B0

31 Rheostat 2WD¶ 4WD

Oak Insert, Console Regular Cab, Xtra Cab Man Trans Stantar Console Cupf Regular Cab, Xtra Cab Man Trans Charcoal Oak Support, Side Console Man Trans Stantar Front Console Man Trans Charcoal Oak Support, Side Console Man Trans Stantar Front Console Man Trans Charcoal Oak Stantar Front Console Man Trans Charcoal Stantar Front Cup Man Trans Stantar Front Cup Man Trans Charcoal Stantar Front Cup Man Trans	38861-04020 38991-04030 35620-35060-B0 35620-35060-E0 36280-04020 38280-04030 38280-04040 36287-AD010 36921-35172 36921-35172 36971-35130 36975-35121 36961-35020 36974-35130 36996-35100 30981-11018 38910-AD010-B0 38910-AD010-B0	.8	82.89 82.89 16.59 21.58 21.61 12.74 11.17 44.81 44.81 56.82 84.85 16.46 33.47 33.47 33.47 33.47 33.47 33.47 22.32 13.54 2.04 21.32	9 5 7 8 10 11 0 044-06571 8 Brace, Cowl Panel 9 9 Panel, Side Cowl 10 Panel Assy, Dash 2WD Man Trans	8 14 14 13 13 18 15 16 35010 L 55716 35010 L 55714 35011 L 55714 35011	1.0	7.52 7.52 24.38	44 40 41 41 40 43 44 40 43 44 40 443 44 40 443 440 440	38 64101-04100 64101-04120 64101-04130 64101-04110	044-0657. #10.0 #10.0 #10.0	3 498.46 498.46 498.46
Regular Cab, Xtra Cab Man Trans 3 Holder, Console Cupf Regular Cab, Xtra Cab Man Trans 5 Kacquiar Cab, Xtra Cab Man Trans Charcoal Oak 4 Support, Side Console Man Trans 5 Braclet, Front Console Man Trans 6 Holder, Inst Panel Cup Man Trans Charcoal Oak 7 Boot, Shift Man Trans 2WD 2.71. Eng 3.41. Eng 8 Retainer, Shift Boot 2WD 9 Lens, Indicator Auto Trans 2WD WPreRunner Model Wo PreFunner Mo	58837-04010-B1 58837-04010-E0 58991-04030 58991-04030 55620-35060-B0 56620-35060-E0 58280-04020 58280-04030 58280-04040 58287-AD010 56921-35172 56921-35172 56971-35130 56975-35121 56961-35020 56974-35130 56974-35130 56974-35100 56906-35100 50981-11018 58910-AD010-B0 58910-AD010-B0		21.58 21.61 12.74 11.17 44.81 44.81 56.82 84.85 84.85 16.46 33.47 33.47 22.32 13.54 2.04 21.32	7 - 8 10 - 11 - 9 12 - 9 14 - 06571 8 Brace, Cowl Panel Sincluded w/Cowl Panel Assy, Dash 2WD	8 14 14 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	1.0	7.52 7.52	44 41 41 40 43 41 40 43 44 44 45 40	41 38 64101-04100 64101-04120 64101-04130 64101-04110	36 42 37 39 044-0657. #10.0 #10.0 #10.0	3 498.46 498.46 498.46
Charcoal St. Oak St. Front Console As Support, Side Console Man Trans St. Bracket, Front Console Man Trans St. Bracket, Front Console Man Trans Charcoal St. Cak St.	38837-04010-E0 (SS) 38931-04020 38991-04030 355620-35060-B0 356620-35060-E0 35280-04020 35280-04030 35287-AD010 35921-35172 35921-35172 35971-35130 35975-35121 35961-35020 35974-35130 35906-35100 30981-11018 35910-AD010-B0		21.61 12.74 11.17 44.81 56.82 84.85 16.46 33.47 33.47 22.32 13.54 2.04 21.32	10—11—0 144—06571 8 Brace, Cowl Panel¶ 9 Panel, Side Cowl 10 Panel Assy, Dash 2WD	14 2 13 R 55715-35010 L 55716-35010 nel Assy R 55713-35011	1.0	7.52 7.52	44 41 41 40 43 44 44 44 44 44 44 44 44 44 44 44 44	41 38 64101-04100 64101-04120 64101-04130 64101-04110	36 42 37 39 044-0657. #10.0 #10.0 #10.0	3 498.46 498.46 498.46
4 Support, Side Console Man Trans 5 Bracket, Front Console Man Trans 6 Holder, Inst Panel Cup Man Trans Charcoal 5 Boot, Shift Man Trans 2WD 2.7L Eng 3.4L Eng 8 Retainer, Shift Boot 2WD 9 Lens, Indicator Auto Trans 2WD w/PreRunner Model w/o PreRunner Model w/o PreRunner Model Auto Trans 3 Auto Trans 1 Cover, Indicator Auto Trans 2 Shade, Position Auto Trans 3 Shade, Position Auto Trans 4 Socket, Indicator Lamp Auto Trans 5 Bulb, Indicator Auto Trans 6 Socket, Indicator Lamp Auto Trans 7 Shade, Position Auto Trans 8 Socket, Indicator Lamp Auto Trans 9 Shade, Position Auto Trans 1 Cover Indicator Auto Trans 1 Cover Indicator Auto Trans 1 Cover Indicator Auto Trans 1 Socket, Indicator Lamp Auto Trans 2 Box, Coinf Social 3 Box, Coinf Social 3 Box, Coinf Social 3 Box, Rear Consolef Charcoal Cak 4 Box, Rear Consolef Charcoal	38861-04020 38991-04030 35620-35060-B0 35620-35060-E0 36280-04020 38280-04030 38280-04040 36287-AD010 36921-35172 36921-35172 36971-35130 36975-35121 36961-35020 36974-35130 36996-35100 30981-11018 38910-AD010-B0 38910-AD010-B0		11.17 44.81 44.81 56.82 84.85 84.85 16.46 33.47 33.47 22.32 13.54 2.04 21.32	10—11—0 144—06571 8 Brace, Cowl Panel¶ 9 Panel, Side Cowl 10 Panel Assy, Dash 2WD	14 2 13 R 55715-35010 L 55716-35010 nel Assy R 55713-35011	1.0	7.52 7.52	44 41 41 40 43 44 44 44 44 44 44 44 44 44 44 44 44	38 64101-04100 64101-04120 64101-04130 64101-04110	36 42 37 39 044-0657. #10.0 #10.0 #10.0	3 498.4 498.4 498.4
5 Braclest, Front Console Man Trans 6 Holder, Inst Panel Cup Man Trans Charcoal Cak 7 Boot, Shift Man Trans 2WD 2.71. Eng 3.41. Eng 8 Retainer, Shift Boot 2WD 9 Lens, Indicator Auto Trans 2WD WiPreRunner Model	38991-04030 36991-04030 3620-35060-B0 36280-04020 38280-04030 36280-04040 36287-AD010 36921-35172 36921-35172 36971-35130 36975-35121 36961-35020 36974-35130 36974-35130 36974-35130 36974-35100 36974-35100 36974-35100 36974-35100		11.17 44.81 44.81 56.82 84.85 84.85 16.46 33.47 33.47 22.32 13.54 2.04 21.32	044-06571 8 Brace, Cowl Panel¶ 9 Panel, Side Cowl 10 Panel Assy, Dash 2WD	14 2 13 R 55715-35010 L 55716-35010 nel Assy R 55713-35011	1.0	7.52 7.52	34 Panel Assy, Back Bench Seat w/6 Speaker System w/o 6 Speaker System Bucket Seats w/6 Speaker System	38 64101-04100 64101-04120 64101-04130 64101-04110	42 3—37 39 044-0657. #10.0 #10.0	3 498.44 498.44 498.46
6 Holder, Inst Panel Cup Man Trans Charcoal Oak 7 Boot, Shift Man Trans 2WD 2.71. Eng 3.44. Eng 8 Retainer, Shift Boot 2WD Under Indicator Auto Trans 2WD WiPreRunner Model WiPreRunner Model WiPreRunner Model WiPreRunner Model Auto Trans 2WD 3.44. Eng 9 Lens, Indicator Auto Trans 2WD 3.45. Shift Boot 3.45. Shift	55620-35060-B0 56620-35060-E0 56280-04020 58280-04030 58280-04040 58287-AD010 58291-35172 56921-35172 56971-35130 56975-35121 56961-35020 56974-35130 56974-35130 5696-35100 50981-11018 58910-AD010-B0 58910-AD010-B0		44.81 44.81 56.82 84.85 16.46 33.47 33.47 22.32 13.54 2.04 21.32	044-06571 8 Brace, Cowl Panel¶ 9 Panel, Side Cowl 10 Panel Assy, Dash 2WD	R 55715-35010 L 55716-35010 nel Assy R 55713-35011	1.0	7.52 7.52	34 Panel Assy, Back Bench Seat w/6 Speaker System w/o 6 Speaker System Bucket Seats w/6 Speaker System	38 64101-04100 64101-04120 64101-04130 64101-04110	42 3—37 39 044-0657. #10.0 #10.0	3 498.44 498.44 498.46
Charcoal Oak Oak Oak Stook, Shift Man Trans 2WD 4WD 2.7L Eng 3.4L Eng 3.4L Eng 3.4L Eng 5.2WD 9 Lens, Indicator Auto Trans 2WD Horse, Indicator Auto Trans 2 Shade, Position Auto Trans 2 Shade, Position Auto Trans 3 Should Trans 3 Should Trans 3 Should Trans 3 Should Trans 4 Socket, Indicator Auto Trans 5 Sulb, Indicator Auto Trans 5 Sulb, Indicator Auto Trans 6 Console Assy, Rear Charcoal Oak 5 Lid, Console[] Charcoal Oak 8 Lock, Console Lid¶ (2) 9 Box, Coinf[10 Door, Lower Consolef[Charcoal Charcoal Charcoal Stook, Rear Consolef[Charcoal Charcoal Charcoal Charcoal Stook, Rear Consolef[Charcoal Charcoal Charcoal Charcoal Stook, Rear Consolef[Charcoal Charcoal Charcoal Stook, Rear Consolef[Charcoal Charcoal Charcoal Charcoal Stook, Rear Consolef[Charcoal Charcoal Charcoal Charcoal Charcoal Stook, Rear Consolef[Charcoal Ch	58280-04020 58280-04020 58280-04030 58280-04040 58287-AD010 582921-35172 582921-35172 58291-35172 58291-35130 58297-35121 582961-35020 582974-35130 582906-35100 582910-AD010-B0 582910-AD010-B0		56.82 84.85 84.85 16.46 33.47 33.47 22.32 13.54 2.04 21.32	044-06571 8 Brace, Cowl Panel¶ 9 Panel, Side Cowl 10 Panel Assy, Dash 2WD	R 55715-35010 L 55716-35010 nel Assy R 55713-35011	₹ 1.0 1.0	i	34 Panel Assy, Back Bench Seat w/6 Speaker System w/o 6 Speaker System Bucket Seats w/6 Speaker System	38 64101-04100 64101-04120 64101-04130 64101-04110	044-0657. #10.0 #10.0 #10.0	3 498.44 498.44 498.46
Man Trans 2WD 2WD 2.7L Eng 3.4L Eng 8 Retainer, Shift Boot 2WD 55 9 Lens, Indicator Auto Trans 2WD WPreRunner Model 4WD 4WD 3WO WPreRunner Model 4WD 3WO Housing, Upper Indicator Auto Trans 2 Shade, Position Auto Trans 3 Socket, Indicator Lamp Auto Trans 4 Socket, Indicator Lamp Auto Trans 5 Bulb, Indicator Auto Trans 6 Console Assy, Rear Charcoal Oak 5 Lid, Consolef[Charcoal Charcoal Sid Box, Coinf[5 Box, Coinf[5 Box, Coinf[5 Box, Coinf[5 Cox, Lower Consolef[Charcoal Charcoal Charcoal Sid Box, Rear Consolef[Charcoal Charcoal Charcoal Sid Box, Rear Consolef[Charcoal Charcoal Charcoal Sid Box, Rear Consolef[Charcoal Charcoal Charcoal Sid Box, Rear Consolef[Charcoal Charcoal Charcoal Charcoal Sid Box, Rear Consolef[Charcoal Charcoal Charcoal Charcoal Sid	58280-04030 58280-04040 58287-AD010 58287-AD010 58221-35172 58921-35210 58921-35172 58971-35130 58975-35121 58961-35020 58974-35130 58910-AD010-B0 58910-AD010-B0		84.85 84.85 16.46 33.47 33.47 22.32 13.54 2.04 21.32	044-06571 8 Brace, Cowl Panel¶ 9 Panel, Side Cowl 10 Panel Assy, Dash 2WD	R 55715-35010 L 55716-35010 nel Assy R 55713-35011	1.0 1.0	i	34 Panel Assy, Back Bench Seat w/6 Speaker System w/o 6 Speaker System Bucket Seats w/6 Speaker System	38 64101-04100 64101-04120 64101-04130 64101-04110	044-0657. #10.0 #10.0 #10.0	3 498.4 498.4 498.4
4WD 2.7L Eng 3.4L Eng 3.4L Eng 3.4L Eng 3.4L Eng 5.6 8 Retainer, Shift Boot 2WD 5.7 9 Lens, Indicator Auto Trans 2WD 0 Housing, Upper Indicator Auto Trans 2 Shade, Position Auto Trans 2 Shade, Position Auto Trans 3 Housing, Lower Indicator Auto Trans 5 Bulb, Indicator Lamp Auto Trans 5 Bulb, Indicator Auto Trans 6 Console Assy, Rear Charcoal Oak 5 Lid, Console[] Charcoal Oak 8 Lock, Console Lid¶ (2) 9 Box, Coinf[10 Door, Lower Consolef[Charcoal Oak 15 Box, Rear Consolef[Charcoal Oak 16 Console Lid¶ (2) 17 Box, Rear Consolef[Charcoal Oak 17 Consolef[Charcoal Oak 18 Lock, Console Lid¶ (2) 19 Box, Coinf[Charcoal Oak 18 Lock, Rear Consolef[Charcoal Oak 18 Lock, Rear Consolef[Charcoal	58280-04030 58280-04040 58287-AD010 58287-AD010 58221-35172 58921-35210 58921-35172 58971-35130 58975-35121 58961-35020 58974-35130 58910-AD010-B0 58910-AD010-B0		84.85 84.85 16.46 33.47 33.47 22.32 13.54 2.04 21.32	044-06571 8 Brace, Cowl Panel¶ 9 Panel, Side Cowl 10 Panel Assy, Dash 2WD	R 55715-35010 L 55716-35010 nel Assy R 55713-35011	1.0 1.0	i	34 Panel Assy, Back Bench Seat w/6 Speaker System w/o 6 Speaker System Bucket Seats w/6 Speaker System	64101-04100 64101-04120 64101-04130 64101-04110	044-0657. #10.0 #10.0 #10.0	498.44 498.44 498.46
3.4L Eng 5.8 Retainer, Shift Boot 2WD 5 9 Lens, Indicator Auto Trans 2WD wPreRunner Model 4WD 30 0 Housing, Upper Indicator Auto Trans 31 1 Cover, Indicator Auto Trans 32 Shade, Position Auto Trans 33 Housing, Lower Indicator Auto Trans 33 Housing, Lower Indicator Auto Trans 35 Bulb, Indicator Lamp Auto Trans 36 Cosket, Indicator Lamp Auto Trans 37 Auto Trans 39 Cosket, Indicator Lamp Auto Trans 39 Lid, Console Solution 35 Lid, Console Solution 36 Lock, Console Lid¶ (2) 50 9 Box, Coirt¶ 35 10 Door, Lower Console¶ Charcoal 50 Cak 18 Dox, Rear Console¶ Charcoal 51 Charcoal 52 11 Dox, Lower Console¶ 51 Charcoal 52 12 Dox, Lower Console¶ 51 Charcoal 52 13 Dox, Rear Console¶ 51 Charcoal 52 14 Dox, Rear Console¶ 51 Charcoal 53 15 16 Dox, Rear Console¶ 51 Charcoal 55 16 Dox, Rear Console¶ 51 Charcoal 55 17 18 Dox, Rear Console¶ 51 Charcoal 55 18 Dox, Rear Console¶ 51 Charcoal 55 18 Dox, Rear Console¶ 51 Charcoal 55 18 Dox, Rear Console¶ 51 Charcoal 51	\$8280-04040 \$8287-AD010 \$5921-35172 \$5921-35172 \$5921-35172 \$5971-35130 \$5975-35121 \$5961-35020 \$5974-35130 \$5996-35100 \$0981-11018 \$59910-AD010-B0 \$5910-AD010-B0		33.47 33.47 33.47 22.32 13.54 2.04 21.32	8 Brace, Cowl Panelf filincluded w/Cowl Pa 9 Panel, Side Cowl 10 Panel Assy, Dash 2WD	R 55715-35010 L 55716-35010 nel Assy R 55713-35011	1.0 1.0	i	Bench Séát w/6 Speaker System w/o 6 Speaker System Bucket Seats w/6 Speaker System	64101-04100 64101-04120 64101-04130 64101-04110	#10.0 #10.0 #10.0 #10.0	498.4 498.4 498.4
9 Lens, Indicator Auto Trans 2WD WPreRunner Model Wo PreRunner Model Wo Trans Wo Socket, Indicator Lamp Auto Trans Souto Trans Souto Trans Console Assy, Rear Charcoal Oak Lock, Console Lid¶ (2) Souto Box, Coirt¶ Charcoal Oak Univer Console¶ Charcoal Souto Charcoal Oak Souto Charcoal Souto	85921-35172 85921-35170 85921-35172 85971-35130 85975-35121 85961-35020 85974-35130 85906-35100 80981-11018 858910-AD010-B0 85910-AD010-B0		33.47 33.47 22.32 13.54 2.04	8 Brace, Cowl Panelf filincluded w/Cowl Pa 9 Panel, Side Cowl 10 Panel Assy, Dash 2WD	R 55715-35010 L 55716-35010 nel Assy R 55713-35011	1.0 1.0	i	Bench Séát w/6 Speaker System w/o 6 Speaker System Bucket Seats w/6 Speaker System	64101-04120 64101-04130 64101-04110	#10.0 #10.0 #10.0	498.46 498.46
wiPreRunner Model wio PreRunner Model 4WD 30 Housing, Upper Indicator Auto Trans 21 Cover, Indicator Auto Trans 22 Shade, Position Auto Trans 33 Housing, Lower Indicator Auto Trans 34 Housing, Lower Indicator Auto Trans 35 Bulb, Indicator Lamp Auto Trans 36 Console Assy, Rear Charcoal Oak 56 Lid, Console[] Charcoal C	35921-35172 35971-35130 35975-35121 35961-35020 35974-35130 35906-35100 30981-11018 35910-AD010-B0 35910-AD010-B0		33.47 33.47 22.32 13.54 2.04 21.32	¶Included w/Cowl Pa 9 Panel, Side Cowl 10 Panel Assy, Dash 2WD	L 55716-35010 nel Assy R 55713-35011	1.0 1.0	i	Bucket Seats w/6 Speaker System	64101-04110	#10.0	498.46 498.46
4WD 33 Housing, Upper Indicator Auto Trans 36 Cover, Indicator Auto Trans 37 Shade, Position Auto Trans 33 Housing, Lower Indicator Auto Trans 33 Housing, Lower Indicator Auto Trans 35 Auto Trans 36 Socket, Indicator Lamp Auto Trans 36 Bulb, Indicator Auto Trans 9 Acto Trans 9 Console Assy, Rear Charcoal 50 Oak 55 Lid, Console Lid¶ (2) 56 Box, Coirf¶ 55 Dox, Lower Console¶ 55 Dox, Lower Console¶ 55 Charcoal 56 Dak 56 Dox, Lower Console¶ 56 Charcoal 56 Dak 56 Dox, Rear Console¶ 56 Dox, Rear Console¶ 56 Charcoal 56 Dak 66 Dak 67 Dak 76	35921-35172 35971-35130 35975-35121 35961-35020 35974-35130 35906-35100 30981-11018 35910-AD010-B0 35910-AD010-B0		33.47 22.32 13.54 2.04 21.32	 Panel, Side Cowl Panel Assy, Dash 2WD 	R 55713-35011	1.0 1.0	24.38	W/O 6 Shooker Suntam			498.46
1 Cover, Indicator Auto Trans 2 Shade, Position Auto Trans 3 Housing, Lower Indicator Auto Trans 3 Socket, Indicator Lamp Auto Trans 5 Bulb, Indicator Auto Trans 6 Console Assy, Rear Charcoal Oak 5 Lid, Console¶ Charcoal Signature Charcoal	95975-35121 95961-35020 95974-35130 95906-35100 90981-11018 958910-AD010-B0 958910-AD010-E0		13.54 2.04 21.32	10 Panel Assy, Dash 2WD Man Trans	L 30714-33011	1.0	24 20 1	#w/Bed Assy Remo	vea, includes R&R Ba Doctrot 2.2	CK Glass, IIIIII	
2 Shade, Position Auto Trans 3 Housing, Lower Indicator Auto Irans 3 K Socket, Indicator Lamp Auto Trans 5 Bulb, Indicator Auto Trans 6 Console Assy, Rear Charcoal Oak 7 Lid, Console [] Charcoal Oak 8 Lock, Console Lid¶ (2) 9 Box, Coirt¶ Charcoal Oak 1 Box, Rear Console¶ Charcoal Si 0 Dox, Lower Console¶ Charcoal Si 0 Box, Rear Console¶ Charcoal Si 1 Box, Rear Console¶ Charcoal Si 1 Box, Rear Console¶ Charcoal Si 1 Box, Rear Console¶ Charcoal	95961-35020 95974-35130 95906-35100 90981-11018 98910-AD010-B0 98910-AD010-E0		2.04 21.32	Man Trans			24.30	w/Roof Removed. 35 Clamp, Jack Handle¶	58706-35020		5.43
3 Housing, Lower Indicator Auto Trans 4 Socket, Indicator Lamp Auto Trans 5 Bulb, Indicator Auto Trans 6 Console Assy, Rear Charcoal Oak 7 Lid, Console [] Charcoal Oak 5 Box, Colif[5 Box, Colif[5 Box, Colif[5 Charcoal Oak 8 Sock 9 Box, Colif[5 Charcoal Oak 1 Box, Rear Console []	35974-35130 35906-35100 30981-11018 58910-AD010-B0 58910-AD010-E0		21.32	Auto Trans	55101-04922 55101-04926		282.05 282.05	¶Included w/Bäck Pa 36 Panel, Floor 2WD	HEI ASSY		
4 Socket, Indicator Lamp Auto Trans 5 Bulb, Indicator Auto Trans 9 (6 Console Assy, Rear Charcoal Oak 7 Lid, Console¶ Charcoal Oak 5 Book, Coinn¶ 50 0 Door, Lower Console¶ Charcoal Oak 5 Box, Rear 6 Box, Rear 6 Console Lid¶ 6 Box, Lower Console¶ 6 Charcoal Oak 7 Box, Rear Console¶	35906-35100 30981-11018 58910-AD010-B0 58910-AD010-E0			4WD Man Trans¶	55101-04921		282.05	w/PreRunner Model w/o PreRunner Model	58111-04072		473.19
5 Bulb, Indicator Auto Trans 9 Console Assy, Rear Charcoal Oak 5 Ud, Console¶ Charcoal 9 Box, Coinf¶ 0 Door, Lower Console¶ Charcoal 0 St 1 Box, Rear Console¶ 0 St 1	00981-11018 58910-AD010-B0 58910-AD010-E0			Auto Trans ¶Order by Application	55101-04920		282.05	Man Trans Auto Trans	58111-04122 58111-04170		473.19 473.19
6 Console Assy, Rear Charcoal Oak 50 Charcoal Charcoal Solock, Console Lid¶ (2) 9 Box, Coin¶ Charcoal Charcoal Solock, Lonsole Lid¶ (2) 9 Box, Coin¶ Charcoal Solock Oak 15 Box, Rear Console¶ Charcoal Solock 16 Box, Rear Console¶ Solock Solo	58910-AD010-B0 58910-AD010-E0		2.17	11 Reinf, Parking Brake (a) (a) Induded w/Dash	55127-34010		6.12	4WD Man Trans	58111-04082		473.19
Oak 7 Lid, Console Charcoal 50 Cak 51 Box, Coinn Charcoal 52 Box, Coinn Charcoal 52 Oak 53 Charcoal 53 Oak 54 Charcoal 53 Charcoal 54 Charcoal 54 Charcoal 54 Charcoal 54 Charcoal 55 Charc	58910-AD010-E0	.3	282.58	12 Shield, Dash Heat 13 Insulator, Outer	R 55225-04050 L 55220-AD010		14.72 17.15	Auto Trans 37 Reinf, Sidemember	58111-04072 R 57486-04010		473.19
Charcoal Si		.3	282.58	14 Insulator, Dash	55210-04050		194.97	38 Sidemember, Front	L 57487-04011 R 57411-35022	2.5	23.15 23.15 73.34
9 Box, Coirn[50 0 Door, Lower Console[50 Charcoal 50 Oak 50 Box, Rear Console[50 Charcoal 50 Charcoal 50	58905-AD010-B0 58905-AD010-E0	2	64.96 64.96		32		- 1	39 Sidemember, Rear	L 57412-35022 R 57401-04902	2.5 2.5 1.0	73.34 119.06
Charcoal	58908-32040 55450-0C010		7.37 23.52	30—	Office .		į	40 Reinf, Front Floor	L 57402-04900 R 57512-04010	1.0	100.97 24.38
1 Box, Rear Console¶ Charcoal 56	58951-AD010-B0 58951-AD010-E0		13.58 13.58	31			i	41 Reinf, Side Floor 42 Crossmember, Lower Rear	L 57513-04010 R/L 57417-35020		24.38 24.38 45.76
	58901-AD010-E0	.6	160.15		24-578 - 0	-		Bench Seat Bucket Seat, Seat	57605-04070 57605-04091	1.5 1.5	94.34 118.32
2 Panel, Rear Console¶	58901-AD010-E0	.6	160.15	23	24	% _		43 Support, Shift Lever 44 Brkt, Front Body Mtg	58123-35070 R 57023-35011		26.84
Oak 5i	58923-AD010-B0 58923-AD010-E0		50.81 50.81	17—	22 21		33	45 Brace, Inst Panel	L 57024-35011 58109-35010		68.48 68.48 20.83
¶Included w/Rear Console As 3 Holder, Coin	•			18	27—		<u>ا</u> ا	46 Bracket, Console 47 Crossmember, Upr Rear	58995-35011 R 57051-04060		9.09 55.56 55.56 7.34
_Oak 5	58916-AD010-B0 58916-AD010-E0		9.40 9.40		20 29			48 Brkt, Center Mtg	L 57052-04070 58225-35010		7.34
4 Bracket, Rear Console 5 5 Plug, Hole (2) 9	58993-AD010 90950-06102		2.67		15	<i></i>	26		IEET METAL KTRA CAB		
CA	AΒ			16		-28	.	Refinish Cowl Panel Assy		1.0	
Use Procedure Explanations 8, 14, 1 text.	15, 17, 18 and 28 with th	he folio	wing			0440657		Refinish Front Outer Pillar Refinish Rear Comer Panel	***************************************	R/L 2.2	
SHEET	METAL			15 Pillar, Outer Front	R 61131-04020 L 61132-04020	6.5 6.5	229.35 229.35 97.20	Refinish Rocker Panel Outsi Refinish Roof Panel Outside)	2.5	
REGULA				16 Reinf, Front Pillar	R 61108-04012 L 61109-04012	2.0 2.0 2.5 2.5	97.20	Add to Edge Roof Refinish Back Panel Assy			
Refinish Cowl Panel Assy Refinish Front Outer Pillar		1.0 1.0		17 Pillar, Inner Front 18 Brkt, Inst Panel	R 61161-04906 L 61162-04906 R 61035-35010	2.5 2.5	145.76 145.76 21.86				
Refinish Rear Comer Panel Refinish Rocker Panel Outside	R/I	1.7		19 Insulator, Side Cowl	R 62156-35020 L 62157-35020		8.37 8.37	Illustratio	n Located in Next Colu	mn	
Refinish Roof Panel Outside Add to Edge Roof		2.2		20 W/Strip, Roof Rail	R 62381-04030 L 62382-04030	.3 .3	34.16 34.16	1 Grille, Cowl	FF700 04040	45	00.44
Refinish Back Panel Assy		2.4		21 Rail, Roof Drip	R 61261-04010 L 61262-04010	1.0 1.0	44.14 44.14	w/Cold Climate Spec w/o Cold Climate Spec	55708-04040 55708-04030	#.5 #.5	98.11 81.08
We controlled to a series	ad in New Column			22 Rail, Outer Roof	R 61211-04010 L 61212-04010		45.44 45.44	#Includes R&R Wip 2 Clip, Front Cowl (4) 3 Clip, Rear Cowl (6)	90467-07045-2 90164-40093	2	.86 .57
mustration Locate	ed in Next Column			23 Rail, Inner Roof 24 Reinf, Roof Rail	R 61231-35130 L 61162-04904 R 61247-35011		62.48 145.76	4 Seal, Cowl 5 Grommet, Front Cowl (4)	53383-AD010 90467-08184	,	27.98 .80 .63
1 Grille, Cowl w/Cold Climate Spec 5:	55708-04040	#.5	98.11	25 Cover, Inner Side	L 61248-35011 R/L 61815-04020		27.38 27.38 5.54	6 Grommet, Rear Cowl (6) 7 Panel Assy, Cowl	90189-04184		.63
w/o Cold Climate Spec 5: #Includes R&R Wiper Arms	55708-04030 s	#.5	81.08	26 Panel, Rear Corner	R 61501-04030 L 61502-04030	#10.0 #10.0	5.54 185.48 185.48	2001 4 Cyl	55700-04250 55700-04240	#7.5	375.42 375.42
3 Clip, Rear Cowl (6) 9	90467-07045-22 90164-40093		.57	27 Panel, Inr Rear Corner	R 61703-04021 L 61704-04021	#10.0 #10.0	103.50 103.50	6 Cÿl 2002 #Includes R&R Cov	55700-04290	#7.5 #7.5	375.42
5 Grommet, Front Cowl (4) 9	53383-AD010 90467-08184 90189-04184		27.98 .80 .63	Removed, w/Roof	Inner & Outer Panels as a Removed Deduct 1.0, w/C	in Assy, w/E ab Back Pa	nei	8 Brace, Cowl Panel[R 55715-35010 L 55716-35010		7.52 7.52
7 Panel Assy, Cowl 2001	JU 103-04104		.03	Removed Deduct 28 Panel, Outer Rocker	R 61411-04031	4.0	84.22	filincluded w/Cowl Pa 9 Panel, Side Cowl	nel Assy R 55713-35011	1.0	
4 Cyl 50 6 Cyl 50	55700-04250 55700-04240	#7.5 #7.5	375.42 375.42	29 Reinf, Inr Rocker Panel	L 61412-04031 R 61413-04012 L 61414-04012	4.0 2.5 2.5	84.22 124.95 124.95	10 Panel Assy, Dash	L 55714-35011	1.0	
	55700-04290	#7.5	220 52	30 Panel, Roof 31 Panel, Front Header	63111-04040 63102-04050	2.5 13.5 1.0	124.95 199.11 51.93	2WD 4 Cyl			
			•	32 Panel, Rear Header	63105-04030	1.0	75.42	•			
436		Times	Show	are for Replacement with	Now Office the desired	I Bo-t-	No	Idamagad Vahlata			2_g04




CA	AB Cont'd			54 Crossmember, Seat 55 Brkt, Front Body Mtg	R 57051-04060 L 57052-04070 R 57023-35011	55.56 55.56 68.48	1.1	1世 ノヒニニ	=======================================	1
SH	EET METAL			56 Reinf, Side Floor	L 57024-35011 R 58117-35010	68.48 26.95	_ //	-4-1	(\-:2	i M
DOUB! 20 W/Strip, Front Roof Rail	LE CAB Cont'd R 62381-04030	2	34.16	57 Brkt, Inst Panel	L 58118-35010 58109-35010	26.95 20.83 15.23				D
21 Rail, Front Roof Drip	L 62382-04030 R 61261-04010	3 1.0	34.16	58 Plate, Front Floor 59 Brkt, Console Mtg 60 Reinf, Rear Seat Hinge	58194-35010 58995-35011 R/L 58247-35020	9.09 10.66			_;;;	
22 Rail, Outer Roof	L 61262-04010 R 61211-04010	1.0 1.0	44.14	61 Crossmember, Front 62 Reinf, Rear Floor	57652-04070 58351-04010	1.5 118.32 212.00	1 / 17	24		
23 Rail, Inner Roof	L 61212-04010 R 61231-04020		45.44 108.20	63 Crossmember, Rear	57606-35060	2.5 288.05			- 26	
24 Reinf, Roof Rail F 25 Cover, Front Inner Side F	L 61232-04020 ₹/L 61247-35011 ₹/L 61815-04020	2.0	108.20 27.38		TERIOR TRIM OUBLE CAB			e	- 29	
	VL 61013-04020 3/L 62383-04010 R 61267-04010	.3	5.54 35.19 34.38	R&I Roof Rack Assy R&I Step Plate	1	5 R/L .5	AR E	28	. 29	
28 Panel, Otr Door Opening	L 61268-04010 R 61611-04021	#14.5	34.38 354.05	Tidi dep Fale		, J	25	23 5 28		
#w/Bed Removed, w/R	L 61612-04021 coof Removed Deduct 1.0,		354.05 ck		□ 14			27	044-0703	4)
Panel Removed Dedi 29 Reinf, Center Pillar	R 61303-35012 L 61304-35012	2.0 2.0	159.62 159.62	-12	15—•		29 Brkt, Rear Step Plate	L 51796-04010 R 51797-04010		41.01 42.93 42.93
30 Panel, Inr Upr Pillar	R 61341-04010 L 61342-04010	1.0	83.60 83.60	9—13	5 -1		INI	L 51798-04010 FERIOR TRIM		42.93
31 Panel, Inr Ctr Pillar	R 61343-04010 L 61344-04010	1.0 5.5 5.5 2.5 2.5 2.0	19.81 19.81	2	6	20		GULAR CAB		
32 Panel, Inr Lwr Pillar	R 61345-04010 L 61346-04010	.5 .5	22.58 22.58	3 3 40	9	21				
33 Pillar, Rear Corner 34 Panel, Inner Corner	R 61501-04040 L 61502-04040 R 61703-04040	2.5 2.5 2.0	212.00 212.00 87.08	7 7			2-2			
35 Cover, Inner Rear Side	L 61704-04040 R 61815-04030	20	87.08 8.80		22			21		
36 Panel, Outer Rocker	L 61816-04020 R 61411-04031	4.0	8.80 84.22		19	6	19 18		13 	
37 Reinf, Front Rocker Panel	L 61412-04031 R 61413-04012 L 61414-04012	4.0 2.5 2.5 2.0	84.22 124.95 124.95	17—	14-	15-6			14	
38 Reinf, Rear Rocker Panel	R 61423-04010 L 61424-04010	2.0 2.0	76.05 76.05	 16 12-	18		22—	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		
39 Panel, Roof w/Sunroof	63111-04070		536.92	16 12-		-5	7-	8 \ 15		7
w/o Sunroof w/Roof Rack	63111-04080	17.0	536.92	•	3-	6	1 7	199/0		
w/o Roof Rack 40 Panel, Front Header w/Roof Rack	63111-04030 63102-04030	17.0 1.0	536.92 54.53	4-		9			2	
w/o Roof Rack 41 Reinf, Front Roof Panel	63102-04050	1.0	51.93	1	38 −7 −7					V
w/o Roof Rack 42 Reinf, Rear Roof Panel	63141-04900 63141-04010	1.0 1.0	64.08 56.47	044-07029			3 5	~ 10		y
43 Panel, Rear Header w/Roof Rack w/o Roof Rack	63109-04010 63135-04022	1.0 1.0	19.29 43.21	1 Rail Assy, Side 2 Rail, Side()	R 63407-AD011 L 63408-AD011 R/L 63447-AD010	.3 261.22 .3 388.05 163.73		<u> </u>	16 17	,
44 Vent, Corner Panel	R 62905-04030	1.0	67.51	3 End, Front Railf	R 63471-AD010 L 63472-AD010	58.70 58.70		- 6		
				4 Cushion, Front¶	R 63486-AD010 L 63487-AD010	4.23 4.23			()44-()7()	25
				5 End, Rear Rail	R 63473-AD010 L 63474-AD010	78.88 78.88	2 Grip, Assist			
•	45-46-		1	6 Cushion, Rear¶ 7 Stay Assy, Front¶	R 63488-AD010 L 63489-AD010 R 63453-AD010	6.37 6.37 41.67	Charcoal Oak	R 74610-04040-B0 R 74610-04040-E0	.2 .2	30.98 30.98
56 57 59 1 54	8			8 Cap. Front Retainer (a)	L 63454-AD010 R/L 63498-0C010	41.67 41.67 8.32	3 Panel, Cowl Trim Charcoal	R 62111-04030-B2 L 62112-04030-B2	.3 .3	41.67 41.67
	60	*	,	(a) Included w/Front 9 Stay Assy, Rear¶	Stay Assy R 63456-AD010	41.67		B 62111-04030-F1	.3	41.67
58—		48	3	10 Cap, Rear Retainer¶ (b)	L 63457-AD010 R/L 63498-0C010	41.67 8.32		L 62112-04030-E1 R/L 62135-35010 R 62311-04020	.5 .5	41.67 2.92 70.35 70.35
			_	(b) Included w/Rear 11 Retainer, Mtgff (4/Side) ¶Included w/Side Ra	Á/L 90162-50016	.57	6 Plate, Scuff Charcoal	L 62312-04030 R 67913-04040-B0		
	47	- F	7	12 Cover Assy, Front End	R 63491-AD010 L 63492-AD010	38.81 38.81	1	L 67914-04040-B0 R 67913-04040-E0	.2 .2 .2	67.22 67.22 67.22 67.22
55	47	50		13 Retainer, Cover¶ ¶Included w/Front E	R/L 90467-11094 nd Cover Assy	.86	7 Panel Assy, Corner Trim	L 67914-04040-E0	.2	
		50		14 Cover Assy, Rear End	R 63493-AD010 L 63494-AD010	39.13 39.13		R 62511-04080-B0 L 62512-04080-B0 R 62511-04080-E0	.4 .4 .4	140.82 140.82 140.82
		ST ST.		15 Retainer, Cover¶ (2/Side) ¶Included w/Rear Er		.86	O Course Cost Balt Asshort	£ 62512-04080-E0	.4	140.82
•		3		16 Support Assy, Frt Rack 17 Retainer, Support¶ ¶included w/Front Ra	63409-AD011 R/L 63479-0C010 ack Support Assy	163.73 .86	Charcoal Oak	R/L 73237-04010-B0 R/L 73237-04010 E0		6.20 6.20 .86 .92 .86
044-06577	62			18 Support Assy, Ctr Rack 19 Retainer, Support§	63409-AD011 R/L 63479-0C010	163.73 .86	[10 Clip, Center] (4/Side)	R/L 90467-10168 R/L 90468-05076		.86 .92
				fincluded w/Center 20 Support Assy, Rear Rack	Rack Support Assy 63409-AD020	261.85	¶Included w/Corner	R/L 90467-10148 Trim Panel Assy		.00
45 Panel Assy, Back #WBed Assy Removed w/Roof Removed De	64101-04150 d, Includes R&R Back Glas	#11.0 s, Trim &	488.97 Seats ,	21 Protector, Rack¶ 22 Retainer, Rack¶ #Included w/Rear Rack¶	63446-AD010 63459-AD010	53.62 226.49	w/Crooker	64271-04090-B0	.5	378.57
46 Bracket, Tool Bag¶ ¶Included w/Back Pane	58785-89106		9.09	illinciaded witheat it k	яск Зиррон Азгу		Oak w/o Speaker	64271-04090-E0	.5	378.57 378.57
47 Panel, Front Floor 2WD	58111-04211		432.21	Illustratio	n Located in Next Column		Charcoal Oak 13 Garnish Assy, Back	64271-04100-B0 64271-04100-E0	.5 .5	388.05 388.05
4WD Man Trans	58111-04201		432.21	23 Plate, Step	R 51771-04010	1.0 266.25	Charcoal Oak	64261-35020-B2 64261-35020-E1	.3 .3	52.99 52.99
Auto Trans 48 Panel, Rear Floor 49 Sidemember Front	58111-04211 58311-04900 P. 57411-25022		432.21 552.07	24 Moulding, Step Plate	L 51772-04010 R/L 51775-04010	1.0 266.25 27.12	14 Clip, Garnish¶ (5) ¶Included w/Back G	90468-05047		.46
49 Sidemember, Front 50 Sidemember, Rear	R 57411-35022 L 57412-35022 R 57415-04900		/3.34	25 Cap, Front Plate 26 Cap, Rear Plate	R 51773-04010 L 51774-04010 R 51779 04010	48.30 48.30	15 Clip, Trim Panel (4) Charcoal	90467-06150-B2		1.00
51 Reinf, Sidemember	L 57416-04900 R 57486-04010		127.78 127.78 23.15	26 Cap, Hear Plate 27 Brkt, Front Step Plate	R 51779-04010 L 51759-04010 R 51793-04010	48.30 48.30 36.30	16 Box, Speaker	90467-06150-E2 R/L 86269-04010-B0		1.00 79.19
52 Reinf, Front Floor	L 57487-04011 R 57512-04010		23.15 24.38	28 Brkt, Center Step Plate	L 51794-04010 R 51795-04010	36.30 36.30 41.01	Oak	R/L 86269-04010-E0 R/L 86269-04010-E0 R/L 86160 AD050	.3	79.19 79.19 39.96
53 Reinf, Side Floor F	L 57513-04010 VL 57417-35010		24.38 26.46			. 1.07	18 Headliner Charcoal	63310-04080- B0	3.0	454 30
1438		Times	Pha	are for Replacement with	New OFM II-d-	10-1-N-1	<u></u>		asdnž	


								TOYOTA	TACOMA	2001	-02
Oak 19 Spacer, Front Rail	63310-04080-E0 R 66413-04010	3.0 4	54.30 23.55	18 Headliner w/Sunroof				Oak	L 62512-04070-B0 R 62511-04070-E0	.4 .4	140.82 140.82
20 Spacer, Rear Rail	L 66423-04010 R 66415-04010		23.55 20.18	Charcoal Oak	63310-04100-B0 63310-04100-E0	4.0 4.0	580.45 580.45		L 62512-04070-E0 R/L 90467-10168	.4	140.82
21 Pad, Rear Headliner	L 66425-04010 R 63355-04010		20.18 23.55	w/o Sunroof w/Map Lamp				¶Included w/Rear Pilla 16 Panel, Back Trim	r Trim Panel Assy		.00
22 Clip, Headliner (2) Charcoal	L 63356-04010		18.18	Charcoal Oak	63310-04090-B0 63310-04090-E0	3.8 3.8	580.45 580.45	Charcoal Oak	64271-04080-B0 64271-04080-E0	.5 .5	457.45 457.45
Oak Lamp Assy, Room	90467-06020-B2 90467-06020-E1		1.23 1.23	w/o Map Lamp Charcoal	63310-04070-B0	3.8	580.45	17 Garnish Assy, Back Charcoal	64261-35020-B2	.3	52.99
Charcoal Oak	81240-02030-B1 81240-12051-E1	2 2	29.78 29.97	Oak 19 Spacer, Front Rail	63310-04070-E0 R 66413-04010 L 66423-04010	3.8	580.45 23.55 23.55	Oak 18 Clip, Garnish¶ (5) <i>¶Included w/Back Gan</i>	64261-35020-E1 90468-05047	.3	52.99 .46
Bulb¶ Lens, Room Lamp¶	90981-14011 81241-01020	2		20 Spacer, Rear Rail	R 66415-04030 L 66425-04030		33.47 33.47	19 Hook, Cargo Net (4) Charcoal	64267-35010-B0		12.06
¶Included w/Room L	amp Assy	<u>-</u>		21 Pad, Rear Headliner	R 63355-04020 L 63356-04020		23.55	Oak	64267-35010-E0 58299-AD010		12.06 176.99
	TERIOR TRIM XTRA CAB			22 Clip, Headliner (2) Charcoal	90467-06020-B2		1.23 1.23	20 Net, Cargo 21 Headliner w/Sunroof			
				Oak 23 Welt, Sunroof-See Sunroo 24 Lamp Assy, Room	90467-06020-E1 f Section		1.23	Charcoal Oak	63310-04120-B0 63310-04120-E0	5.0 5.0	697.20 697.20
	≂23			Charcoal Oak	81240-02030-B1 81240-12051-E1	.2 .2	29.78 29.97	w/o Sunroof Charcoal Oak	63310-04110-B0 63310-04110-E0	4.8 4.8	697.20 697.20
19 20	3	45		25 Bulb¶ 26 Lens, Room Lamp¶	90981-14011 81241-01020	.2	1.94 7.02	22 Spacer, Front Rail	R 66413-04010 L 66423-04010	1.0	23.55 23.55
and the second	21	15 		¶included w/Room L				23 Spacer, Center Rail	R 66415-04060 L 66425-04060		34.72 34.72
		16			ERIOR TRIM DUBLE CAB			24 Spacer, Rear Rail	R 66415-04050 L 66425-04050		30.24 30.24
The state of the s	17-0							25 Pad, Rear Headliner	R 63355-04020 L 63356-04020		23.55 18.18
	22—4		, !	23	24			26 Clip, Headliner (2) Charcoal Oak	90467-06020-B2 90467-06020-E1		1.23 1,23
	24		<u>,</u>	James of the same	-25	17		27 Welt, Sunroof-See Sunroof 28 Grip Assy, Rear Assist	Section		
25		-13						Charcoal Oak	R/L 74610-04030-B0 R/L 74610-04030-E0	.2 .2	20.03 20.03
		14-4	1			18		29 Hook, Coat¶ Charcoal Oak	R/L 74631-35010-B2 R/L 74631-35010-E0	.2 2	1.49 1.49
	[] [] [] [] [] [] [] [] [] []		ا ل	21 26	5-4 [29]			¶Included w/Rear Assi Lamp Assy, Room	st Grip Assy	_	7.10
1-13		- 7			28		2	Charcoal Oak	81240-02030-B1 81240-12051-E1	.2	29.78 29.97
/////_2	8			20 -			1	Bulb¶ Lens, Room Lamp¶	90981-14011 81241-01020	.2	1.94 7.02
G (°				,	16	19—8		¶Included w/Room Lar	· · ·		
5	10 9	O		9			•		ONT SEAT		
FIL	→ 6 11	- 200			RAIL III	.}			NCH SEAT		
3 € 4	0	4406580		1-19				R&I Seat Assy	••••••	4	
1 Gamish Assy, Windshield	1-See Windshield Section			(3) -2	12	1.5	- 14	1			
2 Grip, Assist Charcoal	R 74610-04040-B0	2	30.98			€5-15-		2		1	
Oak 3 Panel, Cowl Trim Charcoal	R 74610-04040-E0 R 62111-04030-B2		30.98 41.67		11 - 10	>13			0,0		
Oak	L 62112-04030-B2 R 62111-04030-E1	.3	41.67 41.67	r L		13		044-06582			
4 Retainer, Cowl Trim	L 62112-04030-E1 R/L 62135-35010	.3	41.67	3 -4	6	044-06	581		D 70110 01010		440.00
5 W/Strip, Door Opng	R 62311-04020 L 62312-04030	.5 .5	2.92 70.35 70.35	1 Gamish Assy, Windshield	-See Windshield Section			1 Adjuster, Seat Track	R 72110-04010 L 72120-04010	#.5 #.5	113.00 124.38
6 Plate, Scuff Charcoal	R 67913-04040-B0	2	67.22	2 Grip, Assist " Charcoal	R 74610-04040-B0	.2	30.98	#R&R Both Sides .6 2 Cable, Adjuster Control	72210-35010		23.95
Oak	L 67914-04040-B0 R 67913-04040-E0 L 67914-04040-E0	2	67.22 67.22 67.22	Oak 3 Panel, Cowl Trim	R 74610-04040-E0	.2	30.98		CKET SEAT ENGER SIDE		
7 Panel Assy, Side Trim Charcoal	R 62511-04090-B0		69.06	Charcoal Oak	R 62111-04030-B2 L 62112-04030-B2 R 62111-04030-E1	.3 .3 .3	41.67 41.67 41.67	R&I Seat Assy		3	
Oak	L 62512-04090-B0 R 62511-04090-E0	.6 1 .6 1	69.06 69.06	4 Retainer, Cowl Trim	L 62112-04030-E1 P/L 62135-35010	.3	41.67 2.92				
8 Cover, Seat Belt Anchor¶ Charcoal	L 62512-04090-E0	.6 1	69.06 6.20	5 W/Strip, Front Door Opng	R 62311-04020 L 62312-04030	.5 .5	70.35 70.35		9 7		
Oak 9 Clip, Front¶ (4/Side) 10 Clip, Rear¶ (9/Side)	R/L 73237-04010-B0 R/L 73237-04010-E0 R/L 90468-05076		6.20 .92	6 Plate, Front Scuff Charcoal	R 67913-04040-B0 L 67914-04040-B0	.2 .2 .2	67.22 67.22	6 7		⊚ —9	
¶Included w/Side Tri	R/L 90467-10148 im Panel Assy		.86	Oak	R 67913-04040-E0 L 67914-04040-E0	.2 .2	67.22 67.22		3	7	
11 Speaker, Rear 12 Panel Assy, Back Trim	R/L 86160-AD060		42.89	7 Panel Assy, Upr Center Tr Charcoal	lm R 62411-04010-B0	#.3	53.62			8	
Japan Built Charcoal Oak	64262-04010-B2 64262-04010-E1	.5 1 .5 1	79.19 79.19	Oak	L 62412-04010-B0 . R 62411-04010-E0	#.3 #.3	53.62 53.62	1—	5		
Non-Japan Built Charcoal	64262-04011-B2	.5	0.00	#Includes R&R Low 8 Cover, Seat Belt Anchor¶	L 62412-04010-E0 er Center Trim Panel	#.3	53.62		4	10)	
Oak 13 Holder, Rear Seat Belt¶	64262-04011-E1	.5	0.00	Charcoal " Oak	R/L 73237-04010-B0 R/L 73237-04010-E0		6.20 6.20	044-06583	2		
Japan Built Charcoal Oak	73381-04010-B2 73381-04010-E1		16.46	9 Clip, Trim Panel[(2/Side) flincluded w/Upper C	H/L 90467-10168 Center Trim Panel Assv		.86	1 Adjuster, Outer Seat Track			
Non-Japan Built Charcoal	73381-04020-B2		16.46 17.32	10 Panel Assy, Lwr Center Tr Charcoal	im R 62413-04010-B0	.2	53.62 53.62	Regular Cab Xtra Cab	72011-04060 72011-04080	#.5 #.5	227.07 245.78
Oak 14 Clip, Back Panel¶ (10)	73381-04020-E1 67771-30070		17.32 1.64	Oak	L 62414-04010-B0 R 62413-04010-E0 L 62414-04010-E0	.2 .2 .2 .2	53.62	Double Cab 2 Adjuster, Inner Seat Track Boulder Cab	72011-04090	#.5 #.5	227.07
#Included w/Back Tr 15 Garnish Assy, Back	•	•	رم حرا	11 Clip, Trim Panel (2/Side)	PVL 90467-10161 Center Trim Panel Assy	.4	53.62 .80	Regular Cab Xtra Cab, Double Cab #R&R Complete .7	72012-04060 72012-35170	#.5 #.5	227.07 293.03
Charcoal Oak 16 Clip, Garnish¶ (5)	64261-04050-B0 64261-04050-E0 90468-04134		53.62 53.62 69	12 W/Strip, Rear Door Opng	R 62331-04010 L 62332-04010	.5 .5	54.73 54.73	3 Pipe, Connecting 4 Wire, Adjusting	72501-04010 72301-04010		19.03 3.77
flincluded w/Back G. 17 Cover, Back Garnish	amish Assy		.00	13 Plate, Rear Scuff Charcoal	R/L 67917-04010-B0	.2 .2	33.47	5 Cap, Seat Track Charcoal	R 72137-04030-B0 L 72137-04010-B2		4.14
Charcoal Oak	64275-04030-B0 64275-04030-E0		20.18 20.18	Oak 14 Panel Assy, Rear Pillar Tri Charcoal	R/L 67917-04010-E0 m R 62511-04070-B0	.2 .4	33.47 140.82	Oak	R 72137-04030-E0		5.20 4.14 5.20
									L 72137-04010-E0		5.20
asdn2_g04		Procedure	Expla	nation Pages Must Be Us	ed with the Above Text	for an Ad	curate	Damage Report.			1439

FRONT	SEAT Cont'd			2 Adjuster, Inr Seat Track #R&R Complete .7 3 Pipe, Connecting	72021-04030 72501-04010	#.5		o—- 5			
ви	CKET SEAT			4 Wire, Adjusting 5 Cap, Seat Track	72301-04010		19.03 3.77	9 9			
PASSEN 6 Handle, Recliner Adjuster	GER SIDE Cont'd			Charcoal Oak	R 72137-04030-80 L 72137-04010-82 R 72137-04030-E0		4.14 5.20 4.14	4—U 😭 🗈	3		
Charcoal Oak	72525-04040-B2 72525-04040-E0		5.20 5.20	6 Handle, Recliner Adjuster	L 72137-04010-E0		5.20		3 		
Cover, Outer Trim Charcoal Oak	71811-04010-B2 71811-04010-E0	2 2	58.70 58.70	Charcoal Oak 7 Cover, Outer Trim	72525-04040-B2 72525-04040-E0		5.20 5.20				
3 Cover, Inner Trim Charcoal	71861-04010-B2	2 2	41.33	Charcoal Oak	71811-04010-B2 71811-04010-E0	.2 .2	58.70 58.70			6	
Oak Cover, Inner Recliner	71861-04010-E0	2	41.33	8 Cover, Inner Trim Charcoal	71861-04010-B2	.2	41.33	4€	<i>[]</i>	b	
Charcoal Oak	R 71875-04040-B0 L 71867-04010-B2 R 71875-04040-E0 L 71867-04010-E0		13.89 12.35 13.89 12.38	Oak 9 Cover, Inner Recliner Charcoal	71861-04010-E0 R 71875-04010-B0	.2	41.33 13.92 12.35		_2	,	
	KET SEAT VER SIDE		12.30	Oak	L 71867-04010-B2 R 71875-04010-E0 L 71867-04010-E0		12.35 13.92 12.38	04406586	2		
R&I Seat Assy		3			PLIT SEAT RIVER SIDE			Charcoal	R 73210-04120-B0	#.3	114.1
10	_ @			R&I Seat Assy		3		Oak	R 73210-04120-B0 L 73220-04130-B0 R 73210-04120-E0 L 73220-04130-E0	#.3 #.3 #.3	114. 114. 114.
	5 10—	ı		1	5			#w/Corner Trim of 2 Belt/Buckle, Center Charcoal	r Side Trim Removed R 73230-04110-B0	.3	50.1
	3 6 5		į	13—Ű	[,			Oak	L 73240-04120-B0 R 73230-04110-E0 L 73240-04120-E0	,3 ,3 ,3 ,3	31.2 50.1 31.2
				12-00-1	1			3 Cap, Belt Anchor Japan Built Charcoal	R/L 73178-33020-B1		4.0
4—3 ==		<u>_8</u>			,			Oak Non-Japan Built	R/L 73178-33020-E0		4.8 4.7
	1	2—6			10			Charcoal Oak 4 Cover Seet Belt Apphor	R/L 73178-AA010-B1 R/L 73178-AA010-E1		6.0 6.0
044-06584	7—©			12-	10			4 Cover, Seat Belt Anchor 5 Adjuster, Seat Belt 6 Cover, Seat Belt Hole			47.0
Adjuster, Outer Seat Track Regular Cab	72012-04060	#.5	227.07	6				Charcoal Oak	R/L 73297-04010-B0 R/L 73297-04010-E0		9.2 9.2
Xtră Cab, Double Cab Adjuster, Inner Seat Track	72012-35170	#.5 #.5	227.07 293.03	9—23	1 3 − 6			В	FRONT JCKET SEATS		
Regular Cab Xtra Cab, Double Cab w/Sport Seats	72021-04010 72022-35080	#.5 #.5	208.35			~ _₽					
w/o Sport Seats #R&R Complete .7	72022-04030	#.5	208.35	2—			'	€ 5			
Pipe, Connecting Wire, Adjusting w/Sport Seats	72501-04010 72301-04020		19.03 3.77	044-06585	1 6	<i>⊕</i> —7		4	—3		
w/o Sport Seats Cap, Seat Track	72301-04010		3.77	Adjuster, Otr Seat Track	72120-04030	#.5	135.78				
Charcoal Oak	R 72138-04010-B2 L 72137-04030-B0 R 72138-04010-E0		5.20 4.14 5.20	Adjuster, Otr Seat Track Adjuster, Inr Seat Track #R&R Complete .7	72022-04070	#.5	208.03] 		
Handle, Recliner Adjuster	L 72137-04030-E0		4.14	Rod, Connecting Wire, Adjusting Adjuster, Otr Recliner	72501-04020 72301-04010 72520-04010		19.03 3.77 132.55	6	<u></u>		
Charcoal Oak Knob, Vertical Adjuster	72526-04010-B2 72526-04010-E0		5.20 5.20	6 Cap, Seat Track Charcoal	R 72138-04010-B2		5.20	7 18	1—()	7	
Charcoal Oak	72457-06010-B6 72457-06010-E3		9.95 9.95	Oak	L 72137-04030-B0 R 72138-04010-E0 L 72137-04030-E0		4.14 5.20 4.14	G A	2	0	
Cover, Outer Trim w/Sport Seats Charcoal	71812-35020-B2	2	44.81	7 Handle, Recliner Adjuster Charcoal	72526-04010-B2 72526-04010-E0		5.20 5.20	2—0			
Oak w/o Sport Seats	71812-35020-E0	2 2	44.81	Oak 8 Cover, Outer Trim Charcoal	72526-04010-E0 71812-04020-B2	.2	5.20 11.80	044-06587		6	
Charcoal Oak Cover, Inner Trim	71812-04010-B2 71812-04010-E0	2	58.70 58.70	Oak 9 Cover, Inner Trim	71812-04020-E0	.2 .2	11.80	1 Belt, Shoulder			
Charcoal Oak	71862-04010-B2 71862-04010-E0	2	41.33 41.33	Charcoal Oak 10 Cover, Inner Recline r	71862-04020-B2 71862-04020-E0	.2 .2	27.44 27.44	Regular Cab Charcoal	R 73210-04120-B0	#.3	114.1
Cover, Inner Recliner Charcoal	R 71868-04010-B2 L 71876-04010-B2		12.35 13.89	Charcoal	R 71868-04020-B2 L 71876-04020-B2		15.40 13.89	Oak	L 73210-04130-E0 R 73210-04120-E0 L 73220-04130-E0	#.3 #.3 #.3	114.1 114.1 114.1
Oak	R 71868-04010-E0 L 71876-04010-E0		12.38 13.92	Oak 11 Brkt, Lower Seat Back	R 71868-04020-E0 L 71876-04020-E0 71162-04040		15.40 13.92 55.84	Xtra Cab Charcoal	R 73210-04130-B0 L 73220-04140-B0	#.3	114.1
	LIT SEAT INGER SIDE			12 Cover, Seat Cushion Charcoal	R 72991-04050-B0 L 72992-04010-B0		25.66 25.66	Oak	R 73210-04140-B0 R 73210-04130-E0 L 73220-04140-E0	#.3 #.3 #.3	114.1 114.1 114.1
R&I Seat Assy		.3		Oak	R 72991-04050-E0 L 72992-04010-E0		25.66 25.66	Double Cab Charcoal	01 R 73210-04110-B0 L 73220-04120-B0	#.3 #.3	114.1 114.1
g				13 Lock, Armrest 14 Cover, Lock Charcoal	72809-04030 72551-00010-B1		214.55 18.01	0.1	02 R 73210-04140-B0 L 73220-04140-B0	#.3 #.3 #.3	144.6 114.1
7	(C)			Oak 15 Handie, Lock	72551-0C010-E0		18.01	Oak	01 R 73210-04110-E0 L 73220-04120-E0 02 R 73210-04110-E0	#.3 #.3 #.3	114.1 114.1 114.1
6-07	A 3	9		Charcoal Oak	72525-0C010-B1 72525-0C010-E0		4.57 4.57	#w/Comer Trim, \$	L 73220-04110-E0 L 73220-04140-E0 ide Trim or Upper Center Pillar	#.3	114.1
		8		SE	AT BELTS			2 Buckle, Seat Belt Charcoal	R 73230-04120-B0 L 73240-04130-B0		0.0
1_	5		i	ВІ	FRONT ENCH SEAT			Oak	R 73230-04120-E0 L 73240-04130-E0	.3 .3 .3 .3	0.0
)						3 Cap, Belt Anchor Japan Built			
. 4	£ 1/0	/					· · · · · · · · · · · ·		RA 73178_33030.R1		10
04406583	2)		Illustratio	n Located in Next Column			Charcoal Oak Non-Japan Built Charcoal	R/L 73178-33020-B1 R/L 73178-33020-E0 R/L 73178-AA010-B1		4.80 4.70 6.00

_	_				TOYOTA TACOMA 2001-02
5 Adjuster, Seat Belt 6 Cover, Lower Anchor Xtra Cab, Double Cab	R/L 73200-04020		47.01	3 Brkt, Upper Anchor 73709-35010 12.0 4 Brkt, Lower Anchor 73709-35020 10.4 5 Holder, Rear Seat Belt-See Cab Section	
Charcoal Cak 7 Cover, Seat Belt Hole Regular Cab	R/L 73139-89101-B3 R/L 73139-89101-E2		5.40 5.43	6 Cover, Seat Belt Hole Charcoal R/L 73297-0C010-B1 9.2 Oak R/L 73297-0C010-E0 9.2	557
Charcoal Oak	R/L 73297-04010-B0 R/L 73297-04010-E0		9.23 9.23	REAR DOUBLE CAB	E = = = = = = = = = = = = = = = = = = =
	FRONT SPLIT SEAT			a	
5—6	5 − 4 −1 4	ļ			3—60 100001247744 = 0111/20 044-06591 4
7	1—			2	Base Black R 87910-04080 .3 120.72 L 87940-04090 .3 120.72 Black (Code 209) R 87910-04090-C0 .3 134.62 L 87940-04100-C0 .3 134.62
	2	\		044-06590	Red Code 3L5 R 87910-04090-D1 .3 134.62 L 87940-04100-D1 .3 134.62
3—₺,				1 Belt, Shoulder Charcoal R 73360-04020-B0 #.3 114,6 L 73370-04020-B0 #.3 114,6 Oak R 73360-04020-E0 #.3 114,6	(1 Silver (Code 1C8) H 8/910-04090-80 .3 134.62
044-06588		ह—7		L 73370-04020-E0 #.3 114.6 #w/Rear Pillar Trim Panel Removed	L 87940-04100-B0 .3 134.62 Power R 87910-35840 #.3 172.84 L 87940-35751 #.3 172.84
1 Belt, Shoulder Charcoal	R 73210-04130-B0	#.3	114.16	2 Belt/Buckle, Center Charcoal R 73470-04010-B0 .3 26.1 L 73480-04010-B0 .3 40.8	Paint to Match R 87910-35580 #.3 172.84 L 87940-35551 #.3 172.84
Oak	L 73220-04140-B0 R 73210-04130-E0 L 73220-04140-E0	#3 #3 #3	114.16 114.16 114.16	L 73480-04010-B0 .3 40.6 Oak R 73470-04010-E0 .3 26.1 L 73480-04010-E0 .3 40.8	0 Mars B 86 67 D. 07004 05040
2 Belt, Center Charcoal	* Side Trim Removed 73130-04040-B0	3 3	35.74	FRONT DOOR Use Procedure Explanations 16 and 28 with the following text.	3 Knob, Mirror Control Man Mirror PM 87918-04010 12.86
Oak 3 Buckle, Seat Belt Charcoal	73130-04040-E0 R 73230-04120-B0		35.74 0.00	SHEET METAL	4 Nameplate (Adhesive) "TOYOTA TACOMA" 2001 R/L 75473-04010 2 27.12 2002
Oak	L 73240-04140-80 R 73230-04120-E0 L 73240-04140-E0	3 3 3 3	0.00 0.00 0.00	Refinish Door Outside Regular Cab, Xtra Cab	Black R/L 75473-04030-C0 2 27.09 Red R/L 75473-04030-D0 2 27.09 5 W/Strip, Outer Belt R 68160-04020 #3 16.65
4 Cap, Belt Anchor Japan Built Charcoal Oak	R/L 73178-33020-B1 R/L 73178-33020-E0		4.80 4.77	Add for Jambs & Interior	L 68210-04020 #.3 16.65 #w/Mirror & Trim Panel Removed
Non-Japan Built Charcoal Oak	R/L 73178-AA010-B1 R/L 73178-AA010-E1		6.00 6.00	R&I Door Assy R/L .5 Section Door Repair Panel R/L #4.8 #Time is to Cut at Belt Line	INTERIOR TRIM R&I Trim Panel
5 Cover, Seat Belt Anchor- 6 Adjuster, Seat Belt 7 Cover, Lower Anchor			47.01	Add to R&I/R&R Door Shell or Repair Panel w/Pwr Windows	NOTE: All Parts in this section are included in R&R Trim Panel unless noted otherwise.
Charcoal Oak	R/L 73139-89101-B3 R/L 73139-89101-E2		5.40 5.43	2-1	13—12
	REAR XTRA CAB	7		044-07026	12 11 14 14 14 15 10 10 10 10 10 10 10 10 10 10 10 10 10
2 4 044-06589	5 2	6		Shell Assy, Door Regular Cab, Xtra Cab R 67001-04130 3.5 674.1	5
 Belt, Shoulder Japan Built Charcoal 	R 73360-04040-B0 L 73370-04040-B0	#3 #3	111.20 111.20	EXTERIOR TRIM Refinish Mirror AssyR/L .6	- mass
Oak Non-Japan Built	£ 73370-04040-B0 R 73360-04040-E0 £ 73370-04040-E0	#.3	111.20 111.20 111.20	R&I Mirror Assy R/L .3 Power	1 Panel Assy, Trim Man Windows w/Coth Trim Charcoal R 67610-04220-B0 .6 229.69
Charcoal Cak	R 73360-04030-B0 L 73370-04030-B0 R 73360-04030-E0 L 73370-04030-E0	#3 #3 #3 #3	0.00 0.00 0.00	#Includes R&I Trim Panel R&I Outer Belt W/Strip	L 67/620-04/240-B0 .6 229.69 Oak R 67/610-04/220-E0 .6 229.69 L 67/620-04/240-E0 .6 229.69 W/o Cloth Trim
#w/Side Trim Pane 2 Buckle, Seat Belt Japan Built	el Removed	#.3	0.00	Illustration Located in Next Column	Charcoal R 67610-04240-B0 .5 287.08 L 67620-04260-B0 .6 287.08 Oak R 67610-04240-E0 .6 287.08
Japan Built Charcoal Oak Non-Japan Built	R/L 73380-04030-B0 R/L 73380-04030-E0	3 3	17.70 17.70	1 Mirror Assy, Rear View Manual	L 67620-04260-E0 .6 287.08 Pwr Windows Charcoal R 67610-04230-B0 .6 229.69 L 67620-04250-B0 .6 229.69
Charcoal	R/L 73380-04020-B0	.3	0.00		Oak R 67610-04230-E0 .6 229.69

FR	ONT DOOR Cont'd			Code 3P1	L 69220-35070-D1 R 69210-35070-D2 L 69220-35070-D2	#.3 #.3 #.3	78.57 78.57 78.57	
IN	TERIOR TRIM Cont'd			Silver (Code 1C8)	R 69210-35070-B0 L 69220-35070-B0	#.3 #.3	78.57 78.57	
2 W/Strip, Inner Belt¶ 3 Armrest¶	R/L 68171-35120		16.65	#w/Trim Panel Ren 7 Clip, Outside Handle¶	noved R 69293-12060 L 69293-12050		4.60 4.60	
Charcoal Oak	R 74210-04030-B0 L 74210-89105-B0 R 74210-04030-E0	2 2 2 2	69.11 57.73 69.11	8 Bumper, Handle¶ (2/Side) ¶Included w/Outside	R/L 90541-04014		.66	
4 Clip, Trim Panel (9/Side	L 74220-04010-E0	2	69.11	9 Cylinder, Door Lock¶	R 69051-35070 L 69052-35070	#.3 #.3	46.34 46.34	4
¶Included w/Trim 5 Cap, Panel Retainer (2/	Panel Assy Side)			Section	ete Lock Set-listed in Steering W		- 1	
Charcoal Oak 6 Garnish, Inner Mirror	PVL 67772-04030-B0 PVL 67772-04030-E0		2.11 2.11	#w/Trim Panel Hen 10 Handle Assy, Inside Charcoal	noved, Included in R&R Outsion R 69205-10070-B2	ae Handi #.2	- 1	
Man Mirror	R 67491-04040 L 67492-04040		20.23 20.23	Oak	L 69206-10070-B2 R 69205-10070-E2	#.2 #.2	20.21 20.21 20.23	
Pwr Mirror	R 67491-AD010 L 67492-AD010		12.95 12.95	#w/Trim Panel Ren		#.2	20.23	3
7 Shield, Moisture Man Windows Pwr Windows	R/L 67831-04040 R/L 67831-04050	#	9.60 9.60	11 Clip, Inr Handle¶ ¶included w/Inside i	R 69759-20070 L 69759-20060 Handle Assv		1.60 1.60	044-06594
8 Speaker, Upr Door	R 86160-AD030 L 86160-AD040	#2 #2 #2	28.45 28.45	12 Rod, Löck	R 69711-04030 L 69712-04030		7.06 7.06	1 Shell Assy, Door R 67003-04020 3.3 544.42 L 67004-04020 3.3 544.42
9 Speaker, Lwr Door #w/Trim Panel R	R 86160-AD010 L 86160-AD020 emoved, Not Included in R&R To	#2	37.26 37.26	13 Clamp, Lock Rod 14 Check, Door	R/L 69749-89101 R 68610-04010 L 68620-04010	#.2 #.2	.91 48.82 55.27	1 Shell Assy, Door R 67003-04020 3.3 544.42 L 67004-04020 3.3 544.42 2 Panel, Door Repair¶ R 67113-04010 5.5 237.36 L 67114-04010 5.5 191.93
10 Panel, Door Switch Regular Cab, Xtra Cab	,			#w/Trim Panel Ren 15 Cover, Front Check		W.L	5.43	¶Included w/Door Shell Assy 3 Pad, Silencer R/L 67816-04020 11.20
Charcoal	R 74201-35010-B0 L 74202-35020-B0	2 2 2 2	33.12 36.61	16 Cover, Upper Check	R 68621-35020 L 68622-35010		2.06 2.06	4 W/Strip, Outer Belt R 68180-04010 #.3 16.65 L 68230-04010 #.3 16.65 #W/Trim Panel Removed
Oak Double Cab	R 74201-35010-E0 L 74202-35020-E0	2	33.12 36.61	17 Hinge, Upper 18 Hinge, Lower #w/Door Assy Ren	R/L 68740-34010 R/L 68730-34010	#.2 #.2	39.13 39.13	5 Nameplate (Adhesive) "LIMITED" R/L N.A2 0.00
Charcoal	R 74201-35010-B0 L 74202-35010-B0	2 2 2 2	33.12 29.41		ASS & PARTS			INTERIOR TRIM
Oak 11 Cover, Switch Hole	R 74201-35010-E0 L 74202-35010-E0	2	33.12 29.41	The second to deliver a Personal resolution and desirable				R&I Trim Panel
Man Mirror Charcoal	L 55524-35010-B2		5.34		2			NOTE: All Parts in this section are included in R&R Trim Panel unless noted otherwise.
Oak 12 Switch, Master Window Regular Cab, Xtra Cab			5.34					6—2
Double Cab 13 Switch, Power Mirror	L 84820-04020 L 84870-08010		232.50 315.46 111.06					21
14 Switch, Power Window 15 Switch, Power Lock	R 84820-16060 R 84930-14090		139.44 49.84					8 -3
	HARDWARE			A.	5 4			5
Refinish Upper Hinge		. 2		3				
R&I Outside Handle				, U				
#Includes R&I Ti	rım raner							
044-04185	6 8 7	7			6			4
				age of	7 044-06593			044-06595
	9-1	7)/		1 Glass, Door Toyota	R 68101-04070	1.2	127.12	1 Panel Assy, Trim Man Windows
	13 4	//		NAGS (Green)	L 68102-04070 R/L FD05471-2GTY	1.2 1.2	127.12 365.15	Charcoal R 67630-04010-B1 .6 236.61
		¹ ₹-5		2 Run, Glass #w/Glass Removed	R 68141-04010 L 68151-04010	#.3 #.3	94.93 94.93	L 67640-04010-B1 .6 236.61 Oak R 67630-04010-E1 .6 236.61 L 67640-04010-E1 .6 236.61
17		•		3 Channel, Front Glass	R 67401-04010 L 67402-04010		32.50 32.50	Pwr Windows Charcoal R 67630-04020-B1 .6 236.61
16 🗳	12 2	3		4 Channel, Rear Glass	R 67403-04010 L 67404-04010		41.95 41.95	L 67640-04020-B1 .6 236.61 Oak R 67630-04020-E1 .6 236.61
				5 Regulator, Window Manual	R 69810-04080 L 69820-04080	#.8 #.8	77.48 77.48	L 67640-04020-E1 .6 236.61 2 W/Strip, Inner Belt¶ R 68173-35030 16.65 L 68174-35020 16.65
14	10			Power	R 69801-35100 L 69802-35090	#1.0 #1.0	77.48 77.48	3 Clip, Trim Panel¶ (7/Side) R/L 90467-09206 .83 ¶Included w/Trim Panel Assy
18—3				#w/Glass Removed 6 Handle, Regulator			10.00	4 Armrest Charcoai R 74250-04010-B0 .2 51.10 L 74260-04010-B0 .2 51.10
1 Latch Assy, Door	D 00010 04040	#0	407.00	Charcoal Oak 7 Bezel, Handle	R/L 69260-04020-B3 R/L 69260-04020-E1 R/L 69268-20020		12.99 12.99 1.40	Oak R 74250-04010-E0 .2 51.10 L 74260-04010-E0 .2 51.10
Man Lock Pwr Locks	R 69310-04010 L 69320-04010 R 69030-04010	#.3 #.3 #.3	107.26 118.95 245.13	8 Motor, Regulator	R 85710-35080 L 85720-35040	#1.0 #1.0	254.93 254.93	5 Handle, Pull Charcoal R/L 74811-04010-B0 20.49 Oak B/I 74811-04010-E0 20.49
#w/Trim Panel R	L 69040-04010	#.3	245.13		gulator, w/Glass Removed Dec	duct .6		Oak R/L 74811-04010-E0 20.49 6 Switch, Power Window Charcoal R/L 84810-AA010-B1 .2 47.33
2 Clip, Door Latch¶ (a) Orange Pink	69759-20080 69759-20090		1.71		EAR DOOR	- Acust		Oak R/L 84810-AA010-E0 .2 50.91 7 Speaker, Rear R 86160-AD070 #.2 38.96
¶Included w/Door (a) As Required	Latch Assy		1.71		is 16 and 28 with the following			8 Shield, Moisture R.L. 68160-AD080 #.2 38.96 8 Shield, Moisture R.L. 67841-04010 # 9.15 #w/Trim Panel Removed, Not Included in R&R Trim Panel
3 Striker, Door Latch 4 Knob, Lock	R/L 69410-AC010	2	13.75	Refinish Door Outside	TAL/EXTERIOR TR	2.0		HARDWARE
Charcoal Oak 5 Holder, Lock Knob	R/L 69741-04010-B3 R/L 69741-04010-E3 R 69751-35010		3.17 3.17 5.40	Add for Jambs	R/L	.5		Refinish Outside Handle R/L .5 Refinish Upper Hinge R/L .2
6 Handle Assy, Outside	L 69752-35010	<i>u</i> -	5.40	R&I Door Assy Section Door Repair Panel Add to R&I/R&R Door Shel		.5 #4.5		Refinish Lower Hinge
Base Black Black (Code 209)	R 69210-35020 L 69220-35020 R 69210-35070-C0	#3 #3 #3	78.57 78.57 78.57	w/Pwr Windows	r or Hepair Panel R/L R/L	.3 #.7		#Includes R&I Trim Panel
Chrome	L 69220-35070-C0 R 69210-35030	#.3 #.3	78.57 78.57	#Includes R&I Trin	n Panel	m i t		
Red Code 3L5	L 69220-35030 R 69210-35070-D1	#.3 #.3	78.57 78.57					
1442					N 055			
1442	Labor	r limes	Shown	are for Replacement with	New OFM Undamaged P	arts on	New U	ndamaged Vehicles. asdn2 g04





	2 Run, Upper Glass	R 68142-35030 L 68152-35030	#,3 #.3
	#w/Glass Removed	2 11/12 11/11	
	3 Frame, Front Upr Glass	R/L 67421-35020	•
i	4 Channel, Front Glass	R 67405-04010	
		L 67406-04010	
	5 Run, Front Channel	R/L 68144-04010	
į	6 Channel, Rear Glass	R 67407-04010	
	· · · · · · · · · · · · · · · · · · ·	L 67408-04010	
	7 Run, Rear Channel	R/L 68145-04010	
i	8 Channel, Lower	R/L 69905-04010	
	9 Filler, Lwr Channel	R/L 69975-12010	
	10 Regulator, Window		
i	Manual	R 69830-04010	#.8
	· _	L 69840-04010	#.8
	Power	R 69803-35060	#1.0
		L 69804-35060	#1.0
ı	#w/Glass Removed i	Deduct .6	
	11 Handle Perulator		

12.99 12.99 1.40

254.93 254.93

.5 1616.11

764.35


18.51 27.71

SUNROOF

RVL RVL R


69260-04020-B3 69260-04020-E1 69268-20020 85720-35130

NOTE: All Parts in this section are included in overhaul unless noted



	101017	-700111	A 2001-02
	Charcoal	63260-35040-B	2 106.63
	Oak	63260-35040-E	
	5 Deflector Assy	000000000000000000000000000000000000000	100.00
	Xtra Cab	63200-35010	4 99.71
	Double Cab	63209-35010 63209-89102	.4 99.71 .4 159.96
	6 Clip, Deflector¶	00200 00102	.4 109.90
	Xtra Cab	R/L 63227-17010	2.11
	filincluded w/Deflector		211
	7 Frame, Sunroof	. 20)	
	Xtra Cab	63203-04020	1.0 245.76
	Double Cab	63203-04020 63203-35030	1.0 239.75
	8 W/Strip, Frame		1.0 255.75
	Double Cab	63252-35030	27.71
i	O Bild Cida Mounting		21.71
	9 Brkt, Side Mounting Xtra Cab	RAL 63243-35021	6.17
	Xtrá Cab Double Cab 10 Hinge Assy, Sunroof	RA 63243-35050	6.12
i	10 Hinne Assy Sunroof	B 63273-17040	27.06
	10 Timige Aboy, Guineon	L 63274-17040	27.06
	11 Soal Hinneff	R/L 63278-12010	2.31
	11 Seal, Hinge¶ 12 Holder, Hinge¶	R 63275-17010	2.94
	12 Holder, Hillinger	L 63276-17010	2.94
	¶Included w/Sunroof	lines Acer	
	13 Bot, Hinge Case (2/Side) 14 Catch, Auxiliary 15 Trim, Sunroof Lock Charcoal Oak 16 Base, Lock 17 Spacer, Lock Basef[DI 62207-12010	1.94
	14 Cotch Appliant	1 62290 90101	1.94 18.75
	15 Trim Suproof Look	L 00200-03101	10.73
	Chargost	63271-16010-B	3 21.86
	Oak	63271-16010-E	0 10.86
	16 Base Lock	63250-17011	84.57
	17 Spacer Lock Basell	63277-89101	5.17
	¶As Required	00277 00701	0
	¶As Required 18 Hose, Front Drain Xtra Cab Double Cab 19 Hose, Rear Drain		
	Xtra Cab	B/L 63249-35020	14.43
87.08	Double Cab	R/ 63249-35120	14.55
87.08	19 Hose Rear Drain	112 002-10 00120	14.55
000	Xtra Cab	B/L 63249-35030	13.83
3 17	Double Cab	R/L 63249-35130	12.92
37 24	19 Hose, Rear Drain Xtra Cab Double Cab 20 Welt, Sunroof Charcoal		
37.24	Charcoal	63393-35010-B	1 32.50
10 00	∩ak	63393-35010-E	
46.70	21 Sunshade Assy Charcoal		52
46.70	Charcoal	63306-35050-B	2 1.5 328.09
10.35	Oak	63306-35050-E	1.5 328.09
15.75		63330-16010	
7.74	23 Handle Lock®		
	Charcoal "	64251-16010-B3 64251-16010-E6	3 15.23
62.37	Oak	64251-16010-E	15.23
62.37	24 Spacer, Lock¶	63338-12010	20.86
67.86			
67.86		·	
	OLIAE	TER GLAS	20

QUARTER GLASS



1 Glass, Quarter Toyota			
Gray Privacy	R 62711-04070 L 62712-04070	1.0 1.0	64.26 64.26
Green	R 62711-04060 L 62712-04060	1.0 1.0	58.65 58.65
NAGS	2 32 72 0 1000		
Gray Privacy	R/L FQ21098-9YPY	1.0	661.65
Green	R/L FQ21096-7GTY	1.0	522.85
2 Weatherstrip, Glass	R 62741-35010	#1.0	13.87
	L 62742-35010	#1.0	13.87
#Includes R&R Glas	SS		
3 Latch, Glass			
Charcoal	R/L 62910-35031-B0	.4	26.44
Oak	R/L 62910-35031-E0	.4	26.44
4 Screw, Latch (2/Side)	R/L 91611-60618		.97
5 Washer, Inr Glass (3/Side)	R/L 90202-11001		.78
6 Retainer, Glass (3/Side)	R/L 62735-35010		6.03
7 Washer, Otr Glass (3/Side)	R/L 90386-11013		1.32
8 Hinge, Upper Glass	R/L 62731-89101-2	#1.0	8.37
9 Hinge, Lower Glass	R/L 62731-89101-2	#1.0	8.37
#Includes R&R Glas	ss & Weatherstrip		

BACK WINDOW

Use Procedure Explanation 19 with the following text.

STATIONARY		
R&I Back Glass	1.0	

63252-35010 63251-35060

BACK WINDOW Cont'd STATIONARY Cont'd 044-04197 1 Glass, Back Toyota NAGS Class, Back Toyota 64811-AD020-83 NAGS FB05475GTN Weatherstrip, Glass 64812-AD010 #Included in R&VR&R Back Glass 1.0 1.0 #1.0 141.25 492.25 27.54 SLIDING R&I Sliding Window.. 1.0 044-06600 1 Window, Sliding Toyota Gray Privacy 01 64810-04051 02 64810-04051 01 64810-04040 02 64810-04040 346.85 346.85 326.72 326.72 Green NAGS 1.0 1.0 #1.0 901.35 962.80 25.95 Green FB21100GTY Gray Privacy FB21101YPY Veatherstrip, Window 64812-04040 #Included in R&VR&R Back Glass


PICKUP BED Use Procedure Explanations 21 and 28 with the following text.


SHEET METAL STD BED

Refinish Bed Assy	#8.5
Refinish Side Panel	
Regular Cab, Xtra Cab	
OutsideR/L	3.4
Inside R/L	1.4
Double Cab	1.4
Outside	3.2
Inside R/L	1.3
Refinish Bed Front Panel Complete	2.2
Refinish Bed Front Panel Inside Only	1.1
Refinish Front Post	.8
Refinish Rear Post	.5
Refinish Rear Plate R/L	.5
Refinish Floor Panel (Complete)	#4.2
#Includes Refinish Rear Bed Sill	
Refinish Rear Bed Sill	1.0
Refinish Fuel Door	A
Add to R&R Bed Assy	
w/Mudguards	A
w/Wheel Opening Flares	.6
w/Wheel Opening Mldgs	.6
Add to R&R Side Panel Assy	
w/MudguardsR/L	2
w/Wheel Opening Flares	3
w/Wheel Opening Mldgs R/L	3
R&I Bed Assy	2.5

Illustration Located	d in Next	Column

1	Bed Assy, Complete Regular Cab, Xtra Cab wWheel Opening Flares w/o Wheel Oping Flares	66000-04130 66000-04080	4.0 4.0	4069.51 2479.10
	Double Cab	66000-04090	4.0	4069.51
2	Panel Assy, Bed Side¶ Regular Cab, Xtra Cab		4.0	1000.01
	wWheel Opening Flares	R 65500-04320	#12.5	714.02






3	w/o Wheel Opng Flares Double Cab Panel, Outer Side() (a)	L 65600-04280 R 65500-04050 L 65600-04050 R 65500-04310 L 65600-04270	#13.0 #12.5 #13.0 #12.5 #13.0	714.02 709.27 709.27 630.33 630.33
	Regular Cab, Xtra Cáb wWheel Opening Flares	R 65816-04080 L 65817-04080	#10.7 #11.2	276.99 276.99
	w/o Wheel Opng Flares	R 65816-04030 L 65817-04030	#10.7 #11.2	276.99 271.94
	Double Cab	R 65816-04070 L 65817-04070	#10.7 #11.2	198.46 198.46
١.	#Includes R&I Bed	Assy		i
4	Post, Rear¶(a)	D 00000 04000	0.5	144 50
	Regular Cab, Xtra Cab	R 65505-04030 L 65506-04030	2.5 2.5	144.50 144.81
	Double Cab	R 65505-04060	2.5 2.5	149.21
	Pompie Oan	L 66506-04060	2.5	149.21
5	Plate, Rear Post[] (a)	R 65593-04010	1.5	24.38
		L 65594-04010	1.5	24.38
6	Post, Front¶ (a)	D 05500 04046		اء ہ،
	Regular Cab, Xtra Cab	R 65503-04010	#2.0	42.58
	Double Cab	L 65504-04010 R 65503-04030	#2.0	42.58
	Double Cau	L 65504-04030	#2.0 #2.0	58.36 58.36
	#w/Bed Assy Remo		#£.U	30.30
7	Brkt. Whihse Seal(I (a)	B/I 65655-89103		4.52
8	Support, Fuel Filler(1 (a)	L 61709-04020		12.75
ľ	Brkt, Whihse Sealf (a) Support, Fuel Filler (a) (a) Included w/Bed S	Side Panel Assy		
9	Panel, Front Bed¶			
	Regular Cab, Xtra Cab		#3.0	200.32
	Double Cab	65405-04020	#3.0	251.59
١.,	#w/Bed Assy Remo	ved		- 1
10	Panel, Bed Floor¶	CE011 00100		420 50
1	Regular Cab, Xtra Cab Double Cab	65311-89128 65311-04070		438.50 350.19
11	Sill, Rear Bed¶	00011-04070		330.19
l ''	Regular Cab, Xtra Cab	65240-04090	#5.5	181.08
1	Double Cab	65240-04090	#5.5	181.08
	#Includes R&I Tailg	ate		- 1
12	Shell, Tailgate¶-See Tailga ¶included w/Comple	te Section		
		IE DEU ASSY	•	20.40
	Door, Fuel Spring, Fuel Door	L 77305-04040 L 77366-35030	.3	20.12
15	Burnner Fuel Door (2)	L 90541-06018		.54 4.25
16	Bumper, Fuel Door (2) Housing Assy, Filler-See I	Fuel Tank Section		7.20
17	Liner, Wheelhouse	R 65637-04020	.3	55.84
		L 65638-04020	.3 .3	55.84
18	Brace, Front Liner	D 05071 01005		
	Regular Cab, Xtra Cab			23.15
10	Clip, Liner (3/Side)	L 65672-04030 R/L 90467-09118		23.15

	Grommet, Liner (8/Side)		90189-06157	.63
21	Protector, Wheel Extension			
	Xtra Cab	R	58741-04010	17.32
		L	58742-04010	17.32
22	Bolt, Body (2/Side)	R/L	90119-12254	1.60
23	Bolt, Rear Body	RL	64189-35030	5.89
24	Washer, Rear Bolt	RL	90201-12061	2.44
25	Hook, Tie-Down (2/Side)	R/L	66312-35010	7.86

SHEET METAL STEPSIDE BED

Refinish Bed Assy	#8.5
#Includes Refinish Floor & Inside Panels	
Refinish Side Panel	
OutsideR/L	3.4
InsideR/L	1.4
Refinish Front Panel Skirt R/L	1.0
Refinish Rear Panel Skirt	1.0
Refinish Bed Front Panel Complete	2.2
Refinish Bed Front Panel Inside Only	1.1
Refinish Floor Panel (Complete)	#4.2
#Includes Refinish Rear Bed Sill	
Refinish Rear Bed Sill	1.0
Refinish Fuel Door	#.4
#Included in Refinish Left Side Panel	
Add to R&R Bed Assv	
w/Mudguards	.4
w/Wheel Opening Flares	.6
w/Wheel Opening Midgs	.6
Add to R&R Side Panel Assy	
w/MudguardsR/L	.2
w/Wheel Opening Flares	.3
w/Wheel Opening MidgsR/L	.3
R&I Bed Assy	2.5
100 000 100 1	




1 Bed As

2

6

say Complete	66000-04150	4.0 3974.71
ssy, Complete	00000-04130	4.0 39/4./1



Panel Assy, Bed Side¶	R 65500-04340	#12.5	714.02
	L 65600-04300	#13.0	714.02
#Includes R&I Bed /	Assy		
Cover, Side Panel (a)	R 65549-04900		54.16
	L 65649-04900		54.16
Support, Fuel Filler (a)	L 61709-04030		12.72
Support, Fuel Filler (a) Skirt, Front Panel (a)	R 66403-04010	#2.0	67.22
	L 66404-04010	#2.0	67.22
#Does Not Include \$	Set Back or R&I Bed Assy		
Skirt, Rear Panel¶ (a)	R 65607-04010	#3.0	83.94
	L 65608-04010	#3.0	83.94
#Does Not Include i	R&I Bumper Assy		
Pad, Front Steofi (a)	R 66425-04070	.3	28.47
	L 66426-04010	.3	28.47

					·			IUIUIA	TACOIVI	A 200	1-02
8 Pad, Rear Step¶ (a)	R 66435-04010 L 66436-04010	3 3	40.21 40.21	T,	AILGATE				R		
(a) Included w/Bed S 9 Brace, Front Stepf	R 66423-04020 L 66424-04010		12.69 12.69	Refinish Tailgate Complete Refinish Outside		2.3 2.0			Ø—19- _{1—1}	0	
10 Brkt, Rear Step¶	R 66437-04010 L 66438-04010		15.89 15.89	Refinish Inside (Only) Refinish Hinge		1.0			~	0	
11 Panel, Front Bed¶ #wBed Assy Remo	65405-04030 wed	#3.0	201.66	R&I Tailgate Assy						(
12 Panel, Bed Floor¶ 13 Sill, Rear Bed¶	65311-89128 65240-04130	#5.5	438.50 168.16	TOYOTA—1	3 സതസ്ട്രത		17	20—(:(JIM W.	No.	
#Includes R&I Tailga 14 Shell, Tailgate¶-See Tailga #Included w/Complet	ate Ite Section Ite Red Assur			<i>™</i> ACOMA—14	PRERVING		''	14			29
15 Door, Fuel 16 Spring, Fuel Door	L 77305-04050 L 77366-35030	3	24.44 .54	SRS—15				13	11		(2)
17 Bumper, Fuel Door (2) 18 Housing Assy, Filler-See F	L 90541-06018		4.25	SR5 V5			19		9 7		
19 Cylinder, Lock¶	69058-35140 te Lock Set-listed in Steering	2 Wheel/Colu	46.34 mn	10—0	3—	—4		17 15	5	i	
Section 20 Retainer, Lock Cylinder	69581-13010 R 65637-04020		1.40	e 9	6	Ros I		A 50 12	10	2	
21 Liner, Wheelhouse 22 Brace, Front Liner	R 65637-04020 L 65638-04020 R 65671-04030	.3 .3	55.84 55.84		-7	-5			8		1
23 Clip, Liner (3/Side)	L 65672-04030 R/L 90467-09118		23.15 23.15 1.09	11					21)
24 Grommet, Liner (8/Side) 25 Bolt Body (2/Side)	R/L 90189-06157 R/L 90119-12254		.63 1.60	12	6			16			
25 Bolt, Body (2/Side) 26 Bolt, Rear Body 27 Washer, Rear Bolt 28 Hook, Tie-Down (2/Side)	R/L 64189-35030 R/L 90201-12061 R/L 66312-35010	•	5.89 2.44 7.86			-1		044-06605			
	TERIOR TRIM		7.00			12		044-00003			/
Refinish Wheel Opening Fla	areR	/L .7		2				w/ABS w/o ABS	R/L 42311-35350 R/L 42311-35340	m #2.0 m #2.0	337.55 337.55
R&I Wheel Opening Flare	dgR	VL .5 VL .4		044-06604		. 6		w/o PreRunner Model	102 42511 00010	111 // 2.0	007.00
R&I Mudguard	R	VL .4 VL 2		1 Shell, Tailgate¶ Std Bed	65700-04030	1.3	284 52	4 Cyl w/ABS w/o ABS	R/L 42311-35370 R/L 42311-35360	m #2.0 m #2.0	305.06 305.06
				Stepside Bed ¶Included w/Complete	65700-04040	1.3	284.52 284.52	6 Cyl w/ABS w/o ABS	R/L 42311-35390 R/L 42311-35380	m: #2.0 m: #2.0	337.55 337.55
	9 TZD			2 Panel, Tailgate Service Std Bed	65759-89000 65759-04050	.3	24.19	4WD W/ABS	R/L 42311-35350	m #2.0	
		1 NOSVIES		Stepside Bed 3 Handle Assy, Tailgate #w/Service Panel Re	69090-35010	.3 #.2	103.80 62.16	w/o ABS 6 Gasket, Oil Deflector	R/L 42311-35340	m #2.0	337.55 337.55
	7	5 I		4 Snap, Lock Link (2) 5 Bumper, Rubber (2) ¶included w/Tailgate i	69759-20110 90541-04014		1.83 .66	2WD w/PreRunner Model w/o PreRunner Model	R/L 42443-55020 R/L 42443-30010	m #2.0 m #2.0	1.11
	8-80		4	6 Latch, Tailgate	Handle Assy			4WD 7 Deflector, Oil	R/L 42443-55020	m #2.0	1.11
2	6-0///	12	•	Std Bed	R 65780-35020 L 65790-35020	#.2 #.2 #.2	32.84 39.44 32.50	l 2WD	R/L 42441-35020 R/L 42441-26010	m #2.0	10.46
				Stepside Bed #w/Service Panel Re	R 65780-04010 L 65790-04010	#.2 #.2	32.50 32.50	w/o PreRunner Model 4WD 8 Stud, Whee l	R/L 42441-26010 R/L 42441-35020	m #2.0 m #2.0	6.46 10.46
3—[[i "	'. ". "	10	7 Clip, Latch Rod 8 Striker, Tailgate	R/L 90080-46184 R/L 65768-35020	.2	.57 6.03	2WD w/PreRunner Model (6/Side)	R/L 90942-02079	m #	4.43
044-07027	1	1 🤏		9 Stop, Tailgate 10 Bumper, Tailgate	R/L 65737-35030 R/L 66321-04020		1.09	w/o PreRunner Model (5/Side) 4WD (6/Side)	R/L 90942-02049 R/L 90942-02079	m # m #	4.43 2.94 4.43 9.48
1 Mildg, Wheel Opening 2WD				11 Stay, Tailgate 12 Hinge, Tailgate	R/L 65770-04030 R 66110-89108 L 66120-89102	#.2 #.2	9.75 26.29 23.89	9 Seal, Outer 10 Case, Bearing 2WD	R/L 90313-54001	m #2.0	9.48
Black Std Bed	R 75873-35900	4	242.30	#w/Tailgate Remove Nameplate (Adhesive)	d		20.00	w/PreRunner Model w/o PreRunner Model	R/L 42421-35050 R/L 42421-34010	m #2.0 m #2.0	55.84 54.24 55.84
Stepside Bed	L 75874-35900 R 75873-35901 L 75874-35901	.4 .4 .4	242.30 242.30 242.30	13 "TOYOTA" 14 "TACOMA"	N.A. N.A.	.2	0.00	4WD 11 O-Ring, Retainer	R/L 42421-35050 R/L 90301-88077	m #2.0 m #2.0	3.54
Paint to Match Std Bed	R 75873-35900	A	242.30	15 "SR5" 16 "SR5 V6" 17 "LIMITED V6"	N.A. N.A. N.A.	.2 .2 .2 .2	0.00 0.00 0.00	12 Bearing, Axle 13 Retainer, Bearing 14 Ring, Spap	R/L 90363-40068 R/L 42423-20010 R/L 90520-36045	m #2.0 m #2.0 m #2.0	55.40 15.46 1.54
Stepside Bed	L 75874-35900 R 75873-35901 L 75874-35901	.4 .4 .4	242.30 242.30 242.30	18 "PRERUNNER" 19 "PRERUNNER V6"	N.A. N.A.	2	0.00	14 Ring, Snap 15 Seal, Inner #R&R One Side Co	R/L 90310-50001 mplete, includes R&F	m #2.0	4.99
4WD Black	R 75873-35901	.4	242.30	REAR	SUSPENSIO	N		Both Sides 3.8 16 Shoe Set, Brake			
Paint to Match	L 75874-35901 R 75873-35901 L 75874-35901	.4 .4	242.30 242.30	Use Procedure Explanation 2				2WD w/PreRunner Model w/o PreRunner Model	04495-35151 04495-35170	m #1.4 m #1.4	68.07 51.29
2 Seal, Moulding 3 Pad, Moulding	L /58/4-35901 R/L 75696-35020 R 75688-35010	.4	242.30 14.18	R&I Suspension/Axle Housin Check Rear Alignment				4WD #Includes R&R Bra	04495-35151	m #1.4	68.07
4 Flare, Wheel Opening	L 75687-35010		3.57 3.57	Add to Adjust Front Alignm Bleed Brake System	ent	m .7	İ	17 Plate, Brake Backing 2WD			
Black	R 75873-04010 L 75874-04010	.4 .4	221.46 221.46	NOTE: R&I/R&R Does Not i	include alignment or ble	ed brake sys	item.	w/PreRunner Model w/o PreRunner Model	R 47043-35170 L 47044-35160 R 47043-35061	m #2.0 m #2.0 m #2.0	81.42 81.42 75.42 69.11
Paint to Match 5 Seal, Flare	R 75873-04010 L 75874-04010 R 61783-35071	.4 .4	221.46 221.46 12.95	We extration	Langtadia Nort Column			4WD	L 47044-35051 R 47043-35170	m #2.0 m #2.0	69.11 81.42 81.42
6 Protector, Flare	L 61783-35091 R 58741-04020		12.95 9.92	muşnatıor	Located in Next Column			#R&R Both Sides 3	L 47044-35160 l.8	m #2.0	81.42
Clip, Flare 7 Blue (2/Side)	L 58742-04020 R/L 90904-67036		13.60	1 Drum, Brake 2WD	Dii 40404 04000		100.00	18 Housing Assy, Rear Axle 2WD 2 41 Fno			
8 Red (5/Side) 9 Decal, "TRD Off Road"[R/L 90904-67037 R/L PT211-TT980-28	.4	1.06 1.06 31.47	w/PreRunner Model w/o PreRunner Model Japan Built	R/L 42431-04030 R/L 42431-35151	m #.3 m #.3	120.92 111.99	2.4L Eng w/ABS w/o ABS	42110-35580 42110-35570	m 3.8 m 3.8	744.53 744.53
10 Mudguard¶ w/Wheel Opening Flares	R 76625-04080		67.59	Non-Japan Built 4WD	R/L 42431-04010 R/L 42431-04030	m #.3 m #.3	111.30 120.92	2.7L Eng Regular Cab	10110 05551		0.5.44
w/o Wheel Opng Flares	L 76626-04080 R 76625-04060	2 2 2 2	67.59 58.64	#R&R Both .5 2 Rotor, Rear ABS Sensor-Se				w/ABS w/o ABS Xtra Cab, Double Cab	42110-35551 42110-35531	m 3.8 m 3.8	845.44 845.44
¶Order by Application	L 76626-04060 n	2	58.64	3 Retainer, Bearing w/ABS 4 Gasket, Outer Axle	R/L 42423-20010	m	15.46	w/ABS w/o ABS	42110-35561 42110-35541	m 3.8 m 3.8	845.44 845.44
11 Support, Mudguard 2WD w/PreRunner Model	R 76647-04040		22.35	2WD w/PreRunner Model	R/L 42444-35050	m	.71	3.4L Eng PreRunner Model			
w/o PreRunner Model	L 76648-04040 R 76647-04030		22.35 18.58	w/o PreRunner Model 4WD	R/L 42444-35070 R/L 42444-35050	m m	1.51 .71	w/Diff1 Lock w/o Locking Axie w/ABS	42110-35761 42110-35561	m 3.8 m 3.8	845.44 845.44
4WD	L. 76648-04030 R. 76647-04040 L. 76648-04040		18.58 22.35 22.35	5 Shaft, Axle 2WD WProBunner Model				w/o ABS S-Runner Model	42110-35541	m 3.8	845.44
12 Bracket, Mudguard	R 76645-04010 L 76646-04010		22.35 7.92 7.92	w/PreRunner Model				w/ABS w/o ABS	42110-35860 42110-35850	m 3.8 m 3.8	820.21 820.21
	· • • •						- 1	4WD			

	1710011117121							
REA	R SUSPENSION Con	t'd		Double Cab	R 48210-04360 L 48220-04150	m #1.3 m #1.3	508.46 508.46	
2.7L Eng Regular Cab w/Diffl Lock				Hvy Duty Regular Cab, Xtra Cab	R/L 48210-04340	m #1.3	461.96	18
w/Diff1 Lock w/o Locking Axl	42110-35621	m	3.8 845.	2.7L Eng PreRunner Model Xtra Cab				1
w/ABS w/o ABS	42110-35551 42110-35531		3.8 845. 3.8 845.	4 f Std Dutv	R 48210-04330 L 48220-04130	m #1.3 m #1.3	508.46 508.46	~ 6
Xtra Cab w/Diff1 Lock	42110-35761		3.8 845.	Hvy Duty Double Cab	R/L 48210-04340 R 48210-04360	m #1.3 m #1.3	461.96 508.46	5-0
w/o Locking Axl w/ABS w/o ABS	42110-35561		3.8 845.		L 48220-04150 R 48210-AD010	m #1.3 m #1.3	508.46 421.29	5—0
3.4L Eng w/Diff1 Lock	42110-35541 42110-35761		3.8 845.4 3.8 845.4	4WD	L 48220-AD010	m #1.3	421.29	9
w/o Locking Axle w/ABS	42110-35561	m	3.8 845.4	Regular Cab	R 48210-04360 L 48220-04150	m #1.3 m #1.3	508.46 508.46	
w/o ABS 19 Deflector, Oil ¶	42110-35541	m	3.8 845.		R 48210-04330 L 48220-04130	m #1.3 m #1.3	508.46 508.46	
2WD w/DiffI Lock w/o Locking Axle	R/L 42139-40010	m	27.9	2 Double Cab	R 48210-04360 L 48220-04150	m #1.3 m #1.3	508.46 508.46	3 2
2.4L Eng 2.7L, 3.4L Eng	R/L 42108-30010 R/L 42139-35050	m m	34. 21.		R/L 48210-04340 Removed Deduct .9, R&I	m #1.3 R Both Sides 2	461.96 4	
4WD w/Diff1 Lock	R/L 42139-40010	m	27. 21.	23 Rushing Front Springs	R/L 90389-14058	m #1.6	13.20	044-06608 1
	RVL 42139-35050 ear Axle Housing Assy	m	21.	¶lncluded w/Leaf Sp	R/L 90389-14051 pring Assy	m #1.6	1.83	2 Collar, Stabilizer¶ R/L 90387-10162 m 3.89 3 Bushing, Endf[R/L 90385-12015 m 1.46
20 Gasket, Housing 2WD w/Diff1 Lock	42181-60050	m	6,:	#R&R Both Sides 3	3.0			¶included w/Rear Stabilizer Bar Assv
w/o Locking Axle 2.4L Eng 2.7L, 3.4L Eng	42181-30020	m	1.	w/PreRunner Model	R/L 90117-14008 R/L 90117-14039	m m	22.72 13.20	5 Bushing, Link (2/Side) R/L 48817-35010 m #.4 5.57 6 Retainer, Bushing (2/Side) R/L 90948-02032 m #.4 1.66
2.7L, 3.4L Eng 4WD w/Diff1 Lock	42181-34011 42181-60050	m	6.	4WD 26 Seat, Spring	R/L 90117-14008	m	22.72	7 Brkt, Stabilizer Unk R 48809-35020 m #.4 9.63 L 48807-35020 m #.4 9.63 #R&R One Side Complete, R&R Both Sides. 6
w/o Locking Axle 21 Carrier, Diff'l	42181-34011	m	6.: 6.:	6 w/PreRunner Model	R/L 48046-35210	m	40.38	9 Bushing, Stabilizer Mtg R/L 48815-AD040 m #.3 7.37 9 Bushing, Stabilizer Mtg R/L 48815-AD040 m #.3 8.69 #R&R One Side Complete
2WD 2.4L Eng				w/o PreRunner Model 4WD 27 Bumper, Lower Spring	R/L 48046-35220 R/L 48046-35210	m m	32.50 40.38	#R&R One Side Complete
Man Irans Auto Trans	41110-35270 41110-43030	m m	2.2 923.2 2.2 923.2	י תאופ וט				FUEL TANK
2.7L Eng Regular Cab 3.909 Axle Ratio	o 41110-35741	m	2.2 983.0	w/Off Road Pkg w/o Off Road Pkg	R/L 48306-35200 R/L 48306-04040	m m	25.38 81.08	R&I Fuel Tank
4.300 Axle Ration Xtra Cab, Double	41110-34230		2.2 983.0	5 4WD 5 w/Off Road Pkg w/o Off Road Pkg	R/L 48306-35200 R/L 48306-04040	m	25.38 81.08	NOTE: R&/R&R Does Not include drain and refill.
4.100 Axle Ratio 4.555 Ratio	41110-35751 41110-35840		2.2 983.0 2.2 983.0	28 Brkt, Front Leaf Spring-S 29 Brkt, Rear Leaf Spring-Se	ee Frame Section	m	01.00	25
3.4L Eng PreRunner Mode w/Diff! Lock	l 41110-35860	_	22 1035,	30 Absorber, Shock 2WD				<u>12</u> 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
w/o Locking Axl 3.909 Axle Rat	e	m	22 983	w/Off Road Pkg	R 48531-A9020	m #.6	92.25	11—13
4.100 Axle Rat S-Runner Model	io 41110-35751 41110-35720	m m	2.2 983.0 2.2 983.0	51 ^0a Cab	L 48541-A9010 R 48531-A9040	m #.6 m #.6 m #.6	82.25 82.25 31.02	─—10 — —14
4WD 2.7L Eng w/Diff1 Lock	41110-3D280	m	22 1035.	w/o Off Road Pkg	L 48541-A9020	m #.6	31.02	7—
w/o Locking Axle Man Trans		***	22 1000.	Regular Cab, Xtra Cab¶ Double Cab	R 48531-80695 L 48541-39335	m #.6 m #.6	31.02 31.02 31.02	
3.909 Axle Rat 4.300 Axle Rat			2.2 983.0 2.2 983.0	51	R 48531-80696 L 48541-39345	m #.6 m #.6	31.02	15————————————————————————————————————
Auto Trans 4.100 Axle Rai		m	2.2 983.0 2.2 983.0	5 4 Cyl	F/L 48531-80694	m #.6	24.36	8
4.555 Axle Rat 3.4L Eng w/Diffl Lock	io 41110-35840 41110-35860		2.2 983.02.2 1035.0	6 Cyl	R/L 48531-80697 R/L 48531-A9030	m #.6 m #.6	24.36 29.02	900
w/o Locking Axle 3.909 Axle Ratio		m	2.2 983.0	w/Off Road Pkg	R 48531-A9020	m #.6	92.26	20 22 21
4.100 Axle Ratio	41110-35751	m	2.2 983.	6 Cyl	L 48541-A9010	m #.6 m #.6	82.25 82.25	171 40 1
				Xtra Cab	R 48531-A9020 L 48541-A9010 R 48531-A9040	m #.6 m #.6	82.25 82.25 31.02	17—19 18
20		Q-2	9	Double Cab w/o Off Road Pkg	R 48531-A9040 L 48541-A9020	m #.6 m #.6	31.02 31.02	23
	32 35	 a		Regular Cab, Xtra Cab	R 48531-80695 L 48541-39335	m #.6 m #.6	31.02 31.02 31.02	24
	25	Boot	-34	Double Cab	R 48531-80696 L 48541-39345	m #.6 m #.6	31.02 31.02	044-07028
		34	4 39	¶Order by Application #R&R Both Sides .	8 ut/Avia Housing Dam	oved Deduct .4	4.47	1 Cap Assy, Fuel Filler Std Bed 77310-06020 13.21
	-30		A S	31 Bolt, Shock Mtg 32 Brkt, Shock Mtg-See Fran 33 Shackle Kit	ne Section		4,17	Stepside Bed 77300-20010 13.12 2 Gskt: Filler Capf i
31 🥕	27	4-00	\neg	2WD w/PreRunner Model	R/L 04483-04060	m #.8	74.14	Std Bed 77316-06010 14.21 Stepside Bed 77316-16010 11.80 Illncluded w/Fuel Filler Cap Assy
22	20	4	⋑	w/o PreRunner Model 4WD	R/L 04483-04050 R/L 04483-04060	m #.8 m #.8	0.00 74.14	3 Housing Assy Filler
23				34 Bushing, Upr Shackle¶ (2/Side)	1.4, Included in R&R Spi R/L 90080-38024	nng Assy m	3.59	02 77300-08010 13.12 Stanside Red 77290.35080 24.35
(S)				¶Included w/Shackie 35 Bumper, Upper Spring	e Kit		3.50	4 Stopper, Fuel Door¶ 77367-35010 .66 ### ### ### ### #### #### ##########
004-06606	2	26		2WD w/o PreRunner Model	R/L 48341-04050	m	22.35	02 77201-35710 83.60
22 Spring Assy, Leaf					R STABILIZER JNNER MODEL	-		7 Hose, Breather 01 77269-35030 11.29 02 N.A. 0.00
2WD 2.4L Eng	D 40040 04040	4	H 0 100		SHITE MODEL			8 Tank, Fuel Regular Cab 2.4L Eng 01 77001-04050 m #1.8 346.70
Regular Cab Xtra Cab	R 48210-04210 L 48220-04100 R/L 48210-04310	m # m # m #	11.3 4 09.4	9	on Located in Next Colum	าก		02 77001-04140 m #1.8 364.93 2.7L Eng 01 77001-04070 m #1.8 380.14
2.7L Eng Std Duty	17E TOE 10'07010	111 #	100.					02 7/001-04160 m #1.8 398.40 Xtra Cab, Double Cab
Regulár Cab	R 48210-04360 L 48220-04150	m #	1.3 508.4	6 #Includes R&H Sta	48805-AD020 bilizer Brackets, Bushir	m #.9 ngs & Links	139.81	2WD w/PreRunner Model 01 77001-04090 m #1.8 380.14 02 77001-04170 m #1.8 398.40
Xtra Cab	R 48210-04330 L 48220-04130	m # m #	1.3 508. 1.3 508.					w/o PreRunner Model 01 77001-04060 m #1.8 396.40 m #1.8 346.70
1446				n are for Benjacoment with			لـــــــــــــــــــــــــــــــــــــ	adama adama adama adama

