

2016 National Hospital Ambulatory Medical Care Survey (NHAMCS) Data for Dementia Research

Support

The Center to Accelerate Population Research in Alzheimer's (CAPRA) at the University of Michigan is supported by National Institute on Aging of the National Institutes of Health (award No. P30 AG066582).

Disclaimer

The content is solely the responsibility of the CAPRA and does not necessarily represent the official views of the National Institutes of Health, the University of Michigan, or the Centers for Disease Control and Prevention.

These publicly available data are from the National Center for Health Statistics (NCHS) and are protected by a Data User Agreement. All users are required to follow the following NCHS terms and conditions.

NCHS Data User Agreement

NCHS, Centers for Disease Control and Prevention (CDC), conducts statistical and epidemiological activities under the authority granted by the Public Health Service Act (42 U.S.C. § 242k). NCHS survey data are protected by Federal confidentiality laws including Section 308(d) Public Health Service Act [42 U.S.C. 242m(d)] and the Confidential Information Protection and Statistical Efficiency Act or CIPSEA [Pub. L. No. 115-435, 132 Stat. 5529 § 302]. These confidentiality laws state the data collected by NCHS may be used only for statistical reporting and analysis. Any effort to determine the identity of individuals and establishments violates the assurances of confidentiality provided by federal law.

Terms and Conditions

NCHS does all it can to assure that the identity of individuals and establishments cannot be disclosed. All direct identifiers, as well as any characteristics that might lead to identification, are omitted from the dataset. Any intentional identification or disclosure of an individual or establishment violates the assurances of confidentiality given to the providers of the information.

Therefore, users will:

1. Use the data in this dataset for statistical reporting and analysis only.
2. Make no attempt to learn the identity of any person or establishment included in these data.
3. Not link this dataset with individually identifiable data from other NCHS or non-NCHS datasets.
4. Not engage in any efforts to assess disclosure methodologies applied to protect individuals and establishments or any research on methods of re-identification of individuals and establishments.

By using these data you signify your agreement to comply with the above-stated statutorily based requirements.

Sanctions for Violating NCHS Data Use Agreement

Willfully disclosing any information that could identify a person or establishment in any manner to a person or agency not entitled to receive it, shall be guilty of a class E felony and imprisoned for not more than 5 years, or fined not more than \$250,000, or both.

Overview of the data files

This data dictionary is for the three NHAMCS_cog_2016_XXX files, which include STATA, SAS, and CSV file formats.

The NHAMCS_cog_2016 dataset includes data from the National Hospital Ambulatory Medical Care Survey (NHAMCS) Emergency Department (ED) file. Each row of data in the NHAMCS ED file represents a single patient-visit to an ED. Truncated ICD-10 codes from the DIAG1-DIAG5 variables were used to identify patient-visits where the patient was diagnosed with Alzheimer's disease and related dementias (ADRD). This dataset also includes demographic variables (e.g., age, sex, race), visit- and ED-level weights, strata, and PSU, as well as Reason for Visit codes. Some of these variables were recoded in the following ways:

1. Where applicable, variables from the original dataset were recoded, such that answers of "Not applicable" and "Blank" were set to be missing in this dataset
2. Binary variables were re-coded such that no=0 and yes=1 (e.g., `sex` [1=female, 2=male] was re-coded into the variable `female` [0=no/male, 1=yes/female])
3. Variables that were re-coded include the name of the original NHAMCS variable in the description to allow users to easily look up the original question text and categories in the NHAMCS documentation
4. For STATA users, all variable names have been converted to lowercase

For identifying cognitive impairment/ADRD, the variable `cog_dx` was created to flag patient-visits with an ADRD or other cognitive impairment diagnosis where the diagnosis was NOT flagged as probable, questionable, or ruleout. The variables `cog_dx_code1` through `cog_dx_code5` were created to show users which ICD-10 code was identified as diagnosing ADRD. The variable `any_cog` was created to flag instances where either `alzhd` = 1 or `cog_dx` = 1. `alzhd` is a variable created by NHAMCS and indicates if a patient has Alzheimer's disease regardless of diagnosis for the visit.

Brief and detailed summaries of the variable names, types, descriptions, and mean, minimum, and maximum values are included below. Descriptions of each recoded variable in this dataset include the original NHAMCS variable name. Original variable names, question text, and categories can be found on the NHAMCS Website (https://www.cdc.gov/nchs/ahcd/datasets_documentation_related.htm).

Users of this resource should be familiar with complex survey design and appropriately apply the sample weights, strata, and primary sampling units for any analyses. `patwt` should be used for patient-visit-level analyses; `edwt` should be used for ED-level analyses.

Brief summary of all variables (unweighted)

Variable	Obs	Unique	Mean	Min	Max	Label
year	19467	1	2016	2016	2016	Calendar year
id	19467	361	170.4581	2	362	Visit ID - concatenation of hospcode and patcode
hospcode	19467	232	120.6002	1	232	Hospital number
patcode	19467	174	49.85786	1	174	Patient code
region	19467	4	2.730672	1	4	Geographic region
age	19467	94	38.07942	0	93	Patient age in years
ager	19467	6	3.124159	1	6	Age recode
age65	19467	2	.1562131	0	1	Patient is age 65 or older. 1/0
female	19467	2	.543227	0	1	Recode of sex: Patient is female. 1/0
racereth	19467	4	1.64278	1	4	RACER and ETHNIC combination
paytyper	17915	7	2.511917	1	7	Recoded primary expected source of payment for...
payer	17915	4	1.870388	1	4	recode of paytyper: source of payment
totchron	19224	14	1.083385	0	14	Total number of chronic conditions
rfv1	19438	541	23673.5	10050	89990	Patient's complaint, symptom, or other reason ...
rfv2	12519	595	21980.68	10050	89990	Patient's complaint, symptom, or other reason ...
rfv3	7441	544	20601.65	10050	89990	Patient's complaint, symptom, or other reason ...
rfv4	4201	466	20593.12	10050	89990	Patient's complaint, symptom, or other reason ...
rfv5	2200	382	21035.96	10050	89990	Patient's complaint, symptom, or other reason ...
diag1	19467	1522	.	.	.	Diagnosis #1
diag2	19467	1396	.	.	.	Diagnosis #2
diag3	19467	1072	.	.	.	Diagnosis #3
diag4	19467	823	.	.	.	Diagnosis #4
diag5	19467	578	.	.	.	Diagnosis #5
prdiag1	19368	2	.0035626	0	1	For diagnosis 1, is this probable, questionabl...
prdiag2	10727	2	.0098816	0	1	For diagnosis 2, is this probable, questionabl...
prdiag3	5679	2	.0119739	0	1	For diagnosis 3, is this probable, questionabl...
prdiag4	3145	2	.0073132	0	1	For diagnosis 4, is this probable, questionabl...
prdiag5	1834	2	.0070883	0	1	For diagnosis 5, is this probable, questionabl...
alzhd	19467	2	.0132532	0	1	Does patient have: Alzheimer's disease/Dementia
cog_dx	19467	2	.0106847	0	1	indicator: any cognition-related diagnosis. 1/0
any_cog	19467	2	.0190579	0	1	any cognition-related diagnosis (cog_dx=1) or ...
cog_dx_code1	84	4	.	.	.	identified cognition-related ICD-9 / ICD-10 di...
cog_dx_code2	62	5	.	.	.	identified cognition-related ICD-9 / ICD-10 di...
cog_dx_code3	34	5	.	.	.	identified cognition-related ICD-9 / ICD-10 di...
cog_dx_code4	28	5	.	.	.	identified cognition-related ICD-9 / ICD-10 di...
cog_dx_code5	19	3	.	.	.	identified cognition-related ICD-9 / ICD-10 di...

settype	19467	1	3	3	3	Setting type
cstratm	19467	8	3.14e+07	2.01e+07	4.04e+07	Clustered CSTRATM -- masked
cpsum	19467	134	44405.95	1	100228	Clustered CPSUM -- masked
patwt	19467	305	7478.872	40.41293	52250.26	Patient visit weight
edwt	232	223	21.32673	1.40925	102.5765	ED weight

Detailed summary of all variables (unweighted)

year	Calendar year
------	---------------

type: numeric (int)

range: [2016,2016] units: 1

unique values: 1 missing .: 0/19,467

tabulation: Freq. Value

19,467 2016

id	Visit ID - concatenation of hospcode and patcode
----	--

type: numeric (int)

range: [2,362] units: 1

unique values: 361 missing .: 0/19,467

mean: 170.458

std. dev: 77.4589

percentiles:	10%	25%	50%	75%	90%
	66	108	171	232	274

hospcode	Hospital number
----------	-----------------

type: numeric (int)

range: [1,232] units: 1

unique values: 232 missing .: 0/19,467

mean: 120.6
std. dev: 68.9462

percentiles:	10%	25%	50%	75%	90%
	21	61	123	183	213

patcode

Patient code

type: numeric (int)

range: [1,174] units: 1
unique values: 174 missing .: 0/19,467

mean: 49.8579
std. dev: 32.5052

percentiles:	10%	25%	50%	75%	90%
	9	22	46	74	96

region

Geographic region

type: numeric (byte)

label: REGIONF

range: [1,4] units: 1
unique values: 4 missing .: 0/19,467

tabulation:	Freq.	Numeric	Label
	3,013	1	Northeast
	4,497	2	Midwest
	6,677	3	South
	5,280	4	West

age

Patient age in years

```

type: numeric (byte)
label: AGEF, but 92 nonmissing values are not labeled

range: [0,93] units: 1
unique values: 94 missing .: 0/19,467

```

```

examples: 16
          29
          44
          60

```

```

ager                                                    Age recode

```

```

type: numeric (byte)
label: AGERF

range: [1,6] units: 1
unique values: 6 missing .: 0/19,467

```

```

tabulation: Freq.  Numeric  Label
            3,565      1  Under 15 years
            2,767      2  15-24 years
            5,459      3  25-44 years
            4,635      4  45-64 years
            1,444      5  65-74 years
            1,597      6  75 years and over

```

```

age65                                                    Patient is age 65 or older. 1/0

```

```

type: numeric (byte)
label: NOYESF

range: [0,1] units: 1
unique values: 2 missing .: 0/19,467

```


tabulation:	Freq.	Numeric	Label
	16,426	0	No
	3,041	1	Yes

female

Recode of sex: Patient is female. 1/0

type: numeric (byte)

label: NOYESF

range: [0,1]

units: 1

unique values: 2

missing .: 0/19,467

tabulation:	Freq.	Numeric	Label
	8,892	0	No
	10,575	1	Yes

racereeth

RACER and ETHNIC combination

type: numeric (byte)

label: RACERETHF

range: [1,4]

units: 1

unique values: 4

missing .: 0/19,467

tabulation:	Freq.	Numeric	Label
	11,490	1	Non-Hispanic White
	4,270	2	Non-Hispanic Black
	2,878	3	Hispanic
	829	4	Non-Hispanic Other

paytyper

Recoded primary expected source of payment for this visit (based on hierarchy)

type: numeric (byte)

label: PAYTYPERF

range: [1,7] units: 1
unique values: 7 missing .: 1,552/19,467

tabulation:	Freq.	Numeric	Label
	5,171	1	Private insurance
	3,580	2	Medicare
	6,976	3	Medicaid or CHIP or other state-based program
	141	4	Worker's compensation
	1,527	5	Self-pay
	97	6	No charge/Charity
	423	7	Other
	1,552	.	

payer

recode of paytyper: source of payment

type: numeric (byte)
label: payerlbl

range: [1,4] units: 1
unique values: 4 missing .: 1,552/19,467

tabulation:	Freq.	Numeric	Label
	5,171	1	Private insurance
	10,556	2	Medicare/Medicaid/CHIP
	1,527	3	Self-pay
	661	4	Other
	1,552	.	

totchron

Total number of chronic conditions

type: numeric (byte)
label: TOTPROCF, but 14 nonmissing values are not labeled

range: [0,14] units: 1

unique values: 14 missing .: 243/19,467

examples: 0

0

1

2

rfv1 Patient's complaint, symptom, or other reason for visit #1 - detailed category

type: numeric (long)

label: RFVF

range: [10050,89990] units: 1

unique values: 541 missing .: 29/19,467

examples: 12100 Headache, pain in head

15153 Tongue inflammation, infection, swelling

18650 Skin lesion

41150 Medication, other and unspecified kinds

rfv2 Patient's complaint, symptom, or other reason for visit #2 - detailed category

type: numeric (long)

label: RFVF

range: [10050,89990] units: 1

unique values: 595 missing .: 6,948/19,467

examples: 14150 Shortness of breath

18600 Skin rash

58050 Motor vehicle accident, type of injur...

.

rfv3 Patient's complaint, symptom, or other reason for visit #3 - detailed category

type: numeric (long)
label: RFVF

range: [10050,89990] units: 1
unique values: 544 missing .: 12,026/19,467

examples: 15451 Abdominal pain, cramps, spasms, NOS
.
.
.

rfv4 Patient's complaint, symptom, or other reason for visit #4 - detailed category

type: numeric (long)
label: RFVF

range: [10050,89990] units: 1
unique values: 466 missing .: 15,266/19,467

examples: 51150 Sprain and strain of knee
.
.
.

rfv5 Patient's complaint, symptom, or other reason for visit #5 - detailed category

type: numeric (long)
label: RFVF

range: [10050,89990] units: 1
unique values: 382 missing .: 17,267/19,467

examples: .
.
.

.

diag1	Diagnosis #1
-------	--------------

type: string (str4)

unique values: 1,522 missing "": 0/19,467

examples: "J029"
 "M519"
 "R103"
 "S134"

diag2	Diagnosis #2
-------	--------------

type: string (str4)

unique values: 1,396 missing "": 0/19,467

examples: "-9"
 "-9"
 "I509"
 "R098"

diag3	Diagnosis #3
-------	--------------

type: string (str4)

unique values: 1,072 missing "": 0/19,467

examples: "-9"
 "-9"
 "-9"
 "I120"

diag4Diagnosis #4

type: string (str4)

unique values: 823missing "": 0/19,467

examples: "-9"

"-9"

"-9"

"-9"

diag5Diagnosis #5

type: string (str4)

unique values: 578missing "": 0/19,467

examples: "-9"

"-9"

"-9"

"-9"

prdiag1For diagnosis 1, is this probable, questionable, or ruleout?

type: numeric (byte)

label: PRDIAGF

range: [0,1]units: 1

unique values: 2missing .: 99/19,467

tabulation:	Freq.	Numeric	Label
	19,299	0	No
	69	1	Yes

```
prdiag2                                For diagnosis 2, is this probable, questionable, or ruleout?
```

```

      type:  numeric (byte)
      label:  PRDIAGF

      range:  [0,1]                units:  1
unique values: 2                missing .:  8,740/19,467

```

```

tabulation:  Freq.    Numeric  Label
              10,621        0   No
              106          1   Yes
              8,740         .

```

```
prdiag3                                For diagnosis 3, is this probable, questionable, or ruleout?
```

```

      type:  numeric (byte)
      label:  PRDIAGF

      range:  [0,1]                units:  1
unique values: 2                missing .:  13,788/19,467

```

```

tabulation:  Freq.    Numeric  Label
              5,611        0   No
              68          1   Yes
              13,788         .

```

```
prdiag4                                For diagnosis 4, is this probable, questionable, or ruleout?
```

```

      type:  numeric (byte)
      label:  PRDIAGF

      range:  [0,1]                units:  1

```

unique values: 2 missing .: 16,322/19,467

tabulation:	Freq.	Numeric	Label
	3,122	0	No
	23	1	Yes
	16,322	.	

prdiag5

For diagnosis 5, is this probable, questionable, or ruleout?

type: numeric (byte)

label: PRDIAGF

range: [0,1]

units: 1

unique values: 2

missing .: 17,633/19,467

tabulation:	Freq.	Numeric	Label
	1,821	0	No
	13	1	Yes
	17,633	.	

alzhd

Does patient have: Alzheimer's disease/Dementia

type: numeric (byte)

label: NOYESF

range: [0,1]

units: 1

unique values: 2

missing .: 0/19,467

tabulation:	Freq.	Numeric	Label
	19,209	0	No
	258	1	Yes

cog_dx

indicator: any cognition-related diagnosis. 1/0

type: numeric (byte)

label: NOYESF

range: [0,1]

units: 1

unique values: 2

missing .: 0/19,467

tabulation: Freq. Numeric Label

19,259 0 No

208 1 Yes

any_cog any cognition-related diagnosis (cog_dx=1) or patient indicated to have dementia

type: numeric (byte)

label: NOYESF

range: [0,1]

units: 1

unique values: 2

missing .: 0/19,467

tabulation: Freq. Numeric Label

19,096 0 No

371 1 Yes

cog_dx_code1 identified cognition-related ICD-9 / ICD-10 diagnosis code from diag1

type: string (str4)

unique values: 4

missing "": 19,383/19,467

tabulation: Freq. Value

19,383 ""

9 "F039"

5 "G309"

1 "G318"

69 "R418"

cog_dx_code2 identified cognition-related ICD-9 / ICD-10 diagnosis code from diag2

type: string (str4)

unique values: 5 missing "": 19,405/19,467

tabulation: Freq. Value

19,405	" "
7	"F028"
16	"F039"
4	"G309"
1	"G318"
34	"R418"

cog_dx_code3 identified cognition-related ICD-9 / ICD-10 diagnosis code from diag3

type: string (str4)

unique values: 5 missing "": 19,433/19,467

tabulation: Freq. Value

19,433	" "
3	"F028"
10	"F039"
1	"G309"
1	"G318"
19	"R418"

cog_dx_code4 identified cognition-related ICD-9 / ICD-10 diagnosis code from diag4

type: string (str4)

unique values: 5 missing "": 19,439/19,467

tabulation: Freq. Value

```
19,439 ""
      1 "F028"
     11 "F039"
      8 "G309"
      2 "G318"
      6 "R418"
```

```
cog_dx_code5                                identified cognition-related ICD-9 / ICD-10 diagnosis code from diag5
```

```
type: string (str4)
```

```
unique values: 3                                missing "": 19,448/19,467
```

```
tabulation: Freq. Value
19,448 ""
      6 "F028"
     12 "F039"
      1 "R418"
```

```
settype                                         Setting type
```

```
type: numeric (byte)
```

```
label: SETTYPEF
```

```
range: [3,3]                                units: 1
```

```
unique values: 1                                missing .: 0/19,467
```

```
tabulation: Freq.   Numeric Label
19,467           3  NHAMCS - ED
```

```
cstratm                                         Clustered CSTRATM -- masked
```

```
type: numeric (long)
```

range: [20116200,40400000] units: 100
unique values: 8 missing .: 0/19,467

tabulation: Freq. Value
1,565 20116201
2,019 20216201
1,676 20316201
3,371 20416201
1,448 40100000
2,478 40200000
5,001 40300000
1,909 40400000

cpsum

Clustered CPSUM -- masked

type: numeric (long)

range: [1,100228] units: 1
unique values: 134 missing .: 0/19,467

mean: 44405.9
std. dev: 49733

percentiles:	10%	25%	50%	75%	90%
	8	21	39	100114	100205

patwt

Patient visit weight

type: numeric (float)

range: [40.41293,52250.258] units: .00001
unique values: 305 missing .: 0/19,467

mean: 7478.87
std. dev: 6717.2

percentiles:	10%	25%	50%	75%	90%
	1314.4	2873.27	5621.11	9784.18	15155

edwt	ED weight
------	-----------

type: numeric (float)

range:	[1.40925,102.57653]	units:	.00001
unique values:	223	missing .:	19,235/19,467

mean:	21.3267
std. dev:	20.474

percentiles:	10%	25%	50%	75%	90%
	4.05351	7.32976	14.525	27.6287	47.6966