```
</a> <svg id="mainSvg" width="100%" height="100%"> <mask id="mask"> <circle cx="-50%" cy="-50%" r="10%" fill="white"/> </mask> <image id = "titlePage" xlink:href="
/images/hackerTyper.png" width="100%" height="100%" border="0" preserveAspectRatio="xMinYMin slice" mask="url(#mask)"></image> <image class="bug" xlink:href=
"/images/moth.png" width="8%" height="8%" mask="url(#mask)"></image> </svg> <h3 id="compile">Compilation failed with 1 error(s)</h3> </div> </body> </html> @font-
face { font-family: JosefinSans; src: url("/fonts/JosefinSans-Regular.ttf"); } @font-face { font-family: IBM; src: url("/fonts/IBMPlexMono-Regular.ttf"); } .reveal { height: 100vh;
width: 100vw; } .reveal h1 { margin: 0; position: absolute; top: 50%; left: 50%; color: #444444; transform: translate(-50%, -50%); z-index: 1; } .reveal h2 { margin: 0; position:
absolute; top: 58%; left: 50%; color: #3e7fb3; transform: translate(-50%, -50%); z-index: 1; } .reveal a #about { left: 45%; } .reveal a #projects { left: 55%; } .reveal image {
margin: 0; position: absolute; top: 50%; left: 50%; } .bug { position: absolute; } svg { position: absolute; left: 0; top: 0; z-index: 0; } .reveal h3 { margin: 0; position: absolute; top:
0; height: 100%; width: 100%; background-color: #222222; word-wrap: break-word; font-family: JosefinSans, Palatino, Georgia, "Times New Roman", Helvetica; } h1 { text-align:
center; font-size: 500%; } h2 { text-align: center; font-size: 200%; } h3 { font-family: IBM, Times; } p { font-size: 125%; line-height: 1.5; margin: 10px; } $(document).ready (function())
{var bug = true; $(".reveal").on('mousemove', function(event) { if (bug) { var upX = event.clientX + $(document).scrollLeft(); var upY = event.clientY + $(document).scrollTop(),
var mask = $('#mask circle')[0]; mask.setAttribute("cy", (upY - 5) + 'px'); mask.setAttribute("cx", (upX) + 'px'); }}); var randomX = function() { return Math.floor((Math.random()) }
* 90 + 1)); } var randomY = function() { return Math.floor((Math.random() * 90 + 1)); } var moveBug = function() { $(".bug").animate({ x: randomX() + "%", y: randomY() + "%" }
duration = 5000, function() { moveBug(); });} var startBug = function() { $(".bug").animate({ x: randomX() + "%", y: randomY() + "%" }); moveBug(); } $(".bug").click(function() {
bug = false; $("#mainSvg").remove(); $("#compile").css('color', 'green'); $("#compile").text("Compilation completed with 0 error(s)"); }); startBug(); }); <!DOCTYPE html> <html>
<head><meta charset="utf-8"><meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Andy Wang</title> <script src= "jquery-3.4.1.min.js"> </script>
class="reveal"> <h1>Andy Wang</h1> <a href="about.html"><h2 id="about">About</h2></a> <a href="projects.html"> <h2 id="projects"> Projects </h2> </a> <svg
id="mainSvg" width="100%" height="100%"> <mask id="mask"> <circle cx="-50%" cy="-50%" r="10%" fill="white"/> </mask> <image id = "titlePage" xlink:href="
/images/hackerTyper.png" width="100%" height="100%" border="0" preserveAspectRatio="xMinYMin slice" mask="url(#mask)"></image> <image class="bug" xlink:href=
"/images/moth.png" width="8%" height="8%" mask="url(#mask)"></image> </svg> <h3 id="compile">Compilation failed with 1 error(s)</h3> </div> </body> </html> @font-
face { font-family: JosefinSans; src: url("/fonts/JosefinSans-Regular.ttf"); } @font-face { font-family: IBM; src: url("/fonts/IBMPlexMono-Regular.ttf"); } .reveal { height: 100vh;
width: 100vw; } .reveal h1 { margin: 0; position: absolute; top: 50%; left: 50%; color: #444444; transform: translate(-50%, -50%); z-index: 1; } .reveal h2 { margin: 0; position:
absolute; top: 58%; left: 50%; color: #3e7fb3; transform: translate(-50%, -50%); z-index: 1; } .reveal a #about { left: 45%; } .reveal a #projects { left: 55%; } .reveal image {
margin: 0; position: absolute; top: 50%; left: 50%; }.bug { position: absolute; } svg { position: absolute; left: 0; top: 0; z-index: 0; } .reveal h3 { margin: 0; position: absolute; top:
97%; left: 50%; color: red; transform: translate(-50%, -50%); z-index: 1; display: block; } body { text-align: center; margin-left: 0; margin-top: 0; margin-right: 0; margin-bottom:
0; height: 100%; width: 100%; background-color: #222222; word-wrap: break-word; font-family: JosefinSans, Palatino, Georgia, "Times New Roman", Helvetica; } h1 { text-align:
center; font-size: 500%; } h2 { text-align: center; font-size: 200%; } h3 { font-family: IBM, Times; } p { font-size: 125%; line-height: 1.5; margin: 10px; } $ (document).ready (function())
{var bug = true; $(".reveal").on('mousemove', function(event) { if (bug) { var upX = event.clientX + $(document).scrollLeft(); var upY = event.clientY + $(document).scrollTop();
var mask = $('#mask circle')[0]; mask.setAttribute("cy", (upY - 5) + 'px'); mask.setAttribute("cx", (upX) + 'px'); }}); var randomX = function() { return Math.floor((Math.random()) }
* 90 + 1)); } var randomY = function() { return Math.floor((Math.random() * 90 + 1)); } var moveBug = function() { $(".bug").animate({ x: randomX() + "%", y: randomY() + "%" }
duration = 5000, function() { moveBug(); });} var startBug = function() { $(".bug").animate({ x: randomX() + "%", y: randomY() + "%" }); moveBug(); } $(".bug").click(function() {
bug = false; $("#mainSvg").remove(); $("#compile").css('color', 'green'); $("#compile").text("Compilation completed with 0 error(s)"); }); <!DOCTYPE html>
```

<html> <head> <meta charset="utf-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Andy Wang</title> <script src= "jquery-3.4.1.min.js">
 </script> <script src="velocity.min.js"></script src="velocity.min.js"></script> <script type="text/javascript" src="scriptIndex.js"></script> link rel="stylesheet" href="styleIndex.css"> </head> <body> <div
 class="reveal"> <h1>Andy Wang</h1> <a href="about.html"><h2 id="about.html"><h2 id="about">About</h2></a> <a href="projects.html"> <h2 id="projects"> Projects </h2> </a> <svg
id="mainSvg" width="100%" height="100%"> <mask id="mask"> <circle cx="-50%" cy="-50%" r="10%" fill="white"/> </mask> <image id = "titlePage" xlink:href="/images/hackerTyper.png" width="100%" height="100%" border="0" preserveAspectRatio="xMinYMin slice" mask="url(#mask)"></image> <image class="bug" xlink:href="/images/moth.png" width="8%" height="8%" mask="url(#mask)"></image> </svg> <h3 id="compile">Compile">Compilation failed with 1 error(s)</h3> </div> </body> </html> @font-

<!DOCTYPE html> <html> <head> <meta charset="utf-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Andy Wang</title> <script src="jquery-3.4.1.min.js"> </script> <script src="scriptlndex.js"> </script> k rel="stylesheet" href="styleIndex.css"> </head> <body> <div class="reveal"> <h1>Andy Wang</h1> <a href="about.html"><h2 id="about">About</h2></a> <a href="projects.html"> <h2 id="projects"> Projects </h2></h2>