PROMPT ENGINEERING
A PROMPT ENGINEER

Pesented By
Xiran Hu

Contents

01 Background

02 Related Work

03 Framework &Components

04 Experiment Setting

02 Results &Analysis

02 Conclusion &Dicussion

What is prompt?

Let’ s start

HCI



Command-Line Interface

Before **1981**

- **Codified**
- **Strict**

Graphical User Interface

1981-Now

- **Exploratory**

Natural User Interface

1990s-Now

- **Direct**
- **Intuitive**

Prompt could be a new NUI



- Give the opposite of the word "positive".
- Summarize this article in 30 words.
- What is the capital of China?
- .....



Prompt Engineering

{ Prompt } = Instruction "Judge the sentiment of this following sentence." + Content "It's a beautiful day."

Prompt forms

- Text
- Visual Prompts (bounding box, etc)
- Others (voice, etc)

Benefits of using prompts:

- 1 prompt ≈ 100 training instances;
- Better for low-resource downstream tasks;

Automatic Prompt Engineering on LLMs

- *Getting LLMs to perform well on a task —— An appropriate prompt;*
- *Human trial and error;*
- *Automate the generation of prompts in order to enhance the performance of LLMs;*

PPT SHARE

Manual

Automated

Automatic Prompt Engineering

APE&Iterative APE (Zhou et al., 2023b)

The base version of APE

The Workflow of APE



Automatic Prompt Optimization

APO

(Pryzant et al., 2023)

Overview of the proposed Prompt Optimization with Textual Gradients



Framework

- Encapsulates prior work;
- Employed in the paper’s investigation
- 3 components

A Prompt Initialization

- Manual initialization
- Induction Initialization

B New Prompt Proposal

$$p^{(t+1)} = \mathcal{M}_{proposal}(p^{(t)}, B; p^{meta})$$

C Search Procedure

- Back-tracking

Components for p^{meta}

- Detailed instructions and context
  - Prompt Engineering Tutorial.
  - Two-step Task Description.
  - Step-by-step Reasoning Template.
  - Context Specification.
- Incorporating Common **Optimizer Concepts**
  - Batch Size.
  - Step Size.
  - Optimization History and Momentum

Experiment Setting—Four tasks

- Mathematical Reasoning
  - Dataset: MultiArith (Roy & Roth, 2015) and GSM8K (Cobbe et al.,2021);
  - Initialization: “Let’s think step by step” (Kojima et al. ,2022)
- Instruction Induction
  - A benchmark for inferring the underlying instruction from few-shot examples;
  - e.g. Second Word Letter
- Counterfactual Evaluation
  - Use the arithmetic, chess, and syntax tasks and their counterfactual variants (Wu et al. 2023);
  - Observe whether PE2 can reason about counterfactual situations
- Production Prompt
  - On a multi-label and hierarchical classification task;
  - The p^{init} consists of more than 5k tokens (designed by experienced engineers)

Experiment Setting—Compared Methods

- APE (Zhou et al., 2023b)
  - Initialization-only;
  - Details in workflow
- Iterative APE (Zhou et al., 2023b)
  - Initialization—Paraphrase;
  - Details in workflow
- APO (Pryzant et al., 2023)
  - Feedback

LLMs & Search Budget

- Prompt proposal model $\mathcal{M}_{proposal}$
  - GPT-4
- Task Moel $\mathcal{M}_{task}$
  - TEXT-DAVINCI-003 (Ouyang et al., 2022)
- Same search budget for all prompt optimization methods

Overview



Figure 1: **Results Overview.** Our method PE2 consistently brings improvements over the prompt initialization (marked with orange text). It outperforms prompt optimization baselines Iterative APE (Zhou et al., 2023b) and APO (Pryzant et al., 2023). See full results on the Instruction Induction benchmark in Fig. 5, Counterfactual Eval in Fig. 6-7 and production prompt optimization in Fig. 11.

Results & Analysis

Table 1: Investigation on meta-prompt components and configurations.

Method	MultiArith Dev	GSM8K Dev
PE2 (default)	92.0	68.0
Meta-prompt: Instructions and Context		
+ prompt engineering tutorial	90.0	63.0
- two-step task description	89.0	66.0
- step-by-step reasoning template	87.0	61.0
- context specification	93.0	63.0
Meta-prompt: Optimizer Concepts		
+ tune batch size $\{1, 2, 4, 8\}$	92.0	68.0
+ tune step size $\{5, 10, 15, \text{None}\}$	95.0	68.0
+ optim history and momentum	93.0	67.0
Other Configurations		
- back-tracking	90.0	66.0
- hard negative sampling	90.0	68.0



Figure 3: Prompt optimization dynamics on MultiArith when removing selected meta-prompt components. By removing one component, the new prompts have larger variance in their quality.

- Ablation experiments

Results & Analysis

Table 2: Performance Comparison on Mathematical Reasoning Tasks. TD002/003 refers to text-davinci-002/003 models.

Method	Task Model	Proposal Model	MultiArith Test	GSM8K Test
Fixed Prompt, Reported				
Zero-shot CoT	TD002	-	78.7	40.7
APE	TD002	TD002	82.0	43.0
Fixed Prompt, Reproduced				
Zero-shot CoT	TD003	-	86.0	60.9
APE	TD003	-	87.0	61.5
Prompt Optimization				
Iterative APE	TD003	GPT-4	88.5	62.7
APO	TD003	GPT-4	88.5	63.1
PE2 (this work)	TD003	GPT-4	**92.3**	**64.0**

Table 3: Best prompts for MultiArith found by compared prompt optimization methods.

Method	MultiArith Prompt
Fixed Prompt	
Zero-shot CoT	Let's think step by step.
APE	Let's work this out in a step by step way to be sure we have the right answer.
Prompt Optimization	
Iterative APE	Let's proceed in a methodical, step-by-step manner.
APO	Given the scenario, perform the necessary calculations step by step to find the final result. Consider all parts of the input and the sequence of events.
PE2 (this work)	Let's solve this problem by considering all the details. Pay attention to each piece of information, remember to add or subtract as needed, and perform the calculations step by step.

Results & Analysis



- The quality of prompt proposals over the course of prompt optimization
- On MultiArith

Results & Analysis



Figure 5: Results on the Instruction Induction Benchmark. The performance of APO and PE2 are close to each other on most tasks. Our hypothesis is that tasks in Instruction Induction Benchmark are relatively easier compared to the other benchmarks, leading to performance saturation.

Results & Analysis



Figure 6: Results on counterfactual tasks (induction initialization).

Results & Analysis



Figure 7: Results on counterfactual tasks (manual initialization).

Results & Analysis

Table 4: Notable prompt edits made by PE2. See Table 7 for additional examples.

Task	t	Prompt	Dev Acc.
Correct wrong or incomplete task instructions			
Rhymes	0	Remove the first letter from each input word and then replace that first letter with a similar sounding letter or group of letters to form a new word.	0.35
	1	Generate a word that rhymes with the input word.	0.45
Provide more specific context and details			
Second Word Letter	0	Find the second letter in each word.	0.9
	1	Identify the second character in the provided word.	0.95
	2	Identify the second character from the start of the given word.	1.0
Produce short-cut solutions in counterfactual tasks			
Base-8 Addition (induction init.)	0	Add the two numbers given as input to get the output.	0.0
	3	Add the two numbers provided in the input. Then, adjust this sum based on the following rule: if both numbers are less than 50, add 2 to the sum. If either number is 50 or greater, add 22 to the sum. The final result is the output.	0.35

Table 7: Notable prompt edits made by PE2 (Part 2).

Task	t	Prompt	Dev Acc.
Correct wrong or incomplete task instructions			
Antonyms	0	Write the opposite of the given word by adding an appropriate prefix.	0.3
	1	Find the opposite of the given word. If applicable, add or remove an appropriate prefix to form the opposite.	0.6
Provide more specific context and details			
Sentence Similarity	0	Rate the similarity between Sentence 1 and Sentence 2 on a scale from 1 to 5, with 1 being 'probably not similar' and 5 being 'perfectly similar'.	0.0
	1	Rate the similarity between Sentence 1 and Sentence 2 as '1 - probably not similar', '2 - possibly', '3 - moderately', '4 - almost perfectly', or '5 - perfectly similar'.	0.15
Produce short-cut solutions in counterfactual tasks			
Base-9 Addition (induction init.)	0	Add the numbers in each input together to get the output.	0.0
	1	Add the numbers in each input together and then add 11 to get the output.	0.2

Results & Analysis



Table 6: Effect of Initialization. † The prompts are originally from Kojima et al. (2022).

Initialization	MultiArith Dev	GSM8K Dev
default (Let's think step by step.)	92.0	68.0
misleading† (Don't think. Just feel.)	81.0	50.0
irrelevant† (It's a beautiful day.)	73.0	49.0
induction from few-shot examples	84.0	43.0
no-op (Let's think step by step.)	85.0	57.0

Limitations Analysis

Table 5: Limitations and failure cases of PE2.

Task	Meta-prompt and Reasoning Snippets
Neglecting instructions in the meta-prompt	
Base-9 Addition	**Meta-prompt:** ... Note that the ground-truth labels are __absolutely correct__, but the prompts (task descriptions) may be incorrect and need modification. ...
	Reasoning: No, it is not necessary to edit the prompt. The prompt is correct, but the label is incorrect. ... The issue seems to be with the label, not the prompt.
Hallucination (when hints are provided in the meta-prompt)	
Base-8 Addition	**Hint:** The calculation may be performed in a different numerical base.
	Reasoning: ... Given this, it's possible that the numbers are being added in base 80, not base 10. In base 80, adding 20 to the sum of two numbers would be equivalent to adding 1 in base 10.
	New Prompt: The inputs are two numbers separated by a '+'. Add these two numbers together in base 80, then add 1 to give the output in base 10.

Conclusion

Strengths

- Developed several components that help with better prompt
  - two-step task instruction, context specification and step-by-step reasoning template
- Incorporated concepts in optimizer with verbalized counterparts
- Ablation study
- Performs overall well compared to baseline prompt generators (APE, APO)

PPT SHARE

Conclusion

Weaknesses

- Optimizer-inspired components
  - Effective or not? Results are mixed
  - Not used in FINAL version: Clear or not?
- General or not?
  - Datasets are simple;
  - Has NOT tested on representative tasks (Q&A, test summarization, etc)
- Limited novelty
  - Algorithmic contribution seems relatively little

PPT SHARE

THANKS FOR LISTENING

Presented By Xiran Hu

→ *Discussion*

Discussion