





Source: canonical contract v3.0.0 (fcf_m2 3.1.0 run 2026-10-18, DEC-027) · Vintage: inputs 2026-06-24; eGRID2023r2; verified 2026-10-18 · Scenario: legacy_v2 baseline scores · Model: fcf_m2 v3.1.0 / contract v3.0.0 · Assumption: all 12 sites score Low data confidence; none reaches Medium




Source: canonical contract v3.0.0 (fcf_m2 3.1.0 run 2026-10-18, DEC-027) · Vintage: inputs 2026-06-24; eGRID2023r2; verified 2026-10-18 · Scenario: 2026 baseline · Model: fcf_m2 v3.1.0 / contract v3.0.0 · Assumption: pathway = conduit/panel capacity, not installed hardware




Source: canonical contract v3.0.0 (fcf_m2 3.1.0 run 2026-10-18, DEC-027) · Vintage: inputs 2026-06-24; eGRID2023r2; verified 2026-10-18 · Scenario: V3 canonical horizons · Model: fcf_m2 v3.1.0 / contract v3.0.0 · Assumption: growth multipliers provisional (uncalibrated); trigger-gated activation




Source: canonical contract v3.0.0 (fcf_m2 3.1.0 run 2026-10-18, DEC-027) · Vintage: inputs 2026-06-24; eGRID2023r2; verified 2026-10-18 · Scenario: base escalation, 3% real discount · Model: fcf_m2 v3.1.0 / contract v3.0.0 · Assumption: screening-class benchmarks - not budgets or quotes



Source: eGRID2023 Rev 2 SRVC 596.3 lb CO2e/MWh + contract energy · Vintage: factor data-year 2023, accessed 2026-07-19; refresh annually · Scenario: V3 canonical horizons · Model: fcf_m2 v3.1.0 / contract v3.0.0 · Assumption: 9.5 kWh/session, 0.30 kWh/mi, 400 gCO2/mi displaced - benchmark assumptions



Source: canonical contract v3.0.0 (fcf_m2 3.1.0 run 2026-10-18, DEC-027) · Vintage: inputs 2026-06-24; eGRID2023r2; verified 2026-10-18 · Scenario: base path · Model: fcf_m2 v3.1.0 / contract v3.0.0 · Assumption: fee frame ~$1k/port/yr from client operating evidence (screening)



Source: canonical contract v3.0.0 (fcf_m2 3.1.0 run 2026-10-18, DEC-027) · Vintage: inputs 2026-06-24; eGRID2023r2; verified 2026-10-18 · Scenario: 2026 baseline, seeded discrete-event simulation (400 days) · Model: fcf_m2 v3.1.0 / contract v3.0.0 · Assumption: demand synthetic/uncalibrated - screening only

What this analysis is NOT


- All 12 sites score Low data confidence, none reaching Medium - every electrical value awaits confirmation
- Capacity is a PLACEHOLDER at 12/12 sites (no utility/facility verification yet)
- Demand model is synthetic and uncalibrated; growth multipliers are provisional
- Costs are screening-class benchmarks - not budgets, quotes, or engineering estimates
- No site is approved: electrical, ADA, fire, stormwater, and AHJ gates all remain
- Client Meeting #2 follow-up is prepared but not yet held - nothing implies endorsement
- MATLAB ran 49/49 on a SYNTHETIC fixture only - never on these twelve sites; Simulink was built, never simulated

Why we show this slide

Honest uncertainty is the evidence discipline that makes the staged,

trigger-gated strategy credible: verify first, energize when data says so.

Candidate Site Readiness Map



Source: US Census TIGER/Line 2024 (cached in repo) + real_sites_v2.csv · Vintage: TIGER 2024 / sites 2026-06-24 · Scenario: site map, offline (FCF_OFFLINE set) · Model: fcf_m2 v3.1.0 / contract v3.0.0 · Assumption: no basemap tiles in offline mode