



PHYSI CHEM MATERIAL TESTING LABORATORY

❖ OFFICE & LAB ❖

Udyogswamini Prerana Sankul, Plot No. A-17, Gala No. 15
M.I.D.C., Ambad, Nashik-10. Mob.: 8830983337



Certificate Number
TC-7772

TEST REPORT

TEST REPORT NO.	021544	ULR -	TC777222000002169F
NAME OF CUSTOMER	ARK SCIENTIFIC	DATE OF ISSUE	14-01-2025
ADDRESS OF CUSTOMER	5-83, DRITHI TOWERS, PRASANTHI NAGAR IDA, KUKATPALLY, NEAR NAINA GARDEN LANE, HYDERABAD, TELANGANA 500072	DATE OF TESTING	14-01-2025
SAMPLE DESCRIPTION	PIPE OD. 210 X THIK 3.0 X L 1000 MM STEEL SAMPLE	DATE OF RECEIVED	13-01-2025
TEST CONDITIONS	25° C	D.C.NO.	BY HAND
DEVIATION IF ANY	NIL	TOTAL PAGES	01
		PAGE NO.	01

I. CHEMICAL TESTING

1. METAL AND ALLOYS

CHEMICAL ANALYSIS

TEST METHOD USED – JIS G 1253-13

Element	Unit	Observed value	Specified value	
			Min	Max
Carbon	%	0.052	---	0.080
Manganese	%	1.89	---	2.00
Silicon	%	0.77	---	1.00
Sulphur	%	0.021	---	0.030
Phosphorous	%	0.036	---	0.045
Chromium	%	19.30	18.00	20.00
Nickel	%	09.26	8.00	10.50
Molybdenum	%	2.44	2.00	3.00

Remark:- C,Mn,Si,S,P,Cr,Ni, content in the material confirms to AISI:316 grade SPECIFICATION.

TESTED BY

AUTHORISED SIGNATURE

TECHNICAL MANAGER

Disclaimer :-

- 1) Sample submitted by the customer & not drawn by laboratory.
- 2) These test results relate to the sample submitted & information provided by customer.
- 3) The 'Test Report' shall not be reproduced except in full without written approval of the laboratory.
- 4) When statement of conformity to a specification or standard is given decision rule (TEC/CHT/04) is applied.
- 5) Measurement uncertainty shall be considered during application of decision rule (TEC/CHT/04)
- 6) The Laboratory or its Proprietor is not responsible for any financial liability due to error or omission made in 'Test Report'

FORMAT NO. :- TEC/R/04 REV.01



PHYSI CHEM MATERIAL TESTING LABORATORY

❖ OFFICE & LAB ❖

Udyogswamini Prerana Sankul, Plot No. A-17, Gala No. 15
M.I.D.C., Ambad, Nashik-10. Mob.: 8830983337



Certificate Number
TC-7772

TEST REPORT

TEST REPORT NO.	021545	ULR -	TC77722200002169F
NAME OF CUSTOMER	ARK SCIENTIFIC	DATE OF ISSUE	14-01-2025
ADDRESS OF CUSTOMER	5-83, DRITHI TOWERS, PRASANTHI NAGAR IDA, KUKATPALLY, NEAR NAINA GARDEN LANE, HYDERABAD, TELANGANA 500072	DATE OF TESTING	14-01-2025
SAMPLE DESCRIPTION	DISTRIBUTION PLATE DIA. 210 X 0.60 X 75 MM MICHAN.	DATE OF RECEIVED	13-01-2025
TEST CONDITIONS	25° C	D.C.NO.	BY HAND
DEVIATION IF ANY	NIL	TOTAL PAGES	01
		PAGE NO.	01

I. CHEMICAL TESTING

1. METAL AND ALLOYS

CHEMICAL ANALYSIS

TEST METHOD USED – JIS G 1253-13

Element	Unit	Observed value	Specified value	
			Min	Max
Carbon	%	0.042	---	0.080
Manganese	%	1.55	---	2.00
Silicon	%	0.48	---	1.00
Sulphur	%	0.011	---	0.030
Phosphorous	%	0.016	---	0.045
Chromium	%	16.30	18.00	20.00
Nickel	%	10.26	8.00	10.50
Molybdenum	%	2.24	2.00	3.00

Remark:- C,Mn,Si,S,P,Cr,Ni, content in the material confirms to AISI:316 grade SPECIFICATION.

TESTED BY

AUTHORISED SIGNATURE

TECHNICAL MANAGER

Disclaimer :-

- 1) Sample submitted by the customer & not drawn by laboratory.
- 2) These test results relate to the sample submitted & information provided by customer.
- 3) The 'Test Report' shall not be reproduced except in full without written approval of the laboratory.
- 4) When statement of conformity to a specification or standard is given decision rule (TEC/CHT/04) is applied.
- 5) Measurement uncertainty shall be considered during application of decision rule (TEC/CHT/04)
- 6) The Laboratory or its Proprietor is not responsible for any financial liability due to error or omission made in 'Test Report'

FORMAT NO. :- TEC/R/04 REV.01